



# SCHULTE

Box 70 • Englefeld SK • Canada • S0K 1N0  
Phone: 306-287-3715 • Fax: 306-287-3355

# MASTER PRICE SHEET



This list supersedes all previous lists.

## USA

### MACHINE PRICES AND SPECIFICATIONS

Effective July 12, 2019



## RDX-117 SNOW BLOWER



### RDX-117 Snow Blower Specs:

Cutting Width: 117"

Tractor HP: 140 - 220 HP

Cutting Height: 45.5"

Lower Auger Diameter: 23"

Upper Auger Diameter: 14"

Fan Diameter: 38"

Fan Type: 5 Paddle

Drive: 1000 RPM

Adjustable, replaceable skid shoes

Replaceable & reversible Cutting Blade

Gear Driven Rotator

High molecular plastic chute rotating surface

Double chute deflector on HD and Truck loading chutes

Capacity - Dry Snow / Wet Snow

762 tons per hr / 2394 per hr

### ~ ~ Selection 1 ~ Choose a Basic Unit ~ ~

		<i>Retail Price</i>	<i>Weight (lbs)</i>
B118-000	RDX-117 (117" Snow Blower)	17,305.00	2129

### ~ ~ Selection 2 ~ Choose a Gear Box ~ ~

330-655WG	Standard Gearbox ( <i>tractors with cw pto rotation</i> )	3,854.00	175
330-655R	Non-standard Gearbox ( <i>tractors with ccw pto rotation</i> )	4,051.00	175

### ~ ~ Selection 3 ~ Choose a Power Shaft ~ ~

340-926WG	1-3/4 Z20 (size 9) for SDX-117 / RDX-117	801.00	52
340-925WG	1-3/8 Z21 (size 9) for SDX-117 / RDX-117	758.00	52

**NOTE:** Do not order above shaft if going on a FM350



# SCHULTE

Box 70 • Englefeld SK • Canada • S0K 1N0  
Phone: 306-287-3715 • Fax: 306-287-3355

# MASTER PRICE SHEET



This list supersedes all previous lists.

**USA**

**MACHINE PRICES AND SPECIFICATIONS**

Effective July 12, 2019



## **RDX-117 SNOW BLOWER**



**~ ~ Selection 4 ~ Choose a Chute kit ~ ~**

		Retail Price	Weight (lbs)
B110-270	Heavy Duty Chute Kit with Dbl Chute Deflector	1,393.00	155
B840-250	Cylinder Kit for B110-270 <b>(Required)</b>	422.00	27
B110-280	Truck Loading Chute Kit with Dbl Chute Deflector	1,909.00	250
B110-260	Cylinder Kit for B110-280 <b>(Required)</b>	456.00	31
<b><u>NOTE:</u> Cylinder kits are complete with 2" x 6" cylinder &amp; hoses</b>			
B117-220	Folding Truck Loading Chute	3,424.00	
<b><u>NOTE:</u> Hoses &amp; Two Cylinders Included in B117-220</b>			
B890-300WG	Gauge Wheels with Tapered Roller Bearings	1,321.00	50
	Assembly	Net	100.00



# SCHULTE

Box 70 • Englefeld SK • Canada • S0K 1N0  
Phone: 306-287-3715 • Fax: 306-287-3355

# MASTER PRICE SHEET



This list supersedes all previous lists.

## USA

### MACHINE PRICES AND SPECIFICATIONS

Effective July 12, 2019



## SDX-117 SNOW BLOWER



### SDX-117 Snow Blower Specs:

Cutting Width: 117"

Tractor HP: 140 - 220 HP

Cutting Height: 45.5"

Lower Auger Diameter: 23"

Upper Auger Diameter: 14"

Fan Diameter: 38"

Fan Type: 5 Paddle

Drive: 1000 RPM

Adjustable, replaceable skid shoes

Replaceable & reversible Cutting Blade

Gear Driven Rotator

High molecular plastic chute rotating surface

Double chute deflector on HD and Truck loading chutes

Capacity - Dry Snow / Wet Snow

762 tons per hr / 2394 per hr

### ~ ~ Selection 1 ~ Choose a Basic Unit ~ ~

		<i>Retail Price</i>	<i>Weight (lbs)</i>
B117-000	SDX-117 (117" Snow Blower)	12,671.00	2129

### ~ ~ Selection 2 ~ Choose a Gear Box ~ ~

330-655WG	Standard Gearbox ( <i>tractors with cw pto rotation</i> )	3,854.00	175
330-655R	Non-standard Gearbox ( <i>tractors with ccw pto rotation</i> )	4,051.00	175

### ~ ~ Selection 3 ~ Choose a Power Shaft ~ ~

340-926WG	1-3/4 Z20 (size 9) for SDX-117 / RDX-117	801.00	52
340-925WG	1-3/8 Z21 (size 9) for SDX-117 / RDX-117	758.00	52

**NOTE:** Do not order above shaft if going on a FM350



# SCHULTE

Box 70 • Englefeld SK • Canada • S0K 1N0  
Phone: 306-287-3715 • Fax: 306-287-3355

# MASTER PRICE SHEET



This list supersedes all previous lists.

**USA**

**MACHINE PRICES AND SPECIFICATIONS**

Effective July 12, 2019



## **SDX-117 SNOW BLOWER**



**~ ~ Selection 4 ~ Choose a Chute kit ~ ~**

		Retail Price	Weight (lbs)
B110-270	Heavy Duty Chute Kit with Dbl Chute Deflector	1,393.00	155
B840-250	Cylinder Kit for B110-270 <b>(Required)</b>	422.00	27
B110-280	Truck Loading Chute Kit with Dbl Chute Deflector	1,909.00	250
B110-260	Cylinder Kit for B110-280 <b>(Required)</b>	456.00	31
<b><u>NOTE:</u> Cylinder kits are complete with 2" x 6" cylinder &amp; hoses</b>			
B117-220	Folding Truck Loading Chute	3,424.00	
<b><u>NOTE:</u> Hoses &amp; Two Cylinders Included in B117-220</b>			
B890-300WG	Gauge Wheels with Tapered Roller Bearings	1,321.00	50
	Assembly	Net	100.00



# MASTER PRICE SHEET



This list supersedes all previous lists.

**USA**

**MACHINE PRICES AND SPECIFICATIONS**

Effective July 12, 2019



## **SDX-102 SNOW BLOWER**



Cutting Width: 102"  
 Cutting Height: 35"  
 Overall Height: 96"  
 Auger Diameter: 23"  
 Fan Diameter: 30"  
 Fan Type: 4 Paddle  
 Drive: 540 or 1000 RPM

Adjustable, replacable skid shoes  
 Replaceable Cutting Blade  
 Gear Driven Rotator  
 Hydraulic Chute Rotation  
 Capacity Dry Snow/Wet Snow  
 388 Tons per hr / 1222 tons per hr  
 Tractor HP: 85 - 140 HP (63 - 104 kw)

### **~ ~ Selection 1 ~ Choose a Basic Unit ~ ~**

		<u>Retail Price</u>	<u>Weight (lbs)</u>
B102-000	SDX102 Standard Drum Snow Blower	8,677.00	1500

### **~ ~ Selection 2 ~ Choose a Power Shaft ~ ~**

340-924WG	Size 9 Heavy Duty PTO Shaft <b>540 RPM</b>	756.00	44
340-927WG	Size 9 Heavy Duty PTO Shaft (for TV-145 Engine End) <b>540 RPM</b>	829.00	44
<b>Optional Gear Gbox</b>			
B102-175	1000 RPM Gear Box STANDARD	1,715.00	
B102-175R	1000 RPM Gear Box CCW	1,905.00	
<b>Power Shaft for 1000 RPM Gear Box</b>			
340-928WG	1-3/8 21 Spline shaft 1000 RPM	856.00	

**NOTE: Do not order above shaft if going on a FM350 or FM115**



This list supersedes all previous lists.

**USA**

**MACHINE PRICES AND SPECIFICATIONS**

Effective July 12, 2019



## **SDX-102 SNOW BLOWER**



**~ ~ Selection 3 ~ Choose a Chute Kit ~ ~**

B110-270	Heavy Duty Chute Kit with Dbl Chute Deflector	1,393.00	155
B840-250	Cylinder Kit for B110-270 <b>(Required)</b>	422.00	27
B110-280	Truck Loading Chute Kit with Dbl Chute Deflector	1,909.00	250
B110-260	Cylinder Kit for B110-280 <b>(Required)</b>	456.00	31

**NOTE: Cylinder kits are complete with 2" x 6" cylinder & hoses**

B102-250	Folding Truck Loading Chute	3,426.00	
----------	-----------------------------	----------	--

**NOTE: Hoses & Two Cylinders Included in B102-250**

**~ ~ Selection 4 ~ Choose a Extra Options ~ ~**

		<u>Retail Price</u>	<u>Weight (lbs)</u>
B960-260	3pt Extension Kit - no shaft incl. (For SDX102 units built in 2014 or earlier)	694.00	60
B890-300WG	Gauge Wheels with Tapered Roller Bearings	1,321.00	50
	Assembly	Net 100.00	



# MASTER PRICE SHEET



This list supersedes all previous lists.

Effective July 12, 2019

**USA**

## MACHINE PRICES AND SPECIFICATIONS

### ***SDX-840 SNOW BLOWER***

Cutting Width: 84"  
 Cutting Height: 30"  
 Overall Height: 78"  
 Auger Diameter: 18"  
 Fan Diameter: 26"  
 Fan Type: 4 Paddle  
 Drive: 540 RPM

Adjustable, replacable skid shoes  
 Replaceable Cutting Blade  
 Gear Driven Rotator  
 Hydraulic Chute Rotation  
 Capacity Dry Snow/Wet Snow  
     258 Tons per hr / 810 tons per hr  
 Tractor HP 55 - 85 (41 - 63 kw)

#### ~ ~ Selection 1 ~ Choose a Basic Unit ~ ~

		<i>Retail Price</i>	<i>Weight (lbs)</i>
B840-000	SDX-840 Snow Blower with Chute	7,869.00	1044

#### ~ ~ Selection 2 ~ Choose a Power Shaft ~ ~

340-924WG	Heavy Duty PTO Shaft (Size 9)	756.00	36
-----------	-------------------------------	--------	----

#### ~ ~ Selection 3 ~ Choose a Extra Options ~ ~

B840-250	Hyd Cylinder Kit for Chute Deflector (2"x6" cyl & hoses)	422.00	40
B701-260	3Point Extension Kit ( <b>No Shaft Included</b> )	614.00	110
B890-290WG	Gauge Wheels with Tapered Roller Bearings	1,524.00	50
B965-115	Manual Chute Bar for Chute Deflector	81.00	5
	Assembly	Net	100.00



# SCHULTE

Box 70 • Englefeld SK • Canada • S0K 1N0  
Phone: 306-287-3715 • Fax: 306-287-3355

# MASTER PRICE SHEET



This list supersedes all previous lists.

## USA

### MACHINE PRICES AND SPECIFICATIONS

Effective July 12, 2019



## SBX-75 / SBX-87 Skid Steer SNOW BLOWERS



### SBX Series Snow blower Specs:

Cutting Widths:

SBX-75 75"(191cm), SBX-87 87"(221cm)

Replaceable Cutting Blade

Adjustable, replacable skid shoes

Standard Skid Steer Mounting Plate and electrical harnesses available for various skid steer model

### ~ ~ Selection 1 ~ Choose a Basic Unit ~ ~

		<u>Retail Price</u>	<u>Wt(lbs)</u>
B750-100	SBX-75 Base Unit <i>Includes Hydraulic Rotator and Deflection or</i>	5,689.00	
B870-100	SBX-87 Base Unit <i>Includes Hydraulic Rotator and Deflection</i>	5,851.00	

### ~ ~ Selection 2 ~ Choose Motor Mount Attachment Plate & Valve Block ~ ~

B750-300	<b>Required</b> Motor Mount Kit	872.00	
B750-600	<b>Required</b> Skid Steer Attachment plate	637.00	
B750-400	<b>Required</b> Hydraulic Valve Block	3,262.00	

### ~ ~ Selection 3 ~ Choose Hydraulics and Harness Assembly ~ ~

R500-345	Control Box Interface <i>(Choose if Brand isn't listed below)</i>	557.00	
R500-350	Bobcat Interface Harness	1,200.00	
R500-330	CNH Harness Assembly	210.00	
R500-335	Cat 14 Harness Assembly	210.00	
R500-340	John Deere Harness Assembly	210.00	
R500-325	Kubota Harness Assembly	210.00	
R500-315	JCB, Tacheuchi, Volvo Harness Assembly	210.00	





# MASTER PRICE SHEET



This list supersedes all previous lists.

**USA**

**MACHINE PRICES AND SPECIFICATIONS**

Effective July 12, 2019



## ***SBX-75 / SBX-87 Skid Steer SNOW BLOWERS***



**~ ~ Selection 4 ~ Choose Motor to Match Flow ~ ~**

116-213WG	Hydraulic Motor, 4.9 cu. in. For 11-14 GPM Flow	651.00
116-214WG	Hydraulic Motor, 6.2 cu. in. For 15-19 GPM Flow	814.00
116-902WG	Hydraulic Motor, 8.0 cu. in. For 20-24 GPM Flow	1,054.00
116-903WG	Hydraulic Motor, 9.6 cu. in. For 25-29 GPM Flow	1,079.00
116-904WG	Hydraulic Motor, 11.9 cu. in. For 30-35 GPM Flow	1,131.00

**Assembly**

**Net**

**300.00**



# MASTER PRICE SHEET



This list supersedes all previous lists.

**USA**

**MACHINE PRICES AND SPECIFICATIONS**

Effective July 12, 2019



## **SBX-75 / SBX-87 3 PT SNOW BLOWERS**



### **SBX 3 PT Snow Blower Specs:**

Cutting Widths:

SBX-75 75"(191cm), SBX-87 87"(221cm)

540 RPM - cat 1 hitch

Replaceable Cutting Blade

Adjustable, replacable skid shoes

Improved larger chute design

### **~ ~ Selection 1 ~ Choose a Basic Unit ~ ~**

		<u>Retail Price</u>	<u>Wt(lbs)</u>
B750-100	SBX-75 Base Unit <i>Includes Hydraulic Rotator and Deflection</i> <b>or</b>	5,689.00	
B870-100	SBX-87 Base Unit <i>Includes Hydraulic Rotator and Deflection</i>	5,851.00	

### **~ ~ Selection 2 ~ Choose 3PT HITCH (Important: not optional) ~ ~**

B750-200	<b>Required</b> 3 PT Hitch Kit	1,424.00	
----------	--------------------------------	----------	--

**Assembly**

**Net**

150.00



This list supersedes all previous lists.

**USA**

**MACHINE PRICES and SPECIFICATIONS**

Effective July 12, 2019

**FM-350 Front Mount 3pt  
Hitch Frame**

**FM-350 Specs:**

**Tractor HP:** 85 HP-250 HP      **Tractor PTO -** 1000 rpm for RDX / SDX-117 and RDX / SDX-102  
 540 rpm for RDX / SDX-102 only  
**Adjustment:** Accommodates tractors between 151" and 211" measured from mount plate to drawbar pin      **Lift Capacity :** 5000 lbs  
**Nominal Ground Clearance -** 13" depending on tractor installation  
**Nominal Lift Range -** 18"  
**Weight -** 1650 lbs

**~ ~ Selection 1 ~ Choose a Basic Unit ~ ~**

		<b>Retail Price</b>	<b>Weight (lbs)</b>
<b>F350-100</b>	FM-350 Front Mount Frame <b>(NO Driveline Package)</b> <b>Used for SV 3pt V-BLADE (must choose for all attachments)</b> <i>Includes 2 hydraulic banks for operation</i>	6,164.00	750
<b>F350-200</b>	<i>Driveline package (Used for Snow Blowers)</i>	3,945.00	

**~ ~ Selection 2 ~ Choose Gear Box ~ ~**

<b>F250-310</b>	1:1 Rear Gear Box <i>Select when connecting a 1000 RPM PTO tractor to a SDX-117 or RDX-117 or when connecting a 540 RPM PTO tractor to a SDX-102 or RDX-102 snow blower</i>	2,295.00	100
<b>F250-300</b>	1000 to 540 RPM Rear Reduction Gearbox <i>Select when connecting a 1000 RPM PTO tractor to a RDX-117 or RDX-102</i>	2,121.00	100

**~ ~ Selection 3 ~ Choose REAR TRACTOR SHAFT ~ ~**

**NOTE: Power delivered from a 1,000 RPM tractor only**

<b>340-662WG</b>	1-3/8 Z21 for SDX-102 / RDX-102	653.00	36
<b>340-663WG</b>	1-3/4 Z20 for SDX-102 / RDX-102	633.00	36
<b>340-925WG</b>	1-3/8 Z21 (size 9) for SDX-117 / RDX-117	758.00	52
<b>340-926WG</b>	1-3/4 Z20 (size 9) for SDX-117 / RDX-117	801.00	52

**NOTE: Power delivered from a 540 RPM tractor only**

<b>340-924WG</b>	1-3/8 Z6 (size 9) for RDX-102	756.00	50
------------------	-------------------------------	--------	----



This list supersedes all previous lists.

**USA**

**MACHINE PRICES and SPECIFICATIONS**

Effective July 12, 2019

***FM-350 Front Mount 3pt  
Hitch Frame***

**~ ~ Selection 4 ~ Choose Hydraulic Bank ~ ~**

		RETAIL PRICE	WEIGHT (LBS)
<b>F300-410</b>	Hydraulic Bank and Mount, Single <i>Required for drum rotation on RDX-102 / RDX-117</i>	352.00	50

**~ ~ Selection 5 ~ Choose Options ~ ~**

**Tractor Mount**

*\*Please contact us for tractor mount options & availability*      600.00



This list supersedes all previous lists.

**USA**

**MACHINE PRICES and SPECIFICATIONS**

Effective July 12, 2019

***FM-115 Front Mount 3pt  
 Hitch Frame***

***FM-115 Specs:***

**Tractor HP:** Max. 115 hp (86kw)

**Tractor HP:** Min. 55hp(41kw) for SDX-840, 85hp (63kw)for SDX-102, RDX-102

**Tractor Hydraulic Requirement** - 3 remote circuits with a minimum total hydraulic output of 10 GPM at 1200 PSI.rotating drum.  
 An additional circuit is required if the snow blower has a rotating drum (RDX-102).

**Tractor PTO** - 540 RPM

**Lift Capacity:** Maximum - 5000 lbs (1162 KG)

**Adjustability** - Fits tractors between 111-1/2" and 164-1/2" measured the front mount plate to the drawbar pin

**Normal Lift Range** - 18"

**Nominal Ground Clearance** - 10" depending on tractor installation

**Approximate Weight** - 1400 lbs (636 KG)

***~ ~ Selection 1 ~ Choose a Basic Unit ~ ~***

		<b>Retail Price</b>	<b>Weight (lbs)</b>
<b>F115-100</b>	FM-115 Front Mount Frame <b>(NO Driveline Package)</b>	4,391.00	750
<b>F115-200</b>	<i>Driveline package (Used for Snow Blowers)</i>	4,072.00	
<b>F115-410</b>	Hydraulic Bank and Mount, Single	313.00	100
<b>340-924WG</b>	1-3/8 Z6 (Size 9) for RDX-102	756.00	

Assembly

Call for Pricing