

A large combine harvester is shown in the process of unloading a large volume of golden grain into a green trailer. The grain is falling from a chute at the top of the harvester, creating a dynamic spray. The harvester's body is dark grey or black, and the trailer is a vibrant green. The scene is set in a field under a clear blue sky with some light clouds. The harvester has "650 SS" and "DEMCO" branding on it.

DEMCO®

HARVEST EQUIPMENT



HARVEST VISION PACKAGE

See details inside

NEW

HARVEST VISION

GRAIN CARTS
DUAL AUGER
1100-2200



GRAIN CARTS
SINGLE AUGER
650-1300



GRAIN WAGONS
500-750



GRAIN TANK
EXTENSIONS &
TIP-UPS



**AUGERS &
EXTENDERS**



**HEAD
TRANSPORTS**



1) 4-way Directional Spout



2) 2 Cameras with 7" Monitor



Now you can view the performance of your grain cart during harvest right from the seat of your combine.

Camera Locations: on the auger and on back of grain cart

3) 5 Point Scale System with Side Display



4) Additional Lighting



- **Side Marker Lights** - each side will have a row of lights for safety and searchability
- **Work Lights** - powerful LED lights so you can see and be seen around the grain cart

5) Bull-Pull Hitch



The Bull-Pull increases drawbar life while eliminating backlash, for precise control. Bull-Pull hitches are built for heavy loads and are easy to install, making them an excellent improvement to a standard pintle hitch.



DUAL AUGER GRAIN CARTS

2200DA • 1700DA • 1500DA • 1300DA • 1100DA

GRAIN CART MODELS



PAINT COLORS



AUGER DIRECTION



LEFT



RIGHT

AXLE - Wheels OR TRACKS



Tandem Wheels




10 Bolt Wheels



20 Bolt Wheels

TRACKS - 1700 & 2200 DA CARTS



TRACKS - 1500, 1300 & 1100 DA CARTS

CAMSO TRAILED TRACK SYSTEM



SOUICY TRACK SYSTEM



STANDARD FEATURES

- 1 $\frac{3}{4}$ " – 1000 RPM PTO
- Auto-reset cut-out clutch with overrunning protection
- Direct PTO drive — no belts or pulleys; gearbox with dual PTO outputs
- Adjustable cast hitch for Cat 4 or 5 hammerstrap drawbars
- 10,000 lb drop-leg jack with stow-away position for tighter turns
- Hand-wheel clean-out door for easy post-season maintenance
- High-visibility reflective decals & LED lighting
- Narrow 14' transport width
- Low side height for better clearance: 11'1" (1700), 11'8" (2200)
- Low center of gravity for hillside stability
- Six lever-operated clean-out doors
- Backlit ergonomic pendant (uses 1 remote)
- Roll tarp included
- 5-point scale system (monitor not included)

DUAL AUGERS

- 22" diameter vertical auger with 3/8" flighting and Posi-Drive connection
- 20" horizontal drag auger
- UltraFlyte – 1008/1010 high-carbon steel with thicker edge for up to 50% longer wear and faster flow
- Forward-reach auger for optimal visibility; vertical adjust 12'–16' to reduce spillage
- Auger folds within box width for compact transport & storage
- 2-stage folding auger cylinder

OPTIONS

- Electric roll tarp
- Auto gate shutoff for drag auger doors (requires the Libra Cart Wireless Scale)
- Hydraulic Jack

DUAL AUGER GRAIN CARTS

2200DA • 1700DA • 1500DA • 1300DA • 1100DA

HITCHES



Standard Cat 4-5



Cat 3-4 Bull Pull



Cat 5 Bull Pull

JACKS



Manual

Hydraulic

TARPS



ELECTRIC TARP KIT

- 4-Spiral Torsion Springs
- Heavy-Duty Aluminum Bracket and Arm
- Cab Wiring Kit for Standard Electric Hardware
- 90° Worm Gear Durabuilt™ Motor
- Heavy-Duty Front Cable Return



TARP

Shur-Lok Tarp System is standard on Dual Auger Grain Carts

OPTIONS AND ACCESSORIES



BACKLIT PENDANT GRIP CONTROL

Ergonomic pendant operates grain flow gate, auger fold, and adjustable spout and height adjust.



LIBRA CART INDICATOR

A tablet and smartphone-based grain cart weighing and data management system.



SCALE TEC

Five weigh bars in the axle allows for accurate weighing and record-keeping



WEIGH-TRONIX

640 Weigh-Tronix Indicator



SIDE DISPLAY



SIDE MARKER LIGHTS - each side will have a row of lights for safety and searchability

WORK LIGHTS - powerful LED lights so you can see and be seen around the grain cart

FIRE SAFETY SYSTEMS



2200DA, 1500DA, 1300DA, 1100DA



1700DA

- 300-gallon tank and 200-gallon tank (1700DA)
- Hypro centrifugal pump with a hydraulic motor
- Hose reel—100 feet of 0.75" hose
- High-output spray nozzle

NOTE: Demco grain carts are not to be towed down the road loaded


1100, 1300, 1500, 1700, 2200 **DUAL AUGER** GRAIN CARTS

GRAIN CART SPECIFICATIONS

Model	1100	1300	1500	1700	2200
Level Full Capacity	1150	1325	1500	1750	2200
Heaped Full Capacity	1250	1425	1600	1900	2350
Vertical Unload Auger	22"	22"	22"	22"	22"
Horizontal Drag Auger	20"	20"	20"	20"	20"
Unloading Time (bu/min.)	600	600	600	600	600
Spindle Size	5 1/2"	5 1/2"	5 1/2"	5 1/2"	5 1/2"
Tractor HP Required	275	275	350	350	400
Hub Size	10 bolt or 20 bolt	20 bolt		10 bolt	10 bolt
Tread Width	10'11"	12'2"	13'5"	13'5"	13'9"
Tongue Weight Empty	3,900 lbs.	4,120 lbs.	5,000 lbs.	4,530 lbs.	5,120 lbs.
Tongue Weight Loaded	5,500 lbs.	6,000 lbs.	6,500 lbs.	6,100 lbs.	6,500 lbs.
Total Weight- Wheels/Tires & Tarp	22,540 lbs.	24,460 lbs.	N/A	31,700 lbs.	35,080 lbs.
Total Weight- Tracks & Tarp	29,300 lbs.	31,300 lbs.	N/A	40,000 lbs.	42,440 lbs.
Rear Ground Clearance	2'10"	2'10"	2'10"	2'10"	2'10"

* Bushel capacity measured with #2 corn at 15% moisture content (56 lb. test weight)

PHYSICAL SIZE



	1100	1300	1500	1700	2200
A Auger extends to side	11' to 4'5"	11' to 4'5"	11' to 4'5"	10'4" to 3'11"	10'6" to 3'11"
B Transport width (wheels)	11'11"	12'2"	N/A	14'	14'
B Transport width (tracks)	13'5"	13'5"	13'5"	14'	14'
C Box height (low side)	11'	11'	11'	11'3"	11'10"
D Ground clearance	18"	18"	18"	18"	18"
E Auger extends to hitch	3'7"	3'7"	3'7"	3'7"	3'7"
F Box length	25'2"	28'7"	31'11"	30'6"	33'11"
G Box height (high side)	12'	12'	12'	12'5"	13'
H Total length	35'3"	38'8"	42'	39'7"	42'11"
I Axle to tongue length	22'3"	23'10"	25'8"	23'10"	25'6"
J Drawbar/tongue height (adj)	1'6"	1'6"	1'6"	1'6"	1'6"
K Auger clearance height	9'7" to 14'10"	9'7" to 14'10"	9'7" to 14'10"	9'7" to 14'10"	9'7" to 14'10"

Some dimensions may vary due to tire size

DUAL AUGER GRAIN CARTS

2200DA • 1700DA PRICELIST

HOW TO ORDER: Follow headings for choices

MODEL	9445328	1700 DA	\$107,802.00
	9445329	2200 DA	\$124,389.00
	<i>* upcharge for Blue or Black Grain Carts - \$795.00/net</i>		
AXLE	9445492	1700 DA Tandem Wheel Axle	\$61,121.00
	9445493	2200 DA Tandem Wheel Axle	\$61,121.00
WHEELS AND TIRES TRACKS	9445225-60	1700 DA 900/60 R32 Lug Tire	\$7,080.00
	9445230-60	2200 DA 1050/50 R32 Lug Tire	\$11,076.00
	9445481	1700 DA Track Axle/Carriage Assembly - 42" Stabilizer Tracks	\$182,913.00
	9445482	2200 DA Track Axle/Carriage Assembly - 46" Stabilizer Tracks	\$205,862.00
HITCHES	9440219	Standard Hitch - CAT 4-5	\$586.00
	9440125	Bull Pull Hitch - CAT 3-4	\$877.00
	9440127	Bull Pull Hitch - CAT 5	\$702.00
PENDANT	9440220	Non Pendant	\$2,021.00
	9440221	Pendant - 5 Function	\$7,909.00
JACKS	9445620	Manual Jack	\$381.00
	9445616	Hydraulic Jack	\$1,131.00
OPTIONS	9440191	1700 DA - Electric Tarp Kit	\$3,955.00
	9440195	2200 DA - Electric Tarp Kit	\$4,821.00
	9440111	640 Indicator - Avery Weigh-Tronix	\$1,500.00
	9440177	Libra Cart Indicator - Agrimatics	\$3,199.00
	9440223	Libra Cart w/ Auto Gate - Agrimatics	\$6,160.00
	9440199	Point Scale Indicator - Scale-Tec	\$3,837.00
	9440186	Remote Display - 640 Indicator	\$2,918.00
	9440193	Remote Display - Libra Cart Indicator	\$4,126.00
	9440200	Remote Display kit - Point Scale Indicator	\$2,033.00
	9440222	1700 DA - Fire Safety Kit - 200 Gallon	\$5,461.00
	9440182	2200 DA - Fire Safety Kit - 300 Gallon	\$5,461.00
	9440201	Additional Work Lights	\$430.00
	9440203	2200 DA - Side Marker Lights	\$480.00
	9440204	1700 DA - Side Marker Lights	\$480.00
	9440198	Camera Kit 7" Monitor w/ 2 Cameras & Cables	\$1,457.00
	6512	Harvest Vision	Call for Pricing

DUAL AUGER GRAIN CARTS

1500DA PRICELIST

HOW TO ORDER: Follow headings for choices

MODEL	9445327	1500 DA	\$105,144.00
	<i>* upcharge for Blue or Black Grain Carts - \$795.00/net</i>		
TRACKS	9445456	Track Axle/Carriage Assembly - Camso	\$139,643.00
	9445479	Track Axle/Carriage Assembly - Soucy	\$139,643.00
HITCHES	9440219	Standard Hitch - CAT 4-5	\$586.00
	9440125	Bull Pull Hitch - CAT 3-4	\$877.00
	9440127	Bull Pull Hitch - CAT 5	\$702.00
PENDANT	9440220	Non Pendant	\$2,021.00
	9440221	Pendant - 5 Function	\$7,909.00
JACKS	9445620	Manual Jack	\$381.00
	9445616	Hydraulic Jack	\$1,131.00
OPTIONS	9440189	Electric Tarp Kit	\$3,955.00
	9440111	640 Indicator - Avery Weigh-Tronix	\$1,500.00
	9440177	Libra Cart Indicator - Agrimatics	\$3,199.00
	9440223	Libra Cart w/ Auto Gate - Agrimatics	\$6,160.00
	9440199	Point Scale Indicator - Scale-Tec	\$3,837.00
	9440186	Remote Display - 640 Indicator	\$2,918.00
	9440193	Remote Display - Libra Cart Indicator	\$4,126.00
	9440200	Remote Display Kit - Point Scale Indicator	\$2,033.00
	9440182	Fire Safety Kit - 300 Gallon	\$5,461.00
	9440201	Additional Work Lights	\$430.00
	9440205	Side Marker Lights	\$480.00
	9440198	Camera Kit 7" Monitor w/ 2 Cameras & Cables	\$1,457.00
	6512	1500 SA - Harvest Vision	\$0.00

DUAL AUGER GRAIN CARTS

1300DA • 1100DA PRICELIST

HOW TO ORDER: Follow headings for choices

MODEL	9445325	1100 DA	\$88,170.00
	9445330	1100 DA (Walking Tandem Dual Wheels)	\$90,370.00
	9445326	1300 DA	\$89,374.00
	9445331	1300 DA (Walking Tandem Dual Wheels)	\$91,574.00
	<i>* upcharge for Blue or Black Grain Carts - \$795.00/net</i>		
AXLE	9445496	1100 DA Axle - 10 Bolt Hub	\$45,005.00
	9445497	1100/1300 DA Axle - 20 Bolt Hub	\$45,005.00
	9445498	1100/1300 DA Walking Tandem Axle	\$47,405.00
WHEELS AND TIRES	9445230-60	1100 DA 1050/50 R32 Lug Tire - 10 Bolt Hub	\$11,076.00
	9445236-60	1300 DA 1250/50 R32 Alliance -20 Bolt Hub	\$16,412.00
	9445229-60	520/85R42 Walking Tandem	\$12,878.00
TRACKS	9445456	Track Axle/Carriage Assembly - Camso	\$139,643.00
	9445479	Track Axle/Carriage Assembly - Soucy	\$139,643.00
HITCHES	9440219	Standard Hitch - CAT 4-5	\$586.00
	9440125	Bull Pull Hitch - CAT 3-4	\$877.00
	9440127	Bull Pull Hitch - CAT 5	\$702.00
PENDANT	9440220	Non Pendant	\$2,021.00
	9440221	Pendant - 5 Function	\$7,909.00
JACKS	9445620	Manual Jack	\$381.00
	9445616	Hydraulic Jack	\$1,131.00
OPTIONS	9440189	Electric Tarp Kit	\$3,955.00
	9440111	640 Indicator - Avery Weigh-Tronix	\$1,500.00
	9440177	Libra Cart Indicator - Agrimatics	\$3,199.00
	9440223	Libra Cart w/ Auto Gate - Agrimatics	\$6,160.00
	9440199	Point Scale Indicator - Scale-Tec	\$3,837.00
	9440186	Remote Display - 640 Indicator	\$2,918.00
	9440193	Remote Display - Libra Cart Indicator	\$4,126.00
	9440200	Remote Display kit - Point Scale Indicator	\$2,033.00
	9440182	1100 (W&T Only)/1300 DA - Fire Safety Kit - 300 Gallon	\$5,461.00
	9440201	Additional Work Lights	\$430.00
	9440206	1300 DA - Side Marker Lights	\$480.00
	9440207	1100 DA - Side Marker Lights	\$480.00
	9440198	Camera Kit 7" Monitor w/ 2 Cameras & Cables	\$1,457.00
	6512	1100/1300 DA - Harvest Vision	Call for Pricing



SINGLE AUGER GRAIN CARTS

1500SA • 1300SA • 1100SA • 1000SA • 850SA

GRAIN CART MODELS



PAINT COLORS



SUPERIOR CLEAN-OUT

The slope of gravity flow cart allows for fast clean-out



POSI-DRIVE COUPLER

Eliminates noise and shock when engaging

AXLE - Wheels OR TRACKS



10 Bolt Wheels



20 Bolt Wheels

TRACKS FOR 850-1500 SINGLE AUGER CARTS

CAMSO TRAILED TRACK SYSTEM

The Camso Trailed Track System increases the performance of high-capacity harvesting equipment. Its large footprint distributes the weight of heavier, high-capacity grain carts and reduces ground pressure between 30% to 80% compared to tires.



Four Bogie

Two Bogie

SOUCY TRACK SYSTEM

The Soucy OE grain cart track system is a 4 bogie track system with load capacity up to 110,000 lbs with a large footprint for maximum flotation. Designed for fitment of grain carts using a machine-specific axle for maximum durability under heavy loads.



STANDARD FEATURES

- 1 3/4" or 1 3/8" – 1000 RPM PTO
- Auto-reset cut-out clutch with overrunning clutch protects PTO and auger drive
- Adjustable austempered cast hitch fits Cat 4 or 5 hammer-strap drawbar
- Reflective decals + LED tail, flash/turn, and auger lights for high-visibility operation
- Tube-and-truss design with adjustable axle
- Welded, silicone-sealed box resists rust and corrosion
- Heavy-duty spindles and hubs

AUGER

- 20" (18" 850) diameter balanced auger with 3/8" flighting and Posi-Drive connection
- UltraFlyte made with 1008/1010 high carbon steel including a thicker outer edge, resulting in up to 50% longer wear and faster conveying
- Forward reach auger for optimum operator visibility
- 2 stage unload auger folding cylinder

OPTIONS

- Roll top tarp
- Ergonomic pendant control
- Scale kits
- Hydraulic Drive Kit - High Speed / Torque
- Camso Track System
- Soucy Hub Mount Track System



SINGLE AUGER GRAIN CARTS

1500SA • 1300SA • 1100SA • 1000SA • 850SA

HITCHES



Standard Cat 4-5



Cat 3-4 Bull Pull



Cat 5 Bull Pull

JACKS



Manual

Hydraulic

TARPS



ELECTRIC TARP

- 4-Spiral Torsion Springs
- Heavy-Duty Aluminum Bracket and Arm
- Cab Wiring Kit for Standard Electric Hardware
- 90° Worm Gear Durabuilt™ Motor
- Heavy-Duty Front Cable Return



TARP

Shur-Lok Tarp System is standard on Dual Auger Grain Carts

OPTIONS AND ACCESSORIES



BACKLIT PENDANT GRIP CONTROL

Ergonomic pendant operates grain flow gate, auger fold, and adjustable spout and height adjust.



LIBRA CART INDICATOR

A tablet and smartphone-based grain cart weighing and data management system.



SCALE TEC

Five weigh bars in the axle allows for accurate weighing and record-keeping



WEIGH-TRONIX

640 Weigh-Tronix Indicator



SIDE DISPLAY



SIDE MARKER LIGHTS - each side will have a row of lights for safety and searchability

WORK LIGHTS - powerful LED lights so you can see and be seen around the grain cart

FIRE SAFETY SYSTEMS



- 200-gallon tank
- Hypro centrifugal pump with a hydraulic motor
- Hose reel-100 feet of 0.75" hose
- High-output spray nozzle

NOTE: Demco grain carts are not to be towed down the road loaded


650, 750, 850, 1000, 1100, 1300, AND 1500 **SINGLE AUGER** GRAIN CARTS

GRAIN CART SPECIFICATIONS

Model	650	750	850	1000	1100	1300	1500
Level Full Capacity	625 bu.	700 bu.	850 bu.	1000 bu.	1100 bu.	1300 bu.	1500 bu.
Heaped Capacity	675 bu.	725 bu.	925 bu.	1100 bu.	1200 bu.	1375 bu.	1575 bu.
Balanced Auger Size	14"	14"	20"	20"	20"	20"	20"
Unloading Time (bu/min.)	250	250	530	530	530	530	530
Spindle Size	4 1/2"	4 1/2"	4 1/2"	5 1/2"	5 1/2"	5 1/2"	5 1/2"
Tractor HP Required	150+	150+	175+	175+	175+	250+	250+
Hub Size	10 bolt	10 bolt	10 bolt	10 bolt	10 bolt	10/20 bolt	20 bolt
Tongue Weight (empty)	1,190 lbs.	1,240 lbs.	1,180 lbs.	1,180 lbs.	1,210 lbs.	1,450 lbs.	1,500 lbs.
Tongue Weight (loaded)	2,600 lbs.	2,900 lbs.	4,000 lbs.	4,500 lbs.	4,725 lbs.	6,000 lbs.	6,200 lbs.
Weight/Wheels & Tires	7,560 lbs.	8,220 lbs.	11,400 lbs.	12,920 lbs.	13,110 lbs.	16,100 lbs.	16,500 lbs.
Weight/Tracks	NA	NA	17,600 lbs.	19,200 lbs.	19,300 lbs.	22,900 lbs.	23,340 lbs.
Rear Ground Clearance			15"	16"	16"	16"	16"

Bushel capacity measured with #2 corn at 15% moisture content (56 lb. test weight)

* 1102/1272 track units will increase the carts capacity 20 to 30 bushels



PHYSICAL SIZE

Model	650	750	850	1000	1100	1300	1500
A Auger extends to side	7'7"	7'7"	9'5"	8'11"	8'11"	8'11"	8'
B Transport Width	11'11"	11'11"	w/24.5s: 12'4" w/30.5s: 12'10" w/900s: 13'5"	w/ 900s: 13'10" w/1050s: 15'	w/ 900s: 13'10" w/1050s: 15'	w/1250s: 15'11"	w/1250s: 16'1"
C Height, low side	10'11"	11'1"	11'	11'3"	11'8"	12'	12'3"
D Ground clearance	18"	18"	15"	16"	16"	16"	16"
E Auger extends to front	7'1"	7'1"	5'8"	5'8"	5'8"		
F Box length	14'	14'	21'8"	21'8"	21'8"	25'9"	25'9"
G Box height (high side)	11'9"	12'6"	11'4"	12'3"	12'8"	13'1"	13'5"
H Total length	20'	20'	29'2"	29'2"	29'2"	29'2"	29'2"
I Axle to tongue length	13'6"	13'6"	16'1"	16'1"	16'1"	16'10"	16'10"
J Drawbar/tongue height	22"	22"	20"	20"	20"	20"	20"
K Auger clearance height	14'	14'	13'9"	13'9"	13'9"	13'9"	13'9"
L Box width	12'	12'	11'11"	11'11"	11'11"	11'11"	13'8"

NOTE: DEMCO Grain carts are not to be towed down the road loaded

SINGLE AUGER GRAIN CARTS

1500SA • 1300SA

HOW TO ORDER: Follow headings for choices

MODEL	9445335	1300 SA Grain Cart	\$56,385.00
	9445336	1500 SA Grain Cart	\$59,650.00
	<i>* upcharge for Blue or Black Grain Carts - \$795.00/net</i>		
AXLE	9445485	1300 SA Axle - 10 Bolt Hub	\$17,276.00
	9445486	1300/1500 SA Axle - 20 Bolt Hub	\$17,276.00
WHEELS AND TIRES TRACKS	9445231-60	1300 SA - 1250/50 R32 Mitas - 10 Bolt	\$14,621.00
	9445236-60	1300/1500 SA - 1250/50 R32 Alliance - 20 Bolt	\$16,412.00
	9445494	1300/1500 SA Track Axle/Carriage Assembly - Camso	\$116,651.00
	9445495	1300/1500 SA Track Axle/Carriage Assembly - Soucy	\$116,651.00
HITCHES	9440219	Standard Hitch - CAT 4-5	\$586.00
	9440125	Bull Pull Hitch - CAT 3-4	\$877.00
	9440127	Bull Pull Hitch - CAT 5	\$702.00
PTO/HYDRAULIC DRIVE	6500	PTO 1.75" - Large 1000	\$1,239.00
	9445619	Hydraulic Drive	\$5,924.00
PENDANT	6497	Non Pendant	\$728.00
	6498	Pendant - 4 Function	\$4,860.00
	17060	Pendant Extension Harness 12'	\$670.00
FLIGHTING	6499	Standard Flighting - Ultra Flyte	\$7,603.00
	9440158	Chrome Flighting - Ultra Flyte	\$11,604.00
JACKS	9445620	Manual Jack	\$381.00
	9445616	Hydraulic Jack	\$1,131.00
SCALES	9440226	Non Scale	\$505.00
	9440166	Scale Kit - 5 Point	\$7,705.00
OPTIONS	9440162	1300 SA Tarp	\$4,659.00
	9440164	1500 SA Tarp	\$4,890.00
	9440175	1300 SA Electric Tarp Kit	\$6,237.00
	9440173	1500 SA Electric Tarp Kit	\$6,237.00
	9440111	640 Indicator - Avery Weigh-Tronix	\$1,500.00
	13266	640 Indicator Harness Extension 15'	\$302.00
	14990	640 Indicator 12V DC Printer w/ Interface Cable	\$1,119.00
	9440112	Libra Cart Indicator - Agrimatics	\$3,025.00
	9440199	Point Scale Indicator - Scale-Tec	\$3,837.00
	9440186	Remote Display - 640 Indicator	\$2,918.00
	9440193	Remote Display - Libra Cart Indicator	\$4,126.00
	9440200	Remote Display - Scale Tec Indicator	\$2,033.00
	9440196	Fire Safety Kit - 200 Gallon	\$5,283.00
	9440202	Additional Work Lights	\$430.00
	9440209	1300 SA - Side Marker Lights	\$480.00
	9440208	1500 SA - Side Marker Lights	\$480.00
	9440198	Camera Kit 7" Monitor w/ 2 Cameras & Cables	\$1,457.00
	SLIPPL	Slip Plate Coating	\$599.00
	6512	Harvest Vision	Call for Pricing

SINGLE AUGER GRAIN CARTS

1100SA • 1000SA

HOW TO ORDER: Follow headings for choices

MODEL	9445333	1000 SA Grain Cart	\$39,748.00
	9445334	1100 SA Grain Cart	\$47,680.00
	<i>* upcharge for Blue or Black Grain Carts - \$795.00/net</i>		
AXLE	9445484	Axle	\$12,796.00
WHEELS AND TIRES	9445225-60	900/60 R32 Lug Tire	\$7,080.00
	9445230-60	1050/50 R32 Lug Tire	\$11,076.00
	9445231-60	1250/50 R32 Mitas Tire - 10 Bolt	\$14,621.00
	9445489	Track Axle/Carriage Assembly - Camco - 2 Bogie	\$109,862.00
	9445490	Track Axle/Carriage Assembly - Camso - 4 Bogie	\$116,580.00
	9445491	Track Axle/Carriage Assembly - Soucy	\$116,580.00
HITCHES	9440227	Standard Hitch - CAT 4	\$385.00
	9440179	Bull Pull Hitch - CAT 3-4	\$474.00
	9440228	Bull Pull Hitch - CAT 5	\$720.00
PTO/HYDRAULIC DRIVE	6500	PTO 1.75" - Large 1000	\$1,239.00
	6534	PTO 1.375" - Small 1000	
	9445619	Hydraulic Drive	\$5,924.00
PENDANT	6497	Non Pendant	\$728.00
	6498	Pendant - 4 Function	\$4,860.00
	17060	Pendant Extension Harness	\$670.00
FLIGHTING	6499	Standard Flighting - Ultra Flyte	\$7,603.00
	9440158	Chrome Flighting - Ultra Flyte	\$11,604.00
SCALES	9440224	Non Scale	\$906.00
	9440225	Non Scale - 4 Bogie Track	\$3,099.00
	9440154	Scale Kit - 5 Point	\$7,093.00
	9440160	Scale Kit - 4 Bogie Track - 5 Point	\$8,952.00
OPTIONS	9440152	Tarp	\$4,198.00
	9440171	Electric Tarp Kit	\$5,483.00
	9440111	640 Indicator - Avery Weigh-Tronix	\$1,500.00
	13266	640 Indicator Harness Extension 15'	\$302.00
	14990	640 Indicator 12V DC Printer w/ Interface Cable	\$1,119.00
	9440112	Libra Cart Indicator - Agrimatics	\$3,025.00
	9440199	Point Scale Indicator - Scale-Tec	\$3,837.00
	9440186	Remote Display - 640 Indicator	\$2,918.00
	9440193	Remote Display - Libra Cart Indicator	\$4,126.00
	9440200	Remote Display - Scale Tec Indicator	\$2,033.00
	9440196	Fire Safety Kit - 200 Gallon	\$5,283.00
	9440202	Additional Work Lights	\$430.00
	9440210	Side Marker Lights	\$480.00
	9440198	Camera Kit 7" Monitor w/ 2 Cameras & Cables	\$1,457.00
	SLIPPL	Slip Plate Coating	\$599.00
	6485	Inner Door Seal - Small Grains	\$135.00
	6512	Harvest Vision	Call for Pricing

SINGLE AUGER GRAIN CARTS

850 SA

HOW TO ORDER: Follow headings for choices

MODEL	9445332	850 SA	\$37,412.00
	<i>* upcharge for Blue or Black Grain Carts - \$795.00/net</i>		
AXLE	9445483	Axle	\$13,385.00
WHEELS AND TIRES	9445201-60	24.5 X 32 12 Ply Lug Tire	\$3,787.00
	9445203-60	30.5 X 32 12 Ply Lug Tire	\$4,416.00
TRACKS	9445218-60	900/60 R32 Lug Tire	\$6,079.00
	9445489	Track Axle/Carriage Assembly - Camco - 2 Bogie	\$109,862.00
HITCHES	9440227	Standard Hitch - CAT 4	\$385.00
	9440179	Bull Pull Hitch - CAT 3-4	\$474.00
PTO/HYDRAULIC DRIVE	6500	PTO 1.75" - Large 1000	\$1,239.00
	6534	PTO 1.375" - Small 1000	
	9445619	Hydraulic Drive	\$5,924.00
PENDANT	6497	Non Pendant	\$728.00
	6498	Pendant - 4 Function	\$4,860.00
	17060	Pendant Extension Harness	\$670.00
FLIGHTING	6499	Standard Flighting - Ultra Flyte	\$7,603.00
	9440158	Chrome Flighting - Ultra Flyte	\$11,604.00
SCALES	9440224	Non Scale	\$906.00
	9440154	Scale Kit - 5 Point	\$7,093.00
OPTIONS	9440151	Tarp	\$3,579.00
	9440111	640 Indicator - Avery Weigh-Tronix	\$1,500.00
	13266	640 Indicator Harness Extension 15'	\$302.00
	14990	640 Indicator 12V DC Printer w/ Interface Cable	\$1,119.00
	9440112	Libra Cart Indicator - Agrimatics	\$3,025.00
	9440199	Point Scale Indicator - Scale-Tec	\$3,837.00
	9440186	Remote Display - 640 Indicator	\$2,918.00
	9440193	Remote Display - Libra Cart Indicator	\$4,126.00
	9440200	Remote Display - Scale Tec Indicator	\$2,033.00
	9440196	Fire Safety Kit - 200 Gallon	\$5,283.00
	9440202	Additional Work Lights	\$430.00
	9440198	Camera Kit 7" Monitor w/ 2 Cameras & Cables	\$1,457.00
	SLIPPL	Slip Plate Coating	\$599.00

SINGLE AUGER GRAIN CARTS

750SA • 650SA

HOW TO ORDER: Follow headings for choices

MODEL	9445337	650 SA	\$30,824.00
	9445338	750 SA	\$37,285.00
	<i>* upcharge for Blue or Black Grain Carts - \$795.00/net</i>		
AXLE	9445487	Axle 120"	\$8,550.00
	9445488	Adjustable Axle 120"-144"	\$9,442.00
WHEELS AND TIRES	9445201-60	24.5 X 32 12 Ply Lug Tire	\$3,787.00
	9445202-60	24.5 X 32 12 Ply Diamond Tire <i>*Special Order</i>	\$6,126.00
	9445203-60	30.5 X 32 12 Ply Lug Tire	\$4,416.00
	9445204-60	30.5 X 32 12 Ply Diamond Tire <i>*Special Order</i>	\$6,600.00
PTO/HYDRAULIC DRIVE	13399	PTO 1.375" - Small 1000	\$1,105.00
	13398	PTO 1.75" - Large 1000	\$1,208.00
	9445611	Hydraulic Drive	\$2,815.00
SCALES	6525	Non Scale	\$906.00
	9440067	Scale Kit - 3 Point	\$4,540.00
OPTIONS	9440090	Tarp	\$3,348.00
	9440077	Adjustable Spout	\$1,391.00
	9440111	640 Indicator - Avery Weigh-Tronix	\$1,500.00
	13266	640 Indicator Harness Extension 15'	\$302.00
	14990	640 Indicator 12V DC Printer w/ Interface Cable	\$1,119.00
	9440112	Libra Cart Indicator - Agrimatics	\$3,025.00
	9440199	Point Scale Indicator - Scale-Tec	\$3,837.00
	9440186	Remote Display - 640 Indicator	\$2,918.00
	9440193	Remote Display - Libra Cart Indicator	\$4,126.00
	9440200	Remote Display - Scale Tec Indicator	\$2,033.00
	9440198	Camera Kit 7" Monitor w/ 2 Cameras & Cables	\$1,457.00
	SLIPPL	Slip Plate Coating	\$599.00

GRAIN WAGONS STRONGER & SAFER

750SS • 650SS • 500SS



500 SS, 650 SS & 750 SS GRAIN WAGONS

GRAIN WAGON SPECIFICATIONS

Model	500 SS	650 SS	750 SS
Capacity	500 bu.	650 bu.	750 bu.
Empty Weight	5,980 lbs.	6,700 lbs.	7,280 lbs.
Box Width	106"	108"	108"
Box Length	15'5"	17'8"	17'8"
Overall Height w/ 22.5 tires	9'6"	10'2"	10'10"
Spindle Size	3 1/2"	3 1/2"	3 1/2"
Hub Size	10 bolt	10 bolt	10 bolt
Turning Diameter	37'	37'	37'
Roll Top Tarp	Optional	Optional	Optional
Fenders	Optional	Standard	Standard
Door Opening	60"	60"	60"

* Bushel capacity measured with #2 corn at 15% moisture content (56 lb. test weight)

PAINT COLORS



└ No Additional Charge ─┐ └ + \$795⁰⁰/NET ─┐

NOTE: Used truck tires furnished by Demco will vary in quality and outward appearance. Demco will guarantee used tires to hold air for 30 days from date wagon is delivered to dealer lot and assumes no warranty or liability on used tires once removed from dealer premises.

NOTE: Units are factory setup.



500 SS & 650 SS



750 SS

Heavy duty torsion bar suspension reduces wagon stress and improves ride and handling



REFLECTIVE DECALS - Safety First!

STANDARD FEATURES

- Easiest opening door in the industry
- Adjustable door opener for easy access from either side of chute
- Ergonomic tongue latch
- Reflective decals
- LED lights
- 22" hand wheel
- Large viewing windows: 12" x 24"
- More chute clearance
- Fenders - 650/750
- Cast spindle carriers
- 3-1/2" bolt in spindles
- 10 bolt hubs
- Narrow box width for better visibility
- New interior bracing for less grain splat
- 2 wheel (rear) brakes - 500 SS
- 4 wheel brakes - 650 SS/750 SS

OPTIONS

- Additional Front brakes - 500 SS
- Fenders - 500 SS
- Roll tarp
- Rear ladder kit
- Electric door opener

HOW TO ORDER: Follow headings for choices

MODEL	9443200	500SS WAGON	\$28,592.00
	9443201	650SS WAGON	\$33,640.00
	9443202	750SS WAGON	\$37,143.00

** upcharge for Blue or Black Wagons - \$795.00/net*

TIRES	9446028-60	500SS/650SS Tires 425-65R 22.5 Used	\$696.00
	9446014-60	500SS/650SS/750SS Tires 445-65R 22.5 Used	\$889.00
	9446036-60	750SS Tires 455-55R 22.5 Used	\$734.00

OPTIONS	9440136	500SS Tarp	\$2,619.00
	9440138	650SS/750SS Tarp	\$2,707.00
	6282	500SS Rear Ladder Kit	\$462.00
	6293	650SS/750SS Rear Ladder Kit	\$462.00
	9440134	500SS Fenders	\$1,432.00
	9440178	500SS Additional Front Brakes	\$742.00

HEADER TRANSPORTS

CHOOSING THE RIGHT HEADER TRAILER

	AWSpeed All Wheel Steer High Speed Header Transport Trailers	Standard Heavy Duty Header Transport Trailers	HD Standard Header Transport Trailers
Capacity	21,000 lbs	11,200-20,000 lbs	20,000 lbs
Length	32'-52'	20'-52'	32'-52'
4 Wheel Steering	✓	-	-
Highway Option	✓	-	-
Torsion Suspension Axles	✓	✓	✓
Rubberized undercoating	✓	✓	✓
Telescoping Tongue	✓	✓	✓
EZ-Latch Coupler	✓	✓	✓
Brakes	-	✓	✓

KEY FEATURES ON ALL HEAD TRANSPORTS

Torsion Suspension Axles Standard

Makes for a smooth ride when towing. Absorbs shock on rough roads to make the Head Transport last longer.

Painted with Rubberized Undercoating

Keeps your Head Transport looking better longer by resisting rock chips better than traditional paint.

Standard Telescoping Tongue on all Head Transports

Makes the Head Transport easier to hook up

Features Demco's EZ Latch Coupler

2 5/16" ball coupler, safety chains and our EZ latch Coupler so you know it is hooked up right!

FEATURING DEMCO'S EXCLUSIVE EZ LATCH COUPLER

*Standard on Heavy Duty Head Transports



KEY FEATURES ON STANDARD AND HEAVY DUTY HEAD TRANSPORTS

Frame

Demco Head Transports have a one piece welded design with the top and bottom rails welded together with cross members welded to a beam that pulls from hitch to rear axle. This has more strength than a bolt together design and since the main beam is pulling the rear axles, all the bed needs to do is carry the head. Other brands pull the rear axle with the bed.

Tricycle Front Design

Allows for short turns and superior high speed towing capability.

Easy to Use

The top rail is stationary. One person can easily adjust brackets on lower beam to fit different brand/model heads.

Bracket Design

Each bracket will allow for 16 (32) positions. We offer 3 brackets making 48 (96) positions that can be used on most heads that are manufactured today. No need to stock a 2nd brand transport. Simply pull the pins and re-adjust!

Brakes

Electric brakes are available on rear single axle, rear tandem axle (one or both rear axles), and on the front tricycle axle.

ADJUSTABLE MOUNTING BRACKETS



Standard Bracket



L5 Bracket



Hinged Draper Bracket



L8 Bracket

ALL WHEEL STEER HEADER TRANSPORTS

32' • 38' • 44' • 48' • 52'

STANDARD FEATURES

- 7K Torsion Flex Front & Rear Axles
- Tandem Rear Torsion Steerable Axles with 1 Brake (32' - 38' - 44')
- Tandem Rear Torsion Steerable Axles with 2 Brakes (48' - 52')
- 91" Telescoping Tongue w/ Clevis & 1" Hitch Pin
- LED Lighting w/ 7 pole RV plug
- 8 Bolt Hubs w/ ST 235/80R16 Tires
- 2 Adjustable Tie Downs
- 2 Adjustable Mounting Brackets (32' - 38')
- 4 Adjustable Mounting Brackets (44' - 48' - 52')
- GVW = 20,000 lbs
- Poly Front Fenders

OPTIONS

- 139" Telescoping Tongue
- 2 5/16 EZ Latch Coupler or 3" Pintle Ring
- Electric Brakes - Front Axle and 2nd Rear Axle
- Mounting brackets to fit all models of headers



HOW TO ORDER: Follow red headings for choices

HEADER TRANSPORTS

2H000391	32' Header Transport	\$19,236.00
2H000392	38' Header Transport	\$20,660.00
2H000409	44' Header Transport	\$22,995.00
2H000394	48' Header Transport	\$24,269.00
2H000371	52' Header Transport	\$25,112.00

UPGRADE OPTIONS -

pricing in lieu of Standard Features

2H000373	91" Telescoping Tongue w/ Ball Coupler (I.L.O. Clevis)	\$141.00
2H000374	91" Telescoping Tongue w/ Pintle Eye (I.L.O. Clevis)	\$102.00
2H000376	AWS 7K Front Axle-Brake, (48 - 52)	\$927.00
2H000396	AWS 7K Rear Axle - 2 Brake (32' - 38' - 44')	\$668.00
2H000400	AWS 7K Front Axle - Brake (32' - 38' - 44')	\$927.00
2H000385	139" Telescoping Tongue - Clevis	\$633.00
2H000386	139" Telescoping Tongue - Pintle	\$551.00

ADDITIONAL OPTIONS

5H000148	Additional Adjustable Tie Downs (Each)	\$150.00
9H000005	Standard Saddle Bracket Assembly - Right	\$431.00
9H000006	Standard Saddle Bracket Assembly - Left	\$431.00
9H000035	L5 Bracket Assembly	\$471.00
9H000067	L8 Bracket Assembly	\$512.00
9H000101	MacDon 200 Series Brackets - 32'	\$1,005.00
9H000102	MacDon 200 Series Brackets - 38'	\$1,005.00
9H000100	MacDon 200 Series Brackets - 44' - 48' - 52'	\$1,005.00
9H000106	JohnDeere Hinged Draper Brackets	\$452.00
2H000379	AWS Rear Fender	\$661.00
9H000107	Shelbourne Brackets	\$419.00

STANDARD HEADER TRANSPORTS

20' • 24' • 28'

STANDARD FEATURES

- 6K Torsion Flex Tricycle Front & Rear Axles
- Single Rear Torsion Flex Axle
- Axle Down Configuration (Axle Up Configuration available)
- LED Lighting w/ 7 pole RV plug
- New 225/75R15 Load Range E Import Tires
- Black Paint with Rubberized Undercoating
- 2 Adjustable Tie Downs
- 46" Telescoping Tongue w/ Clevis & 1" Hitch Pin
- 2 Standard Saddle Brackets
- GVW 11,200 lbs.

OPTIONS

- 71" Telescoping Tongue
- 2-5/16 Ball Coupler or 3" Pintle Ring
- Electric Brakes - Front and Rear
- Brackets: Standard/L5/Hinged Draper/L8
- MacDon 200 Series Brackets
- Top Rail Extender
- Poly Fenders - Front & Rear



HOW TO ORDER: Follow red headings for choices

HEADER TRANSPORTS	2H000304	20' Header Transport	\$9,669.00
	2H000305	24' Header Transport	\$10,273.00
	2H000306	28' Header Transport	\$11,217.00

UPGRADE OPTIONS -

pricing in lieu of Standard Features

2H000136	46" Telescoping Tongue w/ 2 5/16" Ball Coupler (I.L.O. Clevis)	\$139.00
2H000141	46" Telescoping Tongue w/ 3" Pintle Eye (I.L.O. Clevis)	\$99.00
2H000132	71" Telescoping Tongue w/ Clevis Hitch (I.L.O. Standard Tongue)	\$200.00
2H000133	71" Telescoping Tongue w/ 2 5/16" Ball Coupler (I.L.O. Standard Tongue)	\$299.00
2H000135	71" Telescoping Tongue w/ 3" Pintle Eye (I.L.O. Standard Tongue)	\$253.00
2H000331	Electric Brakes w/ Breakaway on Single Rear Axle	\$654.00
2H000169	Front Braking Torsion Flex Tricycle Axle (I.L.O. Standard Idler Axle)	\$716.00

ADDITIONAL OPTIONS

5H000415	Front Fender Package	\$396.00
5H000190	Rear Fender Package - Single Axle	\$341.00
2H000113	Spare Tire Mounted w/ Carrier	\$435.00
5H000148	Additional Adjustable Tie Downs (Each)	\$150.00
MSO	Manufacture Statement of Origin	\$504.00
9H000005	Standard Saddle Bracket Assembly - Right	\$431.00
9H000006	Standard Saddle Bracket Assembly - Left	\$431.00
9H000035	L5 Bracket Assembly	\$471.00
9H000067	L8 Bracket Assembly	\$512.00
9H000106	JohnDeere Hinged Draper Brackets	\$452.00
9H000056	Top Rail Extender Kit - 20'	\$1,258.00
9H000057	Top Rail Extender Kit - 24'	\$1,258.00
9H000058	Top Rail Extender Kit - 28'	\$1,258.00
9H000107	Shelbourne Brackets	\$419.00

STANDARD HEADER TRANSPORTS

32' • 38'

STANDARD FEATURES

- 6K Torsion Flex Tricycle Front & Rear Axles
- Single Rear Torsion Flex Axle
- Axle Down Configuration
- LED Lighting w/ 7 pole RV plug
- New 225/75R15 Load Range E Import Tires
- Black Paint with Rubberized Undercoating
- 2 Adjustable Tie Downs
- 46" Telescoping Tongue w/ Clevis & 1" Hitch Pin
- 2 Adjustable Slider Brackets (32', 38')
- Single Rear Axle GVW 11,200 lbs.
- Tandem Rear Axle GVW 16,800 lbs.
- Poly Fenders - Front

OPTIONS

- 71" Telescoping Tongue
- 2-5/16 Ball Coupler or 3" Pintle Ring
- Electric Brakes - Front and Rear
- Poly Fenders - Rear
- Tandem Rear Torsion Axles(32' - 38')
- Brackets: Standard /L5/Hinged Draper /L8
- MacDon 200 Series Brackets
- Top Rail Extender



HOW TO ORDER: Follow red headings for choices

HEADER TRANSPORTS	2H000307	32' Header Transport	\$12,555.00
	2H000308	38' Header Transport	\$14,028.00

UPGRADE OPTIONS -

pricing in lieu of Standard Features

2H000136	46" Telescoping Tongue w/ 2 5/16" Ball Coupler (I.L.O. Clevis)	\$139.00
2H000141	46" Telescoping Tongue w/ 3" Pintle Eye (I.L.O. Clevis)	\$99.00
2H000132	71" Telescoping Tongue w/ Clevis Hitch (I.L.O. Standard Tongue)	\$200.00
2H000133	71" Telescoping Tongue w/ 2 5/16" Ball Coupler (I.L.O. Standard Tongue)	\$299.00
2H000135	71" Telescoping Tongue w/ 3" Pintle Eye (I.L.O. Standard Tongue)	\$253.00
2H000162	Electric Brakes w/Breakaway on Single Rear Axle	\$644.00
2H000165	Rear Tandem Suspension w/o Brakes (2 Idler Axles)	\$2,127.00
2H000166	Rear Tandem Suspension w/ Brakes (1 Idler, 1 Electric Brake Axles)	\$2,771.00
2H000164	Rear Tandem Suspension w/ Brakes (2 Electric Brake Axles)	\$3,256.00
2H000170	Front Braking Torsion Flex Tricycle Axle (I.L.O. Standard Idler Axle)	\$716.00

ADDITIONAL OPTIONS

5H000190	Rear Fender Package - Single Axle	\$341.00
5H000190	Rear Fender Package - Tandem Axle	\$341.00
2H000113	Spare Tire Mounted w/Carrier	\$435.00
5H000148	Additional Adjustable Tie Downs (Each)	\$150.00
MSO	Manufacture Statement of Origin (MSO)	Net. \$30.00
9H000005	Standard Saddle Bracket Assembly - Right	\$431.00
9H000006	Standard Saddle Bracket Assembly - Left	\$431.00
9H000035	L5 Bracket Assembly	\$471.00
9H000067	L8 Bracket Assembly	\$512.00
9H000106	JohnDeere Hinged Draper Brackets	\$452.00
9H000101	MacDon 200 Series Brackets - 32'	\$1,005.00
9H000102	MacDon 200 Series Brackets - 38'	\$1,005.00
9H000059	Top Rail Extender Kit - 32'	\$1,887.00
9H000061	Top Rail Extender Kit - 38'	\$1,887.00
9H000107	Shelbourne Brackets	\$419.00

STANDARD HEADER TRANSPORTS

44' • 48' • 52'

STANDARD FEATURES

- 7K Torsion Flex Tricycle Front & Rear Axles
- Tandem Rear Torsion Flex Axles - 1 Brake (44')
- Tandem Rear Torsion Flex Axle with 2 Brakes (48' & 52')
- Axle Down Configuration
- LED Lighting w/ 7 pole RV plug
- New 16" ST 235/80R16 Load Range E Tires
- 8 Bolt Hubs
- Black Paint with Rubberized Undercoating
- 2 Adjustable Tie Downs
- 46" Telescoping Tongue w/ Clevis & 1" Hitch Pin
- 4 Adjustable Slider Brackets
- Tandem Rear Axle GVW 20,000 lbs.
- Poly Fenders - Front

OPTIONS

- 71" Telescoping Tongue
- 2-5/16 Ball Coupler or 3" Pintle Ring
- Electric Brakes - Front Axle
- Poly Fenders - Rear
- Brackets: Standard / L5 / Hinged Draper / L8
- MacDon 200 Series Brackets
- Top Rail Extender



HOW TO ORDER: Follow red headings for choices

HEADER TRANSPORTS

2H000405	44' Header Transport	\$20,432.00
2H000323	48' Header Transport	\$22,151.00
2H000327	52' Header Transport	\$24,456.00

UPGRADE OPTIONS -

pricing in lieu of Standard Features

2H000136	46" Telescoping Tongue w/ 2 5/16" Ball Coupler (I.L.O. Clevis)	\$139.00
2H000141	46" Telescoping Tongue w/ 3" Pintle Eye (I.L.O. Clevis)	\$99.00
2H000132	71" Telescoping Tongue w/ Clevis Hitch (I.L.O. Standard Tongue)	\$200.00
2H000133	71" Telescoping Tongue w/ 2 5/16" Ball Coupler (I.L.O. Standard Tongue)	\$299.00
2H000135	71" Telescoping Tongue w/ 3" Pintle Eye (I.L.O. Standard Tongue)	\$253.00
2H000170	Front Braking Torsion Flex Tricycle Axle (I.L.O. Standard Idler Axle)	\$716.00
2H000407	44' Electric Brakes on 2nd Rear Axle	\$492.00

ADDITIONAL OPTIONS

5H000200	Rear Fender Package - Tandem Axle	\$337.00
2H000212	Spare Tire Mounted w/Carrier	\$491.00
5H000148	Additional Adjustable Tie Downs (Each)	\$150.00
MSO	Manufacture Statement of Origin (MSO)	Net \$30.00
9H000005	Standard Saddle Bracket Assembly - Right	\$431.00
9H000006	Standard Saddle Bracket Assembly - Left	\$431.00
9H000035	L5 Bracket Assembly	\$471.00
9H000067	L8 Bracket Assembly	\$512.00
9H000100	MacDon 200 Series Brackets	\$1,005.00
9H000106	JohnDeere Hinged Draper Brackets	\$452.00
9H000063	Top Rail Extender Kit - 48'	\$2,536.00
9H000091	Top Rail Extender Kit - 52'	\$2,661.00
9H000062	Top Rail Extender Kit - 44'	\$2,506.00
9H000107	Shelbourne Brackets	\$419.00

HEAVY DUTY HEADER TRANSPORTS

32' • 38' • 44'

STANDARD FEATURES

- 7K Torsion Flex Tricycle Front & Rear Axles
- Axle Down Configuration
- 1 Rear Brake
- LED Lighting w/ 7 pole RV plug
- New 16" ST 235/80R16 Load Range E Tires on 8 Bolt Hub
- Black Paint with Rubberized Undercoating
- Manufacturer's Statement of Origin (MSO)
- Front and Rear Fenders
- Horizontal Rear Bumper
- 2 Adjustable Tie Downs
- 46" Telescoping Tongue w/ 2-5/16" Ball Hitch
- 2 Adjustable Slider Brackets(32', 38')
- 4 Adjustable Slider Brackets (44')
- GVW 20,000 lbs.
- Additional Options Available

OPTIONS

- 71" Telescoping Tongue
- 3" Pintle Ring
- Electric Brakes - Front and Rear
- Brackets: Standard/L5/Hinged Draper/L8
- MacDon 200 Series Brackets
- Cotton Header Brackets
- Top Rail Extender



HOW TO ORDER: Follow red headings for choices

HEADER TRANSPORTS	2H000310	32' Heavy Duty Header Transport	\$19,223.00
	2H000311	38' Heavy Duty Header Transport	\$21,029.00
	2H000413	44' Heavy Duty Header Transport	\$25,406.00

UPGRADE OPTIONS -

pricing in lieu of Standard Features

2H000141	46" Telescoping Tongue w/ 3" Pintle Eye (I.L.O. Ball)	\$99.00
2H000133	71" Telescoping Tongue w/ 2 5/16" Ball Coupler (I.L.O. Standard Tongue)	\$299.00
2H000135	71" Telescoping Tongue w/ 3" Pintle Eye (I.L.O. Standard Tongue)	\$253.00
2H000407	Electric Brakes on Second Rear Axle	\$492.00
2H000234	Front Braking Torsion Flex Tricycle Axle (I.L.O. Standard Idler Axle)	\$913.00
2H000170	Front Braking Torsion Flex Tricycle Axle (I.L.O. Standard Idler Axle)	\$716.00

ADDITIONAL OPTIONS

2H000212	Spare Tire Mounted w/ Carrier -HD Model	\$491.00
5H000148	Additional Adjustable Tie Downs (Each)	\$150.00
9H000005	Standard Saddle Bracket Assembly - Right	\$431.00
9H000006	Standard Saddle Bracket Assembly - Left	\$431.00
9H000035	L5 Bracket Assembly	\$471.00
9H000067	L8 Bracket Assembly	\$512.00
9H000100	MacDon 200 Series Brackets	\$1,005.00
9H000106	JohnDeere Hinged Draper Brackets	\$452.00
9H000059	Top Rail Extender Kit - 32'	\$1,887.00
9H000061	Top Rail Extender Kit - 38'	\$1,887.00
9H000062	Top Rail Extender Kit - 44'	\$2,506.00
9H000107	Shelbourne Brackets	\$419.00

HEAVY DUTY HEADER TRANSPORTS

48' • 52'

STANDARD FEATURES

- 7K Torsion Flex Tricycle Front & Rear Axles
- Axle Down Configuration
- 2 Rear Brakes Standard
- LED Lighting w/ 7 pole RV plug
- New 16" ST 235/80R16 Load Range E Tires on 8 Bolt Hub
- Black Paint with Rubberized Undercoating
- Manufacturer's Statement of Origin (MSO)
- Front and Rear Fenders
- Horizontal Rear Bumper
- 2 Adjustable Tie Downs
- 46" Telescoping Tongue w/ 2-5/16" Ball Hitch
- 4 Adjustable Slider Brackets
- GVW 20,000 lbs.
- Additional Options Available

OPTIONS

- 71" Telescoping Tongue
- 3" Pintle Ring
- Electric Brakes - Front and Rear
- Brackets: Standard / L5 / Hinged Draper / L8
- MacDon 200 Series Brackets
- Cotton Header Brackets
- Top Rail Extender



HOW TO ORDER: Follow red headings for choices

HEADER TRANSPORTS

2H000313	48' Heavy Duty Header Transport	\$27,719.00
2H000328	52' Heavy Duty Header Transport	\$30,572.00

UPGRADE OPTIONS -

pricing in lieu of Standard Features

2H000141	46" Telescoping Tongue w/ 3" Pintle Eye (I.L.O. Ball)	\$99.00
2H000133	71" Telescoping Tongue w/ 2 5/16" Ball Coupler (I.L.O. Standard Tongue)	\$299.00
2H000135	71" Telescoping Tongue w/ 3" Pintle Eye (I.L.O. Standard Tongue)	\$253.00
2H000347	Front Braking Torsion Flex Tricycle Axle (I.L.O. Standard Idler Axle)	\$927.00

ADDITIONAL OPTIONS

2H000212	Spare Tire Mounted w/ Carrier -HD Model	\$491.00
5H000148	Additional Adjustable Tie Downs (Each)	\$150.00
9H000005	Standard Saddle Bracket Assembly - Right	\$431.00
9H000006	Standard Saddle Bracket Assembly - Left	\$431.00
9H000035	L5 Bracket Assembly	\$471.00
9H000067	L8 Bracket Assembly	\$512.00
9H000100	MacDon 200 Series Brackets	\$1,005.00
9H000106	JohnDeere Hinged Draper Brackets	\$452.00
9H000063	Top Rail Extender Kit (HT48)	\$2,536.00
9H000091	Top Rail Extender Kit (HT52)	\$2,661.00
9H000107	Shelbourne Brackets	\$419.00

Don't settle for less - Demco Tip-ups will help add capacity to your existing OEM extension.

STANDARD FEATURES

- Easy installation
- Durable and sturdy design
- Convenient fold down for storage and transport
- Unmatched quality
- Attractive appearance
- Additional 60 bushels: 8" tall
- Additional 120 bushels: 14" tall



JOHN DEERE

HOW TO ORDER: 1. Choose **Correct Part Number** 2. Determine **Extension Size** 3. Review **Accessories**

COMBINE MODEL	ADDED BUSHELS:	YEAR	MODEL	PART NO.	PRICE
9660/9670/9760/9770/9860/9870 STS	300 + 60 bu.		M60	9E000018	\$1,968.00
9660/9670/9760/9770/9860/9870 STS	300 + 120 bu.		M120	9E000021	\$2,863.00
S660/S670	300 + 60 bu.	2012-2014*	MS67	9E000041	\$2,051.00
S660/S670	300 + 120 bu.	2012-2014*	MS120	9E000036	\$2,957.00
S660/S670/S760/S770 - S7 600/700	300 + 60 bu.	2014*-2025	MS67SQ	9421047	\$2,250.00
S660/S670/S760/S770 - S7 600/700	300 + 120 bu.	2014*-2025	MS120 SQ	9421046	\$3,145.00
S680/S690	400 + 60 bu.	2012-2014*	MS60	9E000037	\$1,968.00
S680/S690/S780/S790 - S7 800/900	400 + 60 bu.	2014*-2025	MS60SQ	9421043	\$1,968.00

** Contact a Demco Representative when ordering a Tip-Up kit for a 2014 JD S Series Combine*



CASE-IH AND NEW HOLLAND

HOW TO ORDER: 1. Choose **Correct Part Number** 2. Determine **Extension Size** 3. Review **Accessories**

CASE IH COMBINE MODEL	ADDED BUSHELS:	HEIGHT	MODEL	PART NO.	PRICE
5088/5130 /5140/5150/6150/7150	24" + 100 bu.	14" Tall	MX250	9E000025	\$2,863.00
5088/5130/6088/6130/7088/7130/ 5140/6140/7140/ 5150/6150/7150	32" + 100 bu.	14" Tall	MX300	9E000024	\$2,863.00
7010/7120/7230/7240/7250/7260	24" + 100 bu.	14" Tall	MZ315	9E000026	\$2,863.00
7230/8010/8120/8230/9120/9230	27" + 100 bu.	14" Tall	MZ350	9E000027	\$2,863.00
7240/ 8240/9240/7250/8250/9250/7260 8260/9260	33" + 65 bu.	8" Tall	MX410	9421048	\$2,863.00
NEW HOLLAND COMBINE MODEL					
CR940/CR960/CR9040/CR9060/CR6090/ CR7090/CR8080/ CR6.80, CR6.90, CR7.90	24" + 100 bu.	14" Tall	MZ315	9E000026	\$2,863.00
CR970/CR980/ CR9070/CR9080/CR9090	27" + 100 bu.	14" Tall	MZ350	9421027	\$2,821.00
CR8090/CR9090/CR8.90/CR9.90	33" + 65 bu.	8" Tall	MZ410	9E000045	\$2,863.00

NOTE: All capacities are based on level full

DEMCO TIP UP KITS - POWER FOLD

Demco Tip-Ups for power fold combines allow you to gain more capacity while using the OEM power fold extension.



HOW TO ORDER: 1. Choose **Correct Part Number** 2. Determine **Extension Size** 3. Review **Accessories**

COMBINE MODEL	ADDED BUSHELS:	YEAR	HEIGHT	MODEL	PART NO.	PRICE
JOHN DEERE FACTORY POWER FOLD EXTENSION						
S660/S670/S760/S770 - S7 600/700	300 + 150 bu.	2012-2025	14" Tall	MS150E	9421044	\$1,844.00
S680/S690/S780/S790	400 + 75 bu.	2012-2023	7" Tall	MS75E	9421049	\$2,590.00
S780/S790 - S7 800/900	400 + 100 bu.	2023 & Newer	10" Tall		9421068	\$2,627.00
<i>* Aftermarket hydraulic cylinder included: 9421049, 9421068, 9421063, and 9421064</i>						
X9-1000	420 + 180 bu.		8" Tall		9421063	\$2,757.00
X9-1100	460 + 140 bu.		8" Tall		9421064	\$2,014.00
CASE IH FACTORY POWER FOLD EXTENSION						
7120, 7230, 7240, 7250, 7260 (24" panels)	315. + 75 bu.		13" Tall	MZ315P	9E000050	\$3,209.00
Handrail Options at no charge:						
<i>R5E000163LO -Required for CIH 7120</i>						
<i>R5E000193LO Required for CIH 7240</i>						
<i>OEM Handrail will work on CIH 7230</i>						
8120, 9120, 7230, 8230, 9230 (27" panels)	350 + 75 bu.		13" Tall	MZ350P	9E000051	\$3,369.00
7240, 8240, 9240, 7250, 8250, 9250, 7260, 8260, 9260						
(34" rear panels) HR Optional	410 + 65 bu.		6" Tall	MX410P	9421054	\$2,512.00
CASE IH FACTORY POWER FOLD COVER EXTENSION						
7120, 7230, 7240, 7250, 7260 (24" front/rear panels)	315 + 75 bu.		13" Tall	MZ315C	9E000052	\$3,029.00
Handrail Options at no charge:						
<i>R5E000163LO -Required for CIH 7120</i>						
<i>R5E000193LO Required for CIH 7240</i>						
<i>OEM Handrail will work on CIH 7230</i>						
8120, 9120, 7230, 8230, 9230 (27" panels)	350 + 75 bu.		13" Tall	MZ350C	9E000053	\$3,354.00
7240, 8240, 9240, 7250, 8250, 9250	410 + 65 bu.		6" Tall	MX410C	9421055	\$2,351.00
7260, 8260, 9260 (34" rear panels) HR Optional						
CASE NEW HOLLAND FACTORY POWER FOLD EXTENSION						
CR6.80, CR6.90	315 + 75 bu.		13" Tall	MZ315P	9E000050	\$3,209.00
CASE NEW HOLLAND FACTORY POWER FOLD COVER EXTENSION						
CR8.90, CR9.90, CR10.90	410 + 65 bu.		6" Tall	CNH MZ410C	9E000056	\$2,351.00

NOTE: All capacities are based on level full

DEMCO XL EXTENSIONS

Save time and increase productivity while harvesting with the Demco **XL** Extension/Tip-up

STANDARD FEATURES

- Convenient fold down for storage or transport
- Durable and sturdy design
- Total capacity 560 bu
- Height above cab approx. 33"
- Overall height approx. 15'-6"

Largest Extension/Tip-up on the market!



HOW TO ORDER: 1. Choose **Correct Part Number** 2. Determine **Extension Size** 3. Review **Accessories**

JOHN DEERE

JD-XL (S680/S690/S780/S790) - S7 800/900

9421040

\$7,531.00

CASE IH - CNH

Case IH 8010, 8120, 9120, 8230, 9230, 8240, 9240, 8250, 9250, 8260, 9260
CNH CR980, CR9080, CR9090, CR8080, CR8090, CR8.90, CR9.90

9421042

\$7,531.00

Handrail Options at no charge:

Case IH 8010

17891-81

\$7,531.00

Case IH 8240/9240/8250/9250

18413-81

\$7,531.00

Case IH 8120/9120/8230/9230

18412-81

\$7,531.00

CNH CR8080/CR9080/CR6090/7090/8090/9090

18414-81

\$7,531.00

CR6.80/6.90/7.90/8.90/9.90/10.90

NOTE: All capacities are based on level full



Demco Grain Tank Tip-ups are vertical panels that add to either the Demco Grain Tank Extension or to the factory OEM extension for added bushel capacity

Demco Grain Tank Extension *replaces* the factory extension for added bushel capacity and lower clearance of the combine

DEMCO EXTENSIONS

Demco Grain Tank Extensions allow you to add more capacity by *replacing* the factory extension



STANDARD FEATURES

- 3" formed channel frame provides unmatched strength and stability
- Rear entry step for added safety and convenience on Generation II extensions
- Corner caps on all Generation II extensions to prevent leakage
- Quick and easy fold down of extension for lower transport height

JOHN DEERE

ADDED BUSHEL CAPACITY PER EXTENSION

MODEL	ORIGINAL CAPACITY	EXTENSION	TIP-UP	TOTAL LEVEL CAPACITY
9400W, 9410W, 9450W	182 bu.	9421003 - 300 bu.	9E000004 - 50 bu.	350
9500W, 9510W, 9550W	204 bu.	9421003 - 300 bu.	9E000004 - 50 bu.	350
9550W, 9560W (2002 and Newer)	204 bu.	9E000008 - 300 bu.	9E000004 - 50 bu.	350
9600W, 9610W, 9650W	240 bu.	9421003 - 350 bu.	9E000004 - 40 bu.	390
9650W, 9660W (2002 and Newer)	240 bu.	9E000009 - 350 bu.	9E000010 - 40 bu.	390
STS Series	300 bu.	9421001 - 375 bu.	9421002 - 60 bu.	435
S Series with Std. Rate Unload	250 bu.	9E000033 - 375 bu.	9E000034 - 60 bu.	435
S Series with High Rate Unload	300 bu.	9421032 - 375 bu.	9421002 - 60 bu.	435

HOW TO ORDER: 1. Choose **Correct Part Number** 2. Determine **Extension Size** 3. Review **Accessories**

JD 9400, 9410, 9450W (Prior to Serial # 695101) - Extension	9421003	\$2,856.00
JD 9450W (Serial # 695101 and up) - Extension	9E000008	\$2,865.00
JD 9500, 9510, 9550W (Prior to Serial # 695201) - Extension	9421003	\$2,856.00
JD 9550, 9560W (Serial # 695201 and up) - Extension	9E000008	\$2,865.00
JD 9600, 9610, 9650W (Prior to Serial # 695301) - Extension	9421003	\$2,856.00
JD Walker 9400-9500-9600 Series - Tip-up	9E000004	\$1,109.00
JD 9650, 9660W (Serial # 695301 and up) - Extension	9E000009	\$2,908.00
JD 9650, 9660W (Serial # 695301 and up) - Tip-up	9E000010	\$1,109.00
JD 96/9750, 96/97/9860, 96/97/9870 STS - Extension	9421001	\$3,405.00
JD 96/9750, 96/97/9860, 96/97/9870 STS - Tip-up	9421002	\$1,218.00
*JD STS (Required for High Rate Unloading Auger) - Mounting Kit	9E000017	\$467.00
*JD STS (Additional Corner Filler Strips, NOT Required) - Mounting Kit	9E000031	\$133.00
JD S Series with HIGH RATE UNLOADING AUGER - Extension + Mounting Kit	9421032	\$3,898.00
JD S Series (Use with part # 9421032) - Tip-up	9421002	\$1,218.00
JD S Series with STANDARD RATE UNLOADING AUGER - Extension	9E000033	\$3,467.00
JD S Series (Use with part # 9E000033) - Tip-up	9E000034	\$1,240.00

NOTE: All capacities are based on level full

STANDARD FEATURES

- 3" formed channel frame provides unmatched strength and stability
- Rear entry step for added safety and convenience on Generation II extensions
- Corner caps on all Generation II extensions to prevent leakage
- Quick and easy fold down of extension for lower transport height



CASE-IH

ADDED BUSHEL CAPACITY PER EXTENSION

MODEL	ORIGINAL CAPACITY	EXTENSION	TIP-UP	TOTAL LEVEL CAPACITY
7010, 7120, 7230, 7240, 7250	315 bu.	9E000015 - 365 bu.	9E000016 - 70 bu.	435
All 8000/9000 Series	330 bu.	9E000015 - 365 bu.	9E000016 - 70 bu.	435
60-66 SERIES BLACK	185 bu.	9421011 - 290 bu.	9E000012 - 45 bu.	335
80-77-88 SERIES BLACK	210 bu.	9421011 - 305 bu.	9E000012 - 45 bu.	350
LEGACY SERIES	300 bu.	9E000057 - 300 bu.	9E000058 - 75 bu.	375

NOTE: Demco Extension will not fit a CIH 2588

HOW TO ORDER: 1. Choose **Correct Model Number** 2. Determine **Extension Size** 3. Review **Accessories**

CIH 60, 80, 66, 77, 88 Series Black (60/66/reqs riser) - Extension	9421011	\$3,096.00
CIH 60, 80, 66, 77, 88 Series Black - Tip-up	9E000012	\$1,109.00
CIH 60/66 - Riser Kit	9E000007	\$405.00
CIH 7010/8010, 7120/8120/9120, 7230/8230/9230 Black - Extension	9E000015	\$3,405.00
CIH 7010/8010, 7120/8120/9120, 7230/8230/9230 Black - Tip-up	9E000016	\$1,218.00
CIH Legacy Series - Extension	9E000057	\$3,405.00
CIH Legacy Series - Tip-up	9E000058	\$1,218.00

NEW HOLLAND

ADDED BUSHEL CAPACITY PER EXTENSION

MODEL	ORIGINAL CAPACITY	EXTENSION	TIP-UP	TOTAL LEVEL CAPACITY
CR920	205 bu.	9E000015 - 315 bu.	9E000016 - 70	385
CR940, 9040	255 bu.	9E000015 - 365 bu.	9E000016 - 70	435
CR960, 9060	300 bu.	9E000015 - 365 bu.	9E000016 - 70	435
CR970, 9070	330 bu.	9E000015 - 365 bu.	9E000016 - 70	435
CR6090, 7090, 8080	315 bu.	9E000015 - 365 bu.	9E000016 - 70	435
CR9080, 8090, 9090	350 bu.	9E000015 - 365 bu.	9E000016 - 70	435

HOW TO ORDER: 1. Choose **Correct Model Number** 2. Determine **Extension Size** 3. Review **Accessories**

NH CR920, 940, 960, 970, 9040/60/70/80, 60/70/80/9090, 8080 - Extension	9E000015	\$3,405.00
NH CR920, 940, 960, 970, 9040/60/70/80, 60/70/80/9090, 8080 - Tip-up	9E000016	\$1,218.00

NOTE: All capacities are based on level full

AUGERS AND EXTENDERS™

BIN FILL AUGER

- Available to fit most makes and models of combines
- Reduces auger flighting wear, relieves belts, pulleys, clutches, chains and gear boxes
- Set screws allow for infinite adjustment to maximize grain holding capacity
- Quick release pivot to lower to transport position in seconds
- Mounting brackets attach easily to your grain tank



Bin Fill Auger (does NOT include hoses!)	9A000013	\$2,060.00
Please note combine size for proper length of support pipe		
	5A000013	N/C
BFA Auger Extender 2010 (adds 16" in height of auger)	9A000051	\$186.00
Flow Control Valve (w/ built in relief valve)	1AKFADD0000	\$326.00
Check Valve (required on CIH combine w/ hydraulic reverser)	1AKGANGANGO	\$120.00
Flat Face Hydraulic Fitting Kit	97961000	\$62.00

SPOUT RE-DIRECT KIT


- Spout mounts on to factory spout and directs the grain downward
- Ideal for small grains, swathing, short header, windy conditions and low grain truck or wagon applications as well
- Includes hardware




Case and New Holland	9A000058	\$399.00
John Deere - 17" High Capacity	9A000069	\$736.00

COMBINE UNLOADING AUGER EXTENDER

The Extender is a Trade Mark of Stewart Steel Inc. and is manufactured in Canada by Stewart Steel Inc.



PART NUMBER	COMBINE MODELS	LENGTH	PRICE
CASE AXIAL FLOW 1440-2588			
9A000017	1440, 1460, 1480, 1640, 1660, 1680, 1644, 1666, 1688, 2144, 2166, 2188, 2344, 2366, 2388, 2577, 2588	36"	\$1,881.00
CASE (CIH) 2004-2011			
9A000023	7010 & 8010 from 2003-2006 Black 14" Auger	36"	\$1,881.00
9A000043	5088, 6088, 7088, 7120, 8120, 9120, 7230, 8230, 9230, Red w/14" Auger	36"	\$1,881.00
R1A000034	7010 & 8010 from 2007-2008 Red Auger	36"	\$1,959.00
R1A000033	7010 & 8010 from 2007-2008 Black Auger	36"	\$1,959.00
9A000056	8230, 9230 w/High Capacity Unloading 16" Auger	24"	\$2,033.00
9A000071	CIH w/ High Capacity and Actuator Spout - Red	36"	\$6,166.00
NEW HOLLAND YELLOW			
9A000026	TR87, TR88, TR89, TR97, TR98, TR99, TX66, TX68	24"	\$2,108.00
NEW HOLLAND CNH			
9A000023	CR840, CR940, CR960, CR970, CX840, CX860 2003-2006 CR9040, CR9060, CR9070, CR9080, CR9090, CX9040, CX9060 2009-2014	36"	\$1,881.00
R1A000033	CR840, CR940, CR960, CR970, CX840, CX860 for 2007-2008		\$1,959.00
9A000066	9090, 9080 w/High Capacity Unloading 16" Auger	24"	\$1,894.00
9A000070	CNH w/ High Capacity and Actuator Spout - Black	36"	\$6,166.00
JOHN DEERE			
9A000018	6620, 7720, 8820, 9400, 9500, 9600, CTS, 9510, 9610, 9550, 9650, 9750 w/13" Auger	36"	\$1,807.00
9A000064	9560, 9660, 9760, 9570, 9670, T670, S-Series w/14" Auger	28"	\$2,570.00
9A000034*	9760, 9860, 9770, 9870, S-Series w/17" Auger	36"	\$3,116.00
9A000072	X91000, X91100	36"	\$6,001.00
* Not recommended if combine is equipped w/ folding auger. Does not fit the new S7 Series Combines.			
MASSEY			
9A000020	All Massey Rotaries up to 9790 - SPECIAL ORDER	36"	\$2,077.00
9A000044	9520, 9540, 9560, 9695, 9795, 9895 w/15" Auger	42"	\$3,313.00
9A000057	9520, 9540, 9560 w/16" Auger	42"	\$2,881.00
9A000065	9520, 9540, 9560 w/15" Auger - Newer Models	42"	\$3,042.00
GLEANER			
9A000024	Series L, N to R w/12" Auger - SPECIAL ORDER	24"	\$2,077.00
9A000030	Series N to 66, R76, S67, S77, S96, S97, S98 w/14" Auger	24"	\$1,808.00
9A000045	A65, A75, A85, A66, A76, A86 w/15" Auger - SPECIAL ORDER	42"	\$2,997.00
CATERPILLAR			
9A000020	Challenger Models w/12" Auger - SPECIAL ORDER	36"	\$2,077.00



SPECIAL INFORMATION

PRICES & SPECIFICATIONS

All prices and specifications are subject to change without notice. All shipments are billed at price prevailing at time of shipments. ALL PRICES F.O.B. BOYDEN OR SPENCER, IOWA OR AS DESIGNATED IN THIS CATALOG.

TERMS

Customers desiring credit must have good rating or furnish satisfactory reference before shipment will be made, otherwise all orders will be shipped C.O.D. No cash discounts allowed with C.O.D. shipments.

ORDERING

Prospective customers requesting open account status will be required to complete a Demco credit application. If open terms cannot be approved, other means of payment will be considered. Please furnish a completed Demco credit application with your first order.

SHIPMENTS

Our merchandise is carefully packed and thoroughly inspected before leaving our factory. Responsibility for its safe delivery is assumed by the carrier upon acceptance of the shipment. Claims for loss or damage sustained in transit must therefore be made upon the delivering carrier as follows:

CONCEALED LOSS OR DAMAGE - Concealed loss or damage means loss or damage which does not become apparent until the merchandise has been unpacked. The contents may be damaged in transit due to rough handling even though the carton may not show external damage. When the damage is discovered upon unpacking, make a written request for inspection by the carrier's agent within 15 days of the delivery date. Then file a claim with the carrier, since such damage is the carrier's responsibility.

VISIBLE LOSS OR DAMAGE - Any external evidence of loss or damage must be noted on the freight bill or express receipt, and signed by the carrier's agent. Failure to adequately describe such external evidence of loss or damage may result in the carrier refusing to honor a damage claim. The form required to file a claim will be supplied by the carrier.

SHIPPING ERRORS

Shipping errors resulting in shortages or goods ordered incorrectly by the customer, must be reported to Demco Mfg. within 10 days after receipt of merchandise.

PICK UP ORDERS

All orders picked up and signed for by the customer or customer's agent at the Boyden or Spencer, Iowa plants are considered complete as signed. Customer will receive a copy of signed order at time of loading.

PARCEL POST, U.P.S., FEDERAL EXPRESS & FREIGHT

Due to the special packing and handling on Parcel Post and United Parcel shipments, a combined shipping and handling fee will be charged on each carton. Weight limitations are as follows:

Parcel Post = 70 lbs.

UPS = 150 lbs.

Federal Express = 150 lbs. - per carton.

A pallet charge is added on all freight orders.

RETURNS

NO GOODS ARE TO BE RETURNED WITHOUT A RETURNED GOODS AUTHORIZATION NUMBER AND INVOICE NUMBER. When your order has been filled correctly, the concerned party returning goods must in all cases pay freight, the cost of handling and a 25% restocking charge. All goods to be returned are to be in first class condition. Additional charges will be made for goods returned in other than first class condition.