



















Albus Ceramic Nozzles Price List

| Page 1 | Description | Greenleaf Part # | | List Price |
|--|---|------------------|---------------|--------------|
|  | AXI 80° / 110° Extended Range Nozzle | AXI 8001 | AXI 11001 | 8.65 |
| | Extended range flat fan nozzle Sizes 01-08, 8mm ISO color code | AXI 80015 | AXI 110015 | |
| | | AXI 80025 | AXI 110025 | |
| | | AXI 8003 | AXI 11003 | |
| | | AXI 8004 | AXI 11004 | |
| | | AXI 8005 | AXI 11005 | |
| | | AXI 8006 | AXI 11006 | |
| | | AXI 8008 | AXI 11008 | |
|  | AXI Twin 120° Extended Range Nozzle | AXI- TW 12002 | AXI- TW 12002 | 18.28 |
| | Twin 120° sprays for maximum coverage, separated by 70° Ceramic/polyacetal Sizes 02-05, 11mm ISO color code | AXI- TW 12003 | AXI- TW 12004 | |
| | | AXI- TW 12004 | AXI- TW 12005 | |
| | | AXI- TW 12005 | | |
|  | ADI 110° Low Drift Pre-Orifice Nozzle | ADI 11001 | ADI 11001 | 12.56 |
| | Low drift, 110 flat fan tip Ceramic/polypropylene Sizes 01-04, 8mm ISO color code | ADI 110015 | ADI 11002 | |
| | | ADI 11002 | ADI 11003 | |
| | | ADI 11003 | ADI 11004 | |
| | | ADI 11004 | | |
|  | CVI 110° Low Pressure Air Induction Nozzle | CVI 110015 | CVI 110015 | 21.58 |
| | Low pressure, compact, flat fan air induction nozzle for broadcast spraying Ceramic/polyacetal Sizes 015-05 ISO color code | CVI 11002 | CVI 110025 | |
| | | CVI 11003 | CVI 11004 | |
| | | CVI 11004 | CVI 11005 | |
| | | CVI 11005 | | |
| | | CVI 11005 | | |
|  | CVI Twin Low Pressure Air Induction Nozzle | CVI-TW 110015 | CVI-TW 110015 | 30.85 |
| | Twin 110° sprays, separated by 65° Ceramic/polyacetal Sizes 015-05, 8mm ISO color code | CVI-TW 11002 | CVI-TW 110025 | |
| | | CVI-TW 11003 | CVI-TW 11004 | |
| | | CVI-TW 11004 | CVI-TW 11005 | |
| | | CVI-TW 11005 | | |
| | | CVI-TW 11005 | | |
|  | AVI 110° Air Induction Nozzle | AVI 110015 | AVI 110015 | 23.99 |
| | Medium pressure flat fan air induction nozzle Ceramic/polyacetal Sizes U1-10, 11mm ISO color code | AVI 11002 | AVI 110025 | |
| | | AVI 11003 | AVI 11004 | |
| | | AVI 11004 | AVI 11005 | |
| | | AVI 11005 | AVI 11006 | |
| | | AVI 11006 | AVI 11008 | |
| | | AVI 11008 | AVI 11010 | |
| | | AVI 11010 | | |
| | | AVI 11010 | | |
| AVI 11010 | | | | |
|  | AVI 110° Twin Air Induction Nozzle | AVI-TW 11001 | AVI-TW 11001 | 32.95 |
| | Twin 110° sprays, separated by 65° Ceramic/polyacetal Sizes 01-06, 11mm ISO color code | AVI-TW 110015 | AVI-TW 11002 | |
| | | AVI-TW 11002 | AVI-TW 110025 | |
| | | AVI-TW 110025 | AVI-TW 11003 | |
| | | AVI-TW 11003 | AVI-TW 11004 | |
| | | AVI-TW 11004 | AVI-TW 11005 | |
| | | AVI-TW 11005 | AVI-TW 11006 | |
| | | AVI-TW 11006 | | |
| AVI-TW 11006 | | | | |
|  | AVI-UC 110° Ultra Coarse Air Induction Nozzle | AVI-UC 110015 | AVI-UC 110015 | 28.79 |
| | Medium pressure flat fan air induction nozzle with maximum drift control. Ceramic/polyacetal Sizes 015-05 ISO color code | AVI-UC 11002 | AVI-UC 110025 | |
| | | AVI-UC 110025 | AVI-UC 11003 | |
| | | AVI-UC 11003 | AVI-UC 11004 | |
| | | AVI-UC 11004 | AVI-UC 11005 | |
| | | AVI-UC 11005 | | |
| AVI-UC 11005 | | | | |
|   | ATR 60° / 80° Hollow Cone Nozzle | ATR60 Lilac | ATR80 White | 10.25 |
| | High pressure hollow cone nozzle for air blast spraying Ceramic/polyacetal European color code | ATR60 Brown | ATR80 Lilac | |
| | | ATR60 Yellow | ATR80 Brown | |
| | | ATR60 Orange | ATR80 Yellow | |
| | | ATR60 Red | ATR80 Orange | |
| | | ATR60 Grey | ATR80 Red | |
| | | ATR60 Green | ATR80 Grey | |
| | | ATR60 Black | ATR80 Green | |
| | | ATR60 Blue | ATR80 Black | |
| | | | ATR80 Blue | |
| | | | ATR80 Purple | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

| Page 2 | Description | Greenleaf Part # | | List Price |
|---|---|--|--|------------|
|  | Black Bayonet Cap for ATR Nozzle | CATR | | 2.35 |
| | O-Ring for ATR Nozzle | ATROR | | 1.24 |
| | Gasket for ATR Nozzle | G-125 | | 0.51 |
|  | ATI 60° / 80° Full Cone Nozzle High pressure hollow cone nozzle for air blast spraying Ceramic/polyacetal ISO color code | ATI 600075 | ATI 800075 | 10.25 |
| | | ATI 6001 | ATI 8001 | |
| | | ATI 60015 | ATI 80015 | |
| | | ATI 6002 | ATI 8002 | |
| | | ATI 6003 | ATI 80025 | |
| | | ATI 6004 | ATI 8003 | |
| | | ATI 6005 | ATI 80035 | |
| | | | ATI 8004 | |
| | | | ATI 8005 | |
| | | | ATI 800050 | |
|  | ATF 60° / 80° Full Cone Nozzle High pressure full cone for air blast spraying (150psi) Low pressure full cone for boom spraying (40-60psi) Ceramic/polyacetal ISO color code | ATF 6002 | ATF 80015 | 10.66 |
| | | ATF 6003 | ATF 8002 | |
| | | ATF 6004 | ATF 80025 | |
| | | ATF 6005 | ATF 8003 | |
| | | | ATF 8004 | |
|  | TVI 80° Air Induction Hollow Cone Nozzle Compact, low drift high pressure airblast nozzle 150-300 psi Ceramic/polyacetal | TVI 800050 | | 27.95 |
| | | TVI 800075 | | |
| | | TVI 8001 | | |
| | | TVI 8002 | | |
| | | TVI 80025 | | |
| | | TVI 8003 | | |
| | | TVI 8004 | | |
|  | AVI 80° Air Induction Nozzle High pressure air induction nozzle for airblast spraying Ceramic/polyacetal Sizes 01-04, 11mm ISO color code | AVI 8001 | | 23.99 |
| | | AVI 80015 | | |
| | | AVI 8002 | | |
| | | AVI 8003 | | |
| | | AVI 8004 | | |
|  | CVI 80° Compact Flat Fan Air Induction Nozzle High pressure compact air induction nozzle for air blast spraying Ceramic/polyacetal Sizes 01-06, 8mm ISO color code | CVI 8001 | | 21.58 |
| | | CVI 8002 | | |
| | | CVI 8003 | | |
| | | CVI 8004 | | |
| | | CVI 8005 | | |
| | | CVI 8006 | | |
| | |  | Disc & Core Hollow Cone Nozzle High pressure Hollow cone and Full cone combinations for fine sprays in orchards and vineyards. | |
| AD02 | | | | |
| AD03 | | | | |
| AD04 | | | | |
| AD05 | | | | |
| AD06 | | | | |
| AD07 | | | | |
| Cores Hollow cone | AC13 | | | 8.68 |
| | AC23 | | | |
| | AC25 | | | |
| | AC45 | | | |
| | AC46 | | | |
| | AC56 | | | |
| Cores Full cone | AC31 | 8.68 | | |
| | AC35 | | | |
| | AC56 | | | |
|  | AMT Metering Disc Low to high pressure flow regulation Straight stream pattern .59" diameter (other diameters available) | AMT 15007 | 2.45 | |
| | | AMT 15008 | | |
| | | AMT 15010 | | |
| | | AMT 15012 | | |
| | | AMT 15015 | | |
| | | AMT 15018 | | |
| | | AMT 15020 | | |
| | | AMT 15023 | | |

| Page 3 | Description | Greenleaf Part # | List Price |
|---|---|---|----------------------------|
|  | ESI 6- Hole Streaming Nozzle Six hole streaming fertilizer tip with ceramic metering orifice Ceramic/polyacetal Sizes 015-06, 11mm ISO color code | ESI 015 ESI 02 ESI 025 ESI 03 ESI 04 ESI 05 ESI 06 | 11.59 |
|  | Cap Gasket | C10-11M G125 | 1.18 0.51 |
|  | FESI 6- Hole Streaming Nozzle Six hole streaming fertilizer tip with ceramic metering orifice Ceramic/polyacetal Sizes 05-15 ISO color code | FESI 05 FESI 06 FESI 08 FESI 10 FESI 15 | 16.95 |
|  | AVI -OC Nozzle Medium pressure off-center air induction nozzle Ceramic/polyacetal Sizes 01-05, 11mm | AVI-OC 8001 AVI-OC 8002 AVI-OC 8003 AVI-OC 8004 AVI-OC 8005 | 46.30 |
|  | CVI -OC Nozzle Low pressure off center spray nozzle Ceramic/polyacetal Sizes 02-03, 8mm ISO color code | CVI-OC 80025 CVI-OC 8003 | 41.05 |
|  | NAF Misting Nozzle Hollow and full cone nozzles for misting/humidification/odor control Ceramic/polyacetal/ NBR | NAF Black NAF White NAF Blue NAF Grey NAF Green NAF Orange | 21.05 |
|  | 1/8 TAM Misting Nozzle Full cone nozzles for misting/humidification/odor control Ceramic/polyacetal/ NBR Sintered resin filter, 50um | TAM Yellow TAM Black TAM Blue TAM Red TAM Grey TAM Green TAM Orange | 29.65 |
|  | UAS Pressure Cleaning Nozzle 1/4" 304L stainless body with ceramic insert,high pressure nozzle High impact for pressure cleaning Sizes 015, 02, 025, 03, 035, 04, 045, 05, 055, 06, 065, 07, 08, 09, 10, 12 Spray Angles: 0° 15° 25° 40° Example Part # UAS4005 | UAS ____ | 26.66 |