

U.S. Wholegoods Price List

January 26, 2026

All prices in USD



*HX² 13-94 shown



Table of Contents

16	HX ² Series
26	W/WR/WRX Series
34	STX ³ Series
40	STX ² Series
42	UTX Series
47	Utility Augers
51	Transfer Augers
52	Auger Tools
52	Optional Equipment

FARM READY

READY TO WORK WHEN YOU

From our manufacturing floor to your farm, AGI Westfield augers with the Farm Ready package are ready to work the moment they leave our facility. Our Farm Ready package can be added to any bundle so your auger is ready to work.



HX²10

Part #	List Price		Farm Ready	Package Net Price
01-HX21063SRCBH	\$ 35,100.00	+	1063FR	\$ 450.00
01-HX21073SRCBH	\$ 36,587.00	+	1073FR	\$ 500.00
01-HX21083SRCBH	\$ 39,748.00	+	1083FR	\$ 650.00

+

FREIGHT & HANDLING

Horace, ND

Boone, IA

Decatur, IL

Grand Island, NE

Only available through the stock points listed above
Does not include any fuel surcharges that may apply

HX²13

Part #	List Price		Farm Ready	Package Net Price
01-HX21374SRCBH	\$ 51,220.00	+	1374FR	\$ 550.00
01-HX21384SRCBH	\$ 53,715.00	+	1384FR	\$ 950.00
01-HX21394SRCBH	\$ 60,299.00	+	1394FR	\$ 1,100.00
01-HX213114SRCBH	\$ 72,853.00	+	1314FR	\$ 1,350.00

Auger can be substituted with any CB option

+

FREIGHT & HANDLING

Horace, ND

Boone, IA

Decatur, IL

Grand Island, NE

Only available through the stock points listed above
Does not include any fuel surcharges that may apply

HX²16

Part #	List Price		Farm Ready	Package Net Price
01-HX21685SRH	\$ 95,700.00	+	1685FR	\$ 1,550.00
01-HX216105SRH	\$ 112,163.00	+	16105FR	\$ 2,100.00
01-HX216125SRH	\$ 125,391.00	+	16125FR	\$ 2,450.00

+

FREIGHT & HANDLING

Horace, ND

Boone, IA

Decatur, IL

Grand Island, NE

Only available through the stock points listed above
Does not include any fuel surcharges that may apply

FARM READY PACKAGES INCLUDE

Setup, Assembly, Farm Ready PDI check

ALL PRICES IN USD

aggrowth.com



FARM READY

READY TO WORK WHEN YOU ARE!

From our manufacturing floor to your farm, AGI Westfield augers with the Farm Ready package are ready to work the moment they leave our facility. Our Farm Ready package can be added to any bundle so your auger is ready to work.



STX ²				
Part #	List Price		Farm Ready	Package Net Price
01-STX20836SRSPHCBH	\$ 24,089.00	+	0836FR (20 HP Kohler)	\$ 3,600.00
01-STX20841SRSPHCBH	\$ 25,209.00	+	0841FR (20 HP Kohler)	\$ 3,650.00
01-STX20846SRSPHCBH	\$ 26,255.00	+	0846FR (26.5 HP EFI Kohler)	\$ 4,300.00
01-STX20851SRSPHCBH	\$ 26,535.00	+	0851FR (26.5 HP EFI Kohler)	\$ 4,350.00
01-STX21036SRSPHCBH	\$ 26,179.00	+	1036FR (40 HP EFI Vanguard)	\$ 6,250.00
01-STX21041SRSPHCBH	\$ 26,810.00	+	1041FR (40 HP EFI Vanguard)	\$ 6,300.00
01-STX21046SRSPHCBH	\$ 29,783.00	+	1046FR (40 HP EFI Vanguard)	\$ 6,350.00
01-STX21051SRSPHCBH	\$ 30,960.00	+	1051FR (40 HP EFI Vanguard)	\$ 6,400.00

Refer to price pages for SPHCB components.

FREIGHT & HANDLING

Horace, ND

Boone, IA

Decatur, IL

Grand Island, NE



Only available through the stock points listed above
Does not include any fuel surcharges that may apply

FARM READY PACKAGES INCLUDE	Setup, Assembly, Farm Ready PDI check, Motor and Battery
-----------------------------	--

ALL PRICES IN USD



aggrowth.com



AGI  **HUTCHINSON
MAYRATH**

SWINGAWAY AUGERS

HX²

HX² 10

UP TO 6,000 BPH
53' - 83' LENGTHS

KEY FEATURES

- New open discharge spout decreases horsepower requirements
- Aircraft cable trussing
- Stable scissor lift frame
- Strong a-frame support (53')
- Wide standing axles
- Abrasion resistant (AR) flighting at critical wear points

OPTIONS

- Hydraulic hopper winch
- Electric and hydraulic power swing
- Reverser kit
- Corn screen
- Poly flex spout
- Right angle drive
- LED work lights




Find the right auger

	HX ² 10-53	HX ² 10-63	HX ² 10-73	HX ² 10-83
TUBE GAUGE	12 ga			
TUBE CONNECTORS	Heavy-duty 3⁄16" (0.5 cm) angle flange			
MAIN FLIGHTING	9" (22.9 cm) OD x 7 ga stretched and welded with AR flighting at critical points			
AR FLIGHTING	¼" (0.6 cm) on hopper, transition, incline tube, and boot			
FLIGHTING SHAFT	High strength 2" (5.1 cm) OD x 11 ga tubing square flight connection			
UPPER BEARING	2" (5.1 cm) taper roller bearing assembly			
LOWER BEARING	1 ½" (3.8 cm) pillow block greaseable ball bearing			
TUBE TRUSSING	5⁄16" aircraft type galvanized steel cable	3⁄8" (1 cm) aircraft type galvanized steel cable		
HYDRAULIC LIFT	4" (10.2 cm) single acting cylinder			
UNDERCARRIAGE	3" (7.6 cm) x 11 ga A-frame	4" (10.2 cm) x 8" (20.3 cm) scissor lift		
AXLE	2 ½" (6.4 cm) x 2 ½" (6.4 cm) x 1⁄8" (0.3 cm) wall square tubing	3" (7.6 cm) x 6" (15.2 cm) tubing		
HUB	4-bolt agricultural type	6-bolt agricultural type		
TIRES	15" (38.1 cm) TRF	16" (40.6 cm) TRF		
PTO SHAFT	14E constant velocity with one shear bolt			35E constant velocity with one shear bolt
PARKING JACK	2,000 lbs (907.2 kg) side wind			
SPROCKET & CHAIN	Hardened tooth sprocket with HD #60 chain			
LOW PROFILE HOPPER DIMENSIONS	60" (152.4 cm) length x 40" (101.6 cm) width x 10" (25.4 cm) height with flat free tires			
PSI REQUIRED TO RAISE AUGER	1000 psi (68.9 bar)	1200 psi (82.7 bar)	1400 psi (96.5 bar)	1600 psi (110.3 bar)
HP REQUIRED (WITH DRY WHEAT)	45-50 hp	50-60 hp	55-65 hp	65-75 hp
WHEEL TREAD	106" (2.7 m)	132" (335.3 cm)	132" (335.3 cm)	132" - 180" (335.3 - 457.2 cm)
TRANSPORT HEIGHT (18" HITCH)	12' 6" (3.8m)	13' (4 m)	13' (4 m)	13' (4 m)

SPECIFICATIONS

	A	B	C	D	E	F	G	H	I	J		
<i>HX²</i>	HEIGHT LOWERED	HEIGHT HALFWAY	HEIGHT RAISED	REACH LOWERED	REACH HALFWAY	REACH RAISED	HEIGHT AT LIFTARMS	HEIGHT AT WHEELS	REACH TO LIFTARMS	REACH TO WHEELS		
<i>1053</i>	10'-8" (3.3m)	24'-6" (7.5m)	36'-7" (11.2m)	27'-1" (8.3m)	25'-1" (7.6m)	22'-5" (6.8m)	14'-10" (4.5m)	16'-10" (5.1m)	21'-11" (6.7m)	24'-7" (7.5m)		
	A	B	C	D								
<i>HX²</i>	HEIGHT LOWERED	HEIGHT HALFWAY	HEIGHT RAISED	HEIGHT LOWERED	HEIGHT HALFWAY	HEIGHT RAISED	REACH LOWERED	REACH HALFWAY	REACH RAISED	REACH LOWERED	REACH HALFWAY	REACH RAISED
<i>1063</i>	11'-3" (3.4 m)	28'-10" (8.8 m)	43'-8" (13.3 m)	6'-9" (2.1 m)	14'-8" (4.5 m)	22'-5" (6.8 m)	32'-9" (10 m)	31'-1" (9.5 m)	26'-4" (8 m)	32'-9" (10 m)	24'-11" (7.6 m)	30'-1" (9.2 m)
<i>1073</i>	10'-11" (3.3 m)	31'-3" (9.5 m)	48'-1" (14.7 m)	6'-9" (2.1 m)	16'-4" (5 m)	25'-4" (7.7 m)	36'-8" (11.1 m)	34'-11" (10.6 m)	30'-1" (9.2 m)	36'-8" (11.2 m)	34'-1" (10.4 m)	29'-4" (8.9 m)
<i>1083</i>	11'-1" (3.4 m)	35'-4" (10.8 m)	55'-3" (16.8 m)	6'-9" (2.1 m)	18'-1" (5.5 m)	28'-6" (8.7 m)	42'-3" (12.9 m)	40'-1" (12.2 m)	33'-11" (10.3 m)	42'-3" (12.9 m)	38'-5" (11.7 m)	31'-1" (9.5 m)



Heights measured from bottom of auger spout to ground.

HX² 13

UP TO 11,000 BPH
64' - 114' LENGTHS

KEY FEATURES

- New open discharge spout decreases horsepower requirements
- Rigid steel trussing (84' and up)
- Stable scissor lift frame (74'-94')
- Strong A-frame support (64' and 114')
- Abrasion resistant (AR) flighting at critical wear points

OPTIONS

- Steerable axles
- Hydraulic hopper winch
- Electric and hydraulic power swing
- X-Tend hopper
- Poly flex spout
- Speed reducer-reverser
- Reverser kit
- Corn screen
- Right angle drive
- Transport lights
- LED work lights



Find the right auger

	HX ² 13-64	HX ² 13-74	HX ² 13-84	HX ² 13-94	HX ² 13-114
TUBE GAUGE	12 ga				
TUBE CONNECTORS	Heavy-duty ¼" (0.6 cm) angle flange				
MAIN FLIGHTING	11 ¾" (29.8 cm) OD x ¼" (0.6 cm) stretched and welded with AR flighting at critical points.				
AR FLIGHTING	¼" (0.6 cm) on hopper, transition, incline tube, and boot				
FLIGHTING SHAFT	High strength 3" (7.6 cm) OD x 11 ga tubing square flight connection				
UPPER BEARING	2" (5.1 cm) taper roller bearing assembly				
GREASELESS HANGER BEARING FOR BOOT (NEW)	1 ⅝" (4.9 cm) ID, triple seal				
LOWER BEARING	Custom 2" (5.1 cm) taper roller bearing assembly				
TUBE TRUSSING	⅜" (1 cm) aircraft type galvanized steel cable		2 ½" (6.4 cm) steel tube		
HYDRAULIC LIFT	Two 4" (10.2 cm) single acting cylinders			Two 4 ½" (11.4 cm) single acting cylinders	Two 4 ½" (11.4 cm) cylinders with ⅜" (1 cm) aircraft cable
UNDERCARRIAGE	4" (10.2 cm) x 11 ga A-frame	4" (10.2 cm) x 8" (20.3 cm) scissor lift			A-frame 4" (10.2 cm) x 8" (20.3 cm) HSS tubing
AXLE	3 ½" (8.9 cm) x 3 ½" (8.9 cm) square tube				
HUB	6-bolt agricultural type				
TIRES	16" (40.6 cm) TRF				
PTO SHAFT	35E constant velocity with ⅜" (1 cm) shear bolt		55E constant velocity with 2-bolt shear		
PARKING JACK	5000 lbs (2,268 kg) side wind				
SPROCKET & CHAIN	Hardened tooth sprocket with HD #80 chain				
LOW PROFILE HOPPER DIMENSIONS	60" (152.4 cm) length x 40" (101.6 cm) width x 10" (25.4 cm) height with flat free tires				
PSI REQUIRED TO RAISE AUGER	1600 psi (110.3 bar)	1500 psi (103.4 bar)	1950 psi (134.4 bar)	2050 psi (141.3 bar)	2100 psi (144.8 bar)
HP REQUIRED (WITH DRY WHEAT)	85-100 hp	110-125 hp	115-135 hp	125-165 hp	140-185 hp
WHEEL TREAD	124" (315 cm)	146" - 182" (370.8 cm - 462.3 cm)			
TRANSPORT HEIGHT (18" HITCH)	13' 2" (4 m)	11' 7" (3.5 m)	12' (3.7 m)	12' (3.7 m)	14' 5" (4.4 m)


SPECIFICATIONS

	A	B	C	D	E	F	G	H	I	J
<i>HX²</i>	HEIGHT LOWERED	HEIGHT HALFWAY	HEIGHT RAISED	REACH LOWERED	REACH HALFWAY	REACH RAISED	HEIGHT AT LIFTARMS	HEIGHT AT WHEELS	REACH TO LIFTARMS	REACH TO WHEELS
<i>1364</i>	10'-2" (3.1m)	26' (7.9m)	40'-3" (12.3m)	31'-1" (9.5m)	29'-11" (9.1m)	27'-8" (8.4m)	15'-10" (4.8m)	17'-8" (5.4m)	26'-7" (8.1m)	31'-11" (9.7m)

A				B			C			D		
<i>HX²</i>	HEIGHT LOWERED	HEIGHT HALFWAY	HEIGHT RAISED	HEIGHT LOWERED	HEIGHT HALFWAY	HEIGHT RAISED	REACH LOWERED	REACH HALFWAY	REACH RAISED	REACH LOWERED	REACH HALFWAY	REACH RAISED
<i>1374</i>	8'-9" (2.7 m)	31'-2" (9.5 m)	49'-6" (15.1 m)	4'-6" (1.4 m)	12'-7" (3.8 m)	24'-4" (7.4 m)	39'-8" (12.1 m)	38'-3" (11.7 m)	32'-6" (9.9 m)	39'-8" (12.1 m)	36'-7" (11.2 m)	30'-6" (9.3 m)
<i>1384</i>	8'-8" (2.6 m)	34'-8" (10.6 m)	55'-8" (17 m)	4'-6" (1.4 m)	15'-9" (4.8 m)	27'-5" (8.4 m)	44'-11" (13.7 m)	43'-3" (13.2 m)	36'-9" (11.2 m)	44'-11" (13.7 m)	41'-6" (12.6 m)	34'-5" (10.5 m)
<i>1394</i>	8'-9" (2.7 m)	38'-3" (11.7 m)	60'-11" (18.6 m)	4'-6" (1.4 m)	17'-1" (5.2 m)	30' (9.1 m)	50'-2" (15.3 m)	48'-3" (14.7 m)	40'-11" (12.5 m)	50'-2" (15.3 m)	46'-4" (14.1 m)	38'-5" (11.7 m)

	A	B	C	D	E	F	G	H	I	J
<i>HX²</i>	HEIGHT LOWERED	HEIGHT HALFWAY	HEIGHT RAISED	REACH LOWERED	REACH HALFWAY	REACH RAISED	HEIGHT AT LIFTARMS	HEIGHT AT WHEELS	REACH TO LIFTARMS	REACH TO WHEELS
<i>13114</i>	12' (3.7 m)	41'-2" (12.5 m)	68'-11" (21 m)	56'-1" (17.1 m)	53'-4" (16.3 m)	46'-2" (14.1 m)	27'-6" (8.4 m)	33'-11" (10.3 m)	38'-3" (11.7 m)	47'-1" (14.4 m)

Heights measured from bottom of auger spout to ground.





HX² 16

UP TO 23,000 BPH
85' - 125' LENGTHS



See new
axles
in action

KEY FEATURES

- New open discharge spout decreases horsepower requirements
- Durable boot updates
- Rigid steel trussing
- Stable A-frame support
- Standard steerable axles

OPTIONS

- X-Tend hopper
- Poly flex spout




Find the right auger

	HX² 16-85		HX² 16-105		HX² 16-125	
TUBE GAUGE	10 ga					
TUBE CONNECTORS	¼" (0.6 cm) angle flange					
MAIN FLIGHTING	15" (38.1 cm) x ¼" (0.6 cm) stretched and welded					
WEAR EDGE TECHNOLOGY™ (REINFORCED FLIGHT)	¼" (0.6 cm) main flighting with Wear Edge Technology™ on critical grain transfer points					
AR FLIGHTING	¼" (0.6 cm) on boot					
FLIGHTING SHAFT	3.5" (8.9 cm) x 11 ga tubing; square flight connector					
GREASELESS HANGER BEARING FOR BOOT (NEW)	2 ⅜" (6 cm) ID, triple seal					
UPPER BEARING	2" (5.1 cm) taper roller bearing assembly					
SPEED REDUCER GEARBOX	Enclosed, cast casing, 1000 rpm reducing gearbox (540 rpm) with reversing capability					
TUBE TRUSSING	3.5" (8.9 cm) x 11 ga tubing; ½" (1.3 cm) cable stays					
HYDRAULIC LIFT	2 x 4 ½" (11.4 cm) cylinder with ⅜" (1 cm) cable		2 x 6 ½" (16.5 cm) bore cylinders; ½" (1.3 cm) aircraft cable			
UNDERCARRIAGE	4" (10.2 cm) x 8" (20.3 cm) HSS tubing					
AXLE	4" (10.2 cm) x 4" (10.2 cm) x ⅜" (0.5 cm) tubing; 4" (10.2 cm) x 4" (10.2 cm) x ¼" (0.6 cm) on extensions					
HUB	8-bolt agricultural type					
TIRES	22.5" (57.2 cm) agricultural tires					
PTO SHAFT	50E double CV with 2-bolt shear					
PARKING JACK	12,000 lbs (5443.1 kg)					
LOW PROFILE HOPPER DIMENSIONS	68" (172.7 cm) length x 46 ½" (118.1 cm) width x 11" (27.9 cm) height with flat free tires					
PSI REQUIRED TO RAISE AUGER	1800 psi (124.1 bar)		1700 psi (117.2 bar)		2000 psi (137.9 bar)	
HP REQUIRED (WITH DRY WHEAT)	150 - 175 hp		170 - 200 hp		195 - 225 hp	
WHEEL TREAD	148" - 182" (375.9 - 462.3 cm)					
TRANSPORT HEIGHT (18" HITCH)	15' 6" (4.7 m)		15' 6" (4.7 m)		17' 6" (5.3 m)	

SPECIFICATIONS

	A	B	C	D	E	F	G	H	I	J
HX ²	HEIGHT LOWERED	HEIGHT HALFWAY	HEIGHT RAISED	REACH LOWERED	REACH HALFWAY	REACH RAISED	HEIGHT AT LIFTARMS	HEIGHT AT WHEELS	REACH TO LIFTARMS	REACH TO WHEELS
1685	12'-7" (3.8 m)	33'-4" (10.1 m)	47'-3" (14.4 m)	46' (14 m)	43'-4" (13.2 m)	39'-10" (12.1 m)	23'-8" (7.2 m)	28'-7" (8.7 m)	26'-4" (8 m)	31'-9" (9.7 m)
16105	12' (3.7 m)	42'-11" (13.1 m)	77'-5" (23.6 m)	54'-10" (16.7 m)	51'-3" (15.6 m)	40'-7" (12.4 m)	30'-2" (9.2 m)	36'-5" (11.1 m)	32'-1" (9.8 m)	42'-8" (13 m)
16125	14'-3" (4.3 m)	48'-6" (14.8 m)	87'-10" (26.8 m)	68'-8" (20.9 m)	63'-8" (19.4 m)	48'-9" (14.9 m)	31'-6" (9.6 m)	37'-1" (11.3 m)	44'-4" (13.5 m)	56'-9" (17.3 m)

Heights measured from bottom of auger spout to ground.



Part numbers are set up as Hutchinson part numbers. To order Mayrath, change the last "H" of the part number to an "M".			
Part Number	Description	Weight (lbs)	Price
HX 8 x 51 AUGER			
01-HX0851SRH	Basic Auger (Painted Silver)	1870	\$17,120.00
HX 8 x 61 AUGER			
01-HX0861SRH	Basic Auger (Painted Silver)	2110	\$18,492.00
HX 8 x 71 AUGER			
01-HX0871SRH	Basic Auger (Painted Silver)	2330	\$20,393.00
HX² 10 x 36 AUGER			
01-HX21036GSRH	Auger with Standard Hopper Painted Silver (A-Frame Lift)	2217	\$17,510.00
01-HX21036SRH	Auger with Low-Profile Hopper Painted Silver (A-Frame Lift)	2399	\$19,261.00
HX² 10 x 53 AUGER			
01-HX21053SRH	Basic Auger Painted Silver	3044	\$24,818.00
HX² 10 x 63 AUGER			
01-HX21063SRH	Basic Auger (Painted Silver)	4028	\$26,806.00
01-HX21063SRCBH	Complete Bundle with Electric Power Swing (Silver)	4388	\$35,100.00
01-HX21063SRCBHH	Complete Bundle with Hydraulic Power Swing (Silver)	4408	\$33,008.00
01-HX21063SRCBEH	Complete Bundle with Electric Power Swing and Electric Winch (Silver)	4386	\$35,180.00
01-HX21063SRCBERH	Complete Bundle with Electric Power Swing, Electric Winch and Reverser (Silver)	4411	\$36,215.00
<i>CB/CBR/CBRR Complete Bundle Includes: Low Profile Hopper, Hydraulic Hopper Winch, Transport and Work Light Kit</i>			
<i>CBE/CBER/CBERR Complete Bundle Includes: Low Profile Hopper, Electric Hopper Winch, Transport and Work Light Kit</i>			
HX² 10 x 73 AUGER			
01-HX21073SRH	Basic Auger (Painted Silver)	4375	\$28,293.00
01-HX21073SRCBH	Complete Bundle with Electric Power Swing (Silver)	4738	\$36,587.00
01-HX21073SRCBHH	Complete Bundle with Hydraulic Power Swing (Silver)	4758	\$34,495.00
01-HX21073SRCBEH	Complete Bundle with Electric Power Swing and Electric Winch (Silver)	4736	\$36,623.00
01-HX21073SRCBERH	Complete Bundle with Electric Power Swing, Electric Winch and Reverser (Silver)	4763	\$37,658.00
<i>CB/CBR/CBRR Complete Bundle Includes: Low Profile Hopper, Hydraulic Hopper Winch, Transport and Work Light Kit</i>			
<i>CBE/CBER/CBERR Complete Bundle Includes: Low Profile Hopper, Electric Hopper Winch, Transport and Work Light Kit</i>			
HX² 10 x 83 AUGER			
01-HX21083SRH	Basic Auger (Painted Silver)	4793	\$31,454.00
01-HX21083SRCBH	Complete Bundle with Electric Power Swing (Silver)	5153	\$39,748.00
01-HX21083SRCBHH	Complete Bundle with Hydraulic Power Swing (Silver)	5173	\$37,656.00
01-HX21083SRCBEH	Complete Bundle with Electric Power Swing and Electric Winch (Silver)	5150	\$39,692.00
01-HX21083SRCBERH	Complete Bundle with Electric Power Swing, Electric Winch and Reverser (Silver)	5174	\$40,727.00
<i>CB/CBR/CBRR Complete Bundle Includes: Low Profile Hopper, Hydraulic Hopper Winch, Transport and Work Light Kit</i>			
<i>CBE/CBER/CBERR Complete Bundle Includes: Low Profile Hopper, Electric Hopper Winch, Transport and Work Light Kit</i>			
OPTIONS			
05-A148	10" Corn Screen	27	\$709.00
05-A164	Poly Bucket Flex Spout, 36" - 5 Section, Fits 8/10" Augers	14	\$246.00
05-A184	MK100/MKX130 Low-Profile Hopper Tarp	9	\$436.00
05-A271	Additional Remote Control	1	\$388.00
05-A282	No Snag Spout, 3 Section, Fits 10" Augers	8	\$320.00
05-A292	HX10 Reverser Kit	43	\$1,067.00
05-A293	HX10 Right Angle Drive	133	\$3,293.00
05-A296	HX10 Hydraulic Hopper Lift Kit	76	\$2,258.00
05-A331	Hopper Weight for Lift Cable	15	\$141.00

PRICES DO NOT INCLUDE SALES TAX
SUBJECT TO CHANGE
ALL PRICES IN USD \$

Part numbers are set up as Hutchinson part numbers. To order Mayrath, change the last "H" of the part number to an "M".				
Part Number	Description	Weight (lbs)	Price	
05-A348	1053/63 Work Light Kit	21	\$813.00	
05-A350	1073 Work Light Kit	17	\$813.00	
05-A352	1083 Work Light Kit	18	\$813.00	
05-A362	HX10 Hydraulic Landing Gear Power Swing	310	\$3,631.00	
05-A363	HX10 Remote Electric Landing Gear Power Swing	290	\$5,723.00	
05-A448	HX10 Spout Head-Hose Ring Replacement	17	\$272.00	
05-A515	MKX2/X2/HX2 10" Parts Kit		\$299.00	
05-A532RD	KIT, ELECTRIC HOPPER WINCH, 10" *NEW*		\$2,833.00	
05-A538RD	KIT, ADD-ON ELEC. HOPPER WINCH, 10" *NEW*		\$3,410.00	
05-A525	HX2 10" Low-Profile Hopper Assembly	389	\$3,476.00	

10" RETURN/CREDIT

14-X100	*Credit for 1063/73 Complete PTO Return	\$708.00		
14-X103	*Credit for 1083 Complete PTO Return	\$1,243.00		

HX² 13 x 64 AUGER

01-HX21364SRH	Basic Auger (Painted Silver) - *Hydraulic hopper lift kit no longer included*	4828	\$38,527.00	
01-HX21364SRCBEH	Complete Bundle with Electric Power Swing and Electric Winch (Silver)	5195	\$46,091.00	
01-HX21364SRCBERH	Complete Bundle with Electric Power Swing, Electric Winch and Reverser (Silver)	5232	\$47,517.00	
01-HX21364SRCBERRH	Complete Bundle with Electric Power Swing, Electric Winch and Reducer/Reverser (Silver)	5232	\$52,073.00	

CBE/CBER/CBERR Complete Bundle Includes: Low Profile Hopper, Electric Hopper Winch, Transport and Work Light Kit

HX² 13 x 74 AUGER

01-HX21374SRH	Basic Auger (Painted Silver) - *Hydraulic hopper lift kit no longer included*	6669	\$41,392.00	
01-HX21374SRLH	Auger with 15' Swing Tube (Painted Silver)	6888	\$43,286.00	
01-HX21374SRCBH	Complete Bundle with Electric Power Swing (Painted Silver)	7101	\$51,220.00	
01-HX21374SRCBLH	Complete Bundle with 15' Electric Power Swing Tube (Painted Silver)	7322	\$53,171.00	
01-HX21374SRCBHH	Complete Bundle with Hydraulic Power Swing (Painted Silver)	7111	\$49,047.00	
01-HX21374SRCBHLH	Complete Bundle with 15' Hydraulic Power Swing Tube (Painted Silver)	7332	\$50,998.00	
01-HX21374SRCBRRH	Complete Bundle with Electric Power Swing and Reducer/Reverser	7367	\$57,567.00	
01-HX21374SRCBEH	Complete Bundle with Electric Power Swing and Electric Winch (Silver)	7080	\$48,873.00	
01-HX21374SRCBERH	Complete Bundle with Electric Power Swing, Electric Winch and Reverser (Silver)	7115	\$50,299.00	
01-HX21374SRCBERRH	Complete Bundle with Electric Power Swing, Electric Winch and Reducer/Reverser (Silver)	7115	\$54,855.00	
01-HX21374SRXTENDRRH	Complete Bundle with X-Tend Hopper and Reducer/Reverser	7387	\$73,599.00	
01-HX21374SRXTENDH	Auger with X-Tend Hopper (Painted Silver)	7270	\$67,437.00	

CB/CBR/CBRR Complete Bundle Includes: Low Profile Hopper, Hydraulic Hopper Winch, Transport and Work Light Kit

CBE/CBER/CBERR Complete Bundle Includes: Low Profile Hopper, Electric Hopper Winch, Transport and Work Light Kit

Reducer/Reverser Bundles Include 21 Spline CV-PTO (05-A219)

HX² 13 x 84 AUGER

01-HX21384SRH	Basic Auger (Painted Silver) - *Hydraulic hopper lift kit no longer included*	7442	\$45,409.00	
01-HX21384SRLH	Auger with 15' Swing Tube (Painted Silver)	7677	\$47,323.00	
01-HX21384SRCBH	Complete Bundle with Electric Power Swing (Painted Silver)	7877	\$53,715.00	
01-HX21384SRCBLH	Complete Bundle with 15' Electric Power Swing Tube (Painted Silver)	8113	\$55,629.00	
01-HX21384SRCBHH	Complete Bundle with Hydraulic Power Swing (Painted Silver)	7887	\$51,605.00	
01-HX21384SRCBHLH	Complete Bundle with 15' Hydraulic Power Swing Tube (Painted Silver)	8123	\$53,519.00	
01-HX21384SRCBRRH	Complete Bundle with Electric Power Swing and Reducer/Reverser	8297	\$59,939.00	
01-HX21384SRCBEH	Complete Bundle with Electric Power Swing and Electric Winch (Silver)	7857	\$53,238.00	
01-HX21384SRCBERH	Complete Bundle with Electric Power Swing, Electric Winch and Reverser (Silver)	7889	\$54,664.00	
01-HX21384SRCBERRH	Complete Bundle with Electric Power Swing, Electric Winch and Reducer/Reverser (Silver)	7887	\$59,280.00	
01-HX21384SRXTENDRRH	Complete Bundle with X-Tend Hopper and Reducer/Reverser	8176	\$73,987.00	
01-HX21384SRXTENDH	Auger with X-Tend Hopper (Painted Silver)	8076	\$67,763.00	

CB/CBR/CBRR Complete Bundle Includes: Low Profile Hopper, Hydraulic Hopper Winch, Transport and Work Light Kit

CBE/CBER/CBERR Complete Bundle Includes: Low Profile Hopper, Electric Hopper Winch, Transport and Work Light Kit

Reducer/Reverser Bundles Include 21 Spline CV-PTO (05-A246)

Part numbers are set up as Hutchinson part numbers. To order Mayrath, change the last "H" of the part number to an "M".

Part Number	Description	Weight (lbs)	Price
HX² 13 x 94 AUGER			
01-HX21394SRH	Basic Auger (Painted Silver) - *Hydraulic hopper lift kit no longer included*	7933	\$51,979.00
01-HX21394SRLH	Auger with 15' Swing Tube (Painted Silver)	8168	\$53,925.00
01-HX21394SRCBH	Complete Bundle with Electric Power Swing (Painted Silver)	8371	\$60,299.00
01-HX21394SRCBLH	Complete Bundle with 15' Electric Power Swing Tube (Painted Silver)	8606	\$62,245.00
01-HX21394SRCBHH	Complete Bundle with Hydraulic Power Swing (Painted Silver)	8381	\$58,189.00
01-HX21394SRCBHLH	Complete Bundle with 15' Hydraulic Power Swing Tube (Painted Silver)	8616	\$60,135.00
01-HX21394SRCBRRH	Complete Bundle with Electric Power Swing and Reducer/Reverser	8910	\$66,523.00
01-HX21394SRCBEH	Complete Bundle with Electric Power Swing and Electric Winch (Silver)	8350	\$59,630.00
01-HX21394SRCBERH	Complete Bundle with Electric Power Swing, Electric Winch and Reverser (Silver)	8385	\$61,056.00
01-HX21394SRCBERRH	Complete Bundle with Electric Power Swing, Electric Winch and Reducer/Reverser (Silver)	8378	\$65,672.00
01-HX21394SRXTENDRRH	Complete Bundle with X-Tend Hopper and Reducer/Reverser	8669	\$81,024.00
01-HX21394SRXTENDH	Auger with X-Tend Hopper (Painted Silver)	8567	\$74,800.00

CB/CBR/CBRR Complete Bundle Includes: Low Profile Hopper, Hydraulic Hopper Winch, Transport and Work Light Kit

CBE/CBER/CBERR Complete Bundle Includes: Low Profile Hopper, Electric Hopper Winch, Transport and Work Light Kit

Reducer/Reverser Bundles Include 21 Spline CV-PTO (05-A246)

HX² 13 x 114 AUGER			
01-HX213114SRH	Basic Auger - A-Frame Lift - Hydraulic hopper lift kit no longer included	9036	\$64,533.00
01-HX213114SRLH	Auger with 15' Swing Tube (Painted Silver)	9271	\$66,220.00
01-HX213114SRCBH	Complete Bundle with Electric Power Swing (Painted Silver)	9473	\$72,853.00
01-HX213114SRCBLH	Complete Bundle with 15' Electric Power Swing Tube (Painted Silver)	9713	\$74,540.00
01-HX213114SRCBHH	Complete Bundle with Hydraulic Power Swing (Painted Silver)	9483	\$70,743.00
01-HX213114SRCBHLH	Complete Bundle with 15' Hydraulic Power Swing Tube (Painted Silver)	9723	\$72,430.00
01-HX213114SRCBRRH	Complete Bundle with Electric Power Swing and Reducer/Reverser	9504	\$79,077.00
01-HX213114SRCBEH	Complete Bundle with Electric Power Swing and Electric Winch (Silver)	9452	\$71,818.00
01-HX213114SRCBERH	Complete Bundle with Electric Power Swing, Electric Winch and Reverser (Silver)	9488	\$73,244.00
01-HX213114SRCBERRH	Complete Bundle with Electric Power Swing, Electric Winch and Reducer/Reverser (Silver)	9484	\$77,860.00
01-HX213114SRXTENDRRH	Complete Bundle with X-Tend Hopper and Reducer/Reverser	10013	\$93,909.00
01-HX213114SRXTENDH	Auger with X-Tend Hopper (Painted Silver)	9922	\$87,685.00

CB/CBR/CBRR Complete Bundle Includes: Low Profile Hopper, Hydraulic Hopper Winch, Transport and Work Light Kit

CBE/CBER/CBERR Complete Bundle Includes: Low Profile Hopper, Electric Hopper Winch, Transport and Work Light Kit

Reducer/Reverser Bundles Include 21 Spline CV-PTO (05-A246)

OPTIONS			
05-A175	Poly Bucket Spout, 49" - 5 Section, Fits 13" Augers	21	\$439.00
05-A184	MK100/MKX130 Low-Profile Hopper Tarp	9	\$436.00
05-A185	13" Corn Screen	33	\$1,038.00
05-A219	CV-PTO 1/2 Shaft For HX1374 Models (21 Spline)	30	\$1,229.00
05-A220	CV-PTO 1/2 Shaft For HX1374 Models (20 Spline)	30	\$1,365.00
05-A246	CV-PTO 1/2 Shaft For HX13-84/94/114 Models (21 Spline) 55E	30	\$1,425.00
05-A247	CV-PTO 1/2 Shaft For HX13-84/94/114 Models (20 Spline) 55E	33	\$1,522.00
05-A262	HX13 1000 RPM Reducer/Reverser	311	\$5,716.00
05-A263	HX13 Reverser Kit	49	\$1,469.00
05-A266	HX13 Hydraulic Hopper Lift Kit	75	\$2,258.00
05-A271	Additional Remote Control	1	\$388.00
05-A283	No Snag Spout, 3 Section, Fits 13" Augers	19	\$513.00
05-A331	Hopper Weight for Lift Cable	15	\$141.00
05-A333	HX13 Hydraulic Landing Gear Power Swing	320	\$3,646.00
05-A334	HX13 Remote Electric Landing Gear Power Swing	310	\$5,756.00
05-A341	X1374 Transport and Work Lights Bundle	64	\$1,292.00
05-A349	1364 Work Light Kit		\$813.00
05-A353	1384 Transport and Work Lights Bundle	61	\$1,292.00
05-A355	1394 Transport and Work Lights Bundle	62	\$1,306.00

Part numbers are set up as Hutchinson part numbers. To order Mayrath, change the last "H" of the part number to an "M".

Part Number	Description	Weight (lbs)	Price
05-A357	13114 Transport and Work Lights Bundle	35	\$1,306.00
05-A383	X-Tend Swing Assembly	1740	\$30,891.00
05-A449	HX13 Spout Head-Hose Ring Replacement	22	\$367.00
05-A510RD	HX2/MKX2 13-114 Auger Steer Kit	431	\$4,222.00
05-A512RD	HX2 13-94 Auger Steer Kit	437	\$4,222.00
05-A513RD	HX2/MKX2 13" Right Angle Drive 540RPM		\$6,276.00
05-A514RD	HX2/MKX2 13" Right Angle Drive works with Speed Reducer		\$6,390.00
05-A516	MKX2/X2/HX2 13" Parts Kit		\$383.00
05-A537RD	KIT, ELECTRIC HOPPER WINCH, 13" *NEW*		\$2,833.00
05-A539RD	KIT, ADD-ON ELEC. HOPPER WINCH, 13" *NEW*		\$3,410.00
05-A526	HX2 13" Low-Profile Hopper Assembly	472	\$3,679.00

13" RETURN/CREDIT

14-X101	*Credit for 1364/74 Complete PTO Return	\$1,572.00
14-X104	*Credit for 1364/74 Tractor Half PTO Return	\$783.00
14-X108	*Credit for 1384/94/114 Complete PTO Return	\$2,920.00
14-X109	*Credit for 1384/94/114 Tractor Half PTO Return	\$917.00
14-X123	*Credit for 13" X-Tend Conversion	\$5,355.00

HX² 16 x 85 AUGER

01-HX21685SRH	Complete Auger (Painted Silver)	12579	\$95,700.00
01-HX21685SRXTENDH	Complete Auger with HX-Tend Hopper	12832	\$115,842.00

All 16" augers come as a complete bundles and include: AUGER STEER, powerswing, speed reducing gearbox with 20 spline PTO shaft, hydraulic hopper winch, transport and work light bundle

HX² 16 x 105 AUGER

01-HX216105SRH	Complete Auger (Painted Silver)	15588	\$112,163.00
01-HX216105SRXTENDH	Complete Auger with HX-Tend Hopper	15841	\$132,252.00

All 16" augers come as a complete bundles and include: AUGER STEER, powerswing, speed reducing gearbox with 20 spline PTO shaft, hydraulic hopper winch, transport and work light bundle

HX² 16 x 125 AUGER

01-HX216125SRH	Complete Auger (Painted Silver)	17098	\$125,391.00
01-HX216125SRXTENDH	Complete Auger with HX-Tend Hopper	17352	\$145,045.00

All 16" augers come as a complete bundles and include: AUGER STEER, powerswing, speed reducing gearbox with 20 spline PTO shaft, hydraulic hopper winch, transport and work light bundle

OPTIONS

05-A280	16" Poly Bucket Spout	34	\$630.00
05-A281	HX160 21 Spline Tractor Half PTO	51	\$2,200.00
05-A284	No Snag Spout, 3 Section, Fits 16" Augers	26	\$661.00
05-A305	HX160 Low Profile Hopper Tarp		\$470.00
05-A354	1685 Transport and Work Lights Bundle	30	\$1,286.00
05-A356	16105 Transport and Work Lights Bundle	64	\$1,306.00
05-A358	16125 Transport and Work Lights Bundle	30	\$1,348.00
05-A450	HX16 Spout Head-Hose Ring Replacement	47	\$421.00
05-A517	MKX2/X2/HX2 16" Parts Kit		\$222.00
05-A518	HX2 16" Right Angle Drive		*call for price

16" RETURN/CREDIT

14-X120	*Credit for 20 Spline Tractor Half PTO Return	\$1,807.00
---------	---	------------

W

13" DIAMETER
UP TO 7,800 BPH | 31' - 71' LENGTHS

WR

6" DIAMETER
UP TO 1,600 BPH | 26' - 61' LENGTHS

WRX

8" DIAMETER
UP TO 3,000 BPH | 31' - 76' LENGTHS

10" DIAMETER
UP TO 4,800 BPH | 31' - 71' LENGTHS

FEATURES

- **Hand winch with automatic brake**
 - W 13-51/61/71 come standard with hydraulic lift
- **Wear Edge Technology™ on intake flighting**
- **Sealed and lubricated top end**
- **Oil impregnated driveshaft bearings**
- **Gear boxes can be flipped for right or left hand PTO drive**
- **Flight connections built for proper alignment:**
 - W: Round connections
 - WR: Threaded connections
 - WRX: Round connections on 8" Square connections on 10"
- **Solid tube drive guard** (WRX only)
- **Adjustable chain tensioner** (WRX only)

OPTIONS

- **Flex spout**
W | WR | WRX
- **Hydraulic winch**
W | WR | WRX
- **Swivel arc kits**
WR | WRX
- **Wheel kit**
W | WRX
- **Steel intake hoppers**
W | WRX
- **Poly hoppers**
W | WR | WRX
- **Enclosed collapsible hopper**
W | WRX



DRIVE OPTIONS

MOTOR DRIVE
WR up to 41' | WRX



ELECTRIC MOTOR DRIVE
W up to 41' | WR | WRX



PTO SHAFT DRIVE
W | WR | WRX



HYDRAULIC DRIVE
WR | WRX



PTO BELT DRIVE
WR 36' - 41' | WRX



HOPPER

OPTIONS

- Steel intake hoppers
 - 36" long x 36" wide (WRX)
 - 40" long x 40" wide (W)
- Enclosed collapsible hopper


ENCLOSED COLLAPSIBLE HOPPER SPECIFICATIONS

	8"	10"
A	16"	18.5"
B	36.5"	36.5"
C	33"	35.5"

	8"	10"
COLLAPSED HEIGHT	8"	9.5"
TOTAL HEIGHT	25.5"	27.5"

	13"
A	20.75"
B	36.5"

	13"
COLLAPSED HEIGHT	11"
TOTAL HEIGHT	29"



WR | Find the right auger

WR	6-26	6-31	6-36	6-41	6-51	6-61
TUBE GAUGE	16 ga					
TUBE CONNECTORS	Heavy-duty 3⁄16" (0.5 cm) angle flange					
MAIN FLIGHTING	5 3⁄8" (13.7 cm) OD x 12 ga stretched and welded					
INTAKE FLIGHTING	1⁄4" (0.6 cm) welded with Wear Edge Technology lower pitch for high capacity					
FLIGHTING SHAFT	High strength 1.05" (2.7 cm) OD x 11 ga tubing					
DRIVESHAFT	1" (2.5 cm) OD x 12 ga tubing					
DRIVESHAFT BEARINGS	1" (2.5 cm) oil impregnated hardwood bearings					
TUBE TRUSSING	N/A			5⁄16" (0.8 cm) aircraft cable		
TRACK	High yield 11 ga roll formed					
TRACKSHOE	2 3⁄4" (7 cm) steel roller					
TRANSPORT/UNDERCARRIAGE	2" (5 cm) x 14 ga A-frame			2 1⁄2" (6.4 cm) x 14 ga A-frame		3" (7.6 cm) x 11 ga A-frame
HUBS & WHEELS	4-bolt agricultural type hubs, 15" (38.1 cm) wheels					
TIRES	15" (38.1 cm)					
LIFT CABLE	1⁄4" (0.6 cm) aircraft type galvanized steel cable					
TOP DRIVE	#50 roller chain and hardened steel sprockets					
TOP DRIVE BEARINGS	1" (2.5 cm) flangelet sealed ball bearings					
WINCH	Reduction geared with automatic brake					
GEARBOX	Forged steel gears with tapered roller bearings					
CAPACITY - DRY WHEAT OR CORN, AUGER 1⁄2 RAISED	Up to 1,600 bph					

W | Find the right auger

W	13-31	13-36	13-41	13-51	13-61	13-71
TUBE GAUGE	12 ga					
TUBE CONNECTORS	Heavy-duty ¼" (0.6 cm) angle flange					
MAIN FLIGHTING	11 ¾" (29.8 cm) OD x ¼" (0.6 cm) stretched and welded					
INTAKE FLIGHTING	10 ga welded with Wear Edge Technology lower pitch for high capacity					
FLIGHTING SHAFT	High strength 3" (7.6 cm) OD x 11 ga tubing					
DRIVESHAFT	1 ¼" (3.2 cm) OD solid driveshaft			1 ½" (3.8 cm) OD solid driveshaft		
DRIVESHAFT BEARINGS	1 ¼" (3.2 cm) oil impregnated hardwood bearings			1 ½" (3.8 cm) oil impregnated hardwood bearings		
TUBE TRUSSING	N/A			⅜" (0.9 cm) aircraft cable		
TRACK	High yield 11 ga roll formed			Double 2" (5.1 cm) x 1 ½" (3.8 cm) x ⅜" (0.5 cm) angle iron		
TRACKSHOE	Single 2 ¾" (7 cm) steel roller			Double 3" (7.6 cm) steel roller		
TRANSPORT/UNDERCARRIAGE	3" (7.6 cm) x 11 ga A-frame			4" (10.2 cm) x 10 ga A-frame		
HUBS & WHEELS	4-bolt agricultural type hubs, 15" (38.1 cm) wheels			6-bolt agricultural type hubs, 15" (38.1 cm) wheels		
TIRES	15" (38.1 cm)					
LIFT CABLE	¼" (0.6 cm) aircraft type galvanized steel cable			Double ⅝" (0.8 cm) aircraft type galvanized steel cable		
TOP DRIVE	#80 roller chain and hardened steel sprockets			#100 roller chain and hardened steel sprockets		
TOP DRIVE BEARINGS	Pillow block ball bearings with collar lock					
WINCH	Reduction geared with automatic break			Two 4" (10.2 cm) single acting cylinders		
GEARBOX	Forged steel gears with tapered roller bearings					
CAPACITY - DRY WHEAT OR CORN, AUGER 1/2 RAISED	Up to 7,800 bph					

	A	B	C	D	E	F	G	H	I	
WR	HEIGHT LOWERED	HEIGHT HALFWAY	HEIGHT RAISED	REACH LOWERED	REACH HALFWAY	REACH RAISED	HEIGHT AT LIFTARMS	HEIGHT AT WHEELS	INTAKE REACH	WHEEL THREAD
26'	6' 5"	12' 8"	17' 11"	10' 9"	9' 5"	7' 3"	7' 9"	11' 4"	6' 10"	68"
31'	7' 8"	15' 1"	21' 6"	13' 9"	12' 0"	9' 3"	8' 10"	12' 10"	7' 8"	70"
36'	9' 0"	17' 4"	24' 10"	16' 3"	14' 3"	11' 2"	10' 0"	14' 4"	8' 11"	82"
41'	9' 7"	20' 2"	28' 7"	18' 8"	16' 4"	12' 8"	11' 6"	16' 4"	10' 2"	88"
51'	11' 11"	25' 0"	35' 0"	23' 1"	20' 2"	15' 10"	14' 2"	19' 11"	12' 10"	94"
61'	11' 8"	28' 4"	41' 0"	27' 4"	24' 4"	19' 0"	17' 2"	24' 3"	16' 2"	112"
W										
31'	7' 7"	13' 9"	19' 3"	13'	11' 9"	9' 8"	9'	12' 5"	8'	106"
36'	7' 10"	15' 4"	22' 1"	15'	14' 2"	12' 11"	9' 6"	12' 10"	11' 1"	106"
41'	10' 0"	19' 9"	28' 3"	16' 5"	14' 5"	11' 3"	—	—	—	94"
51'	10' 9"	21' 10"	35' 5"	22' 4"	20' 2"	15' 3"	—	—	—	112"
61'	11' 7"	25' 8"	41' 1"	27' 5"	24' 10"	20' 0"	—	—	—	118"
71'	12' 11"	30' 10"	47' 0"	32' 3"	29' 5"	23' 1"	—	—	—	124"


Recommended pulley sizes:

• Gas motor drives: 4.2" double groove pulley • Electric motor drives: WR: 7.75" double groove pulley | W: 4 - 4.3" triple groove pulley

HORSEPOWER REQUIREMENTS

	6"			13"	
	GAS HP	PTO HP	ELEC. HP	PTO HP	ELEC. HP
26'	10	—	3	—	—
31'	10	—	3	40	20
36'	12	—	3	40 - 50	20 - 25
41'	12	—	3	50	25
51'	—	20	5	70	—
61'	—	25	7.5	80	—
71'	—	—	—	90	—

Disclaimer: The WR and W series augers were proudly designed to handle dry, free-flowing grains up to a maximum density of 65 lb/bu (52 lb/cf). Any usage of these augers outside of this is not authorized.



Heights measured from bottom of auger spout to ground.

WRX 8 | Find the right auger

WRX 8	8-31	8-36	8-41	8-46	8-51	8-56	8-61	8-71	8-76
TUBE GAUGE	14 ga								
TUBE CONNECTORS	Heavy-duty 3⁄16" (0.5 cm) angle flange								
MAIN FLIGHTING	7" (17.8 cm) OD x 10 ga stretched and welded								
INTAKE FLIGHTING	10 ga welded with Wear Edge Technology								
FLIGHTING SHAFT	High strength 1.66" (4.2 cm) OD x 11 ga Tubing								
DRIVESHAFT	1 ¼" (3.2 cm) OD x 11 ga tubing								
DRIVESHAFT BEARINGS	1 ¼" (3.2 cm) oil impregnated hardwood bearings								
TUBE TRUSSING	N/A			5⁄16" (2.1 cm) aircraft cable					
TRACK	High yield 11 ga roll formed								
TRACKSHOE	Single 2 ¾" (7 cm) steel roller								
TRANSPORT/UNDERCARRIAGE	2 ½" (6.4 cm) x 14 ga A-frame			3" (7.6 cm) OD x 11 ga A-frame					
AXLE	2" (5.1 cm) x 11 ga tubing			2 ½" (6.4 cm) x 1⁄8" (0.3 cm) wall square tubing					
HUBS & WHEELS	4-bolt agricultural type hubs, 15" (38.1 cm) wheels								
TIRES	15" (38.1 cm) agricultural tires								
LIFT CABLE	¼" (0.6 cm) aircraft type galvanized steel cable								
TOP DRIVE	#80 roller chain and hardened steel sprocket								
TOP DRIVE BEARINGS	1 ¼" (3.2 cm) pillow block								
WINCH	Reduction geared with automatic brake								
GEARBOX	Formed steel gears with tapered roller bearings								
CAPACITY - DRY WHEAT OR CORN, AUGER 1/2 RAISED	Up to 3,000 bph								

WRX 10 | Find the right auger

WRX 10	10-31	10-36	10-41	10-51	10-61	10-71
TUBE GAUGE	12 ga					
TUBE CONNECTORS	Heavy-duty ⅜" (0.5 cm) angle flange					
MAIN FLIGHTING	9" (22.9 cm) OD x 7 ga stretched and welded					
INTAKE FLIGHTING	10 ga welded with Wear Edge Technology lower pitch for high capacity					
FLIGHTING SHAFT	High strength 2" (5.1 cm) OD x 11 ga tubing					
DRIVESHAFT	1 ¼" OD x 11 ga tubing					
DRIVESHAFT BEARINGS	1 ¼" (3.2 cm) oil impregnated hardwood bearings					
TUBE TRUSSING	N/A			⅝" (0.8 cm) aircraft cable		
TRACK	High yield 11 ga roll formed					
TRACKSHOE	Single 2 ¾" (7 cm) steel roller					
TRANSPORT/UNDERCARRIAGE	2 ½" (6.4 cm) x 14 ga A-Frame			3" (7.6 cm) OD x 11 ga A-frame		
AXLE	2" (5.1 cm) x 11 ga tubing			2 ½" (6.4 cm) x ⅛" (0.3 cm) wall square tubing		
HUBS & WHEELS	4-bolt agricultural type hubs, 15" (38.1 cm) wheels					
TIRES	15" (38.1 cm) agricultural tires					
LIFT CABLE	¼" (0.6 cm) aircraft type galvanized steel cable					
TOP DRIVE	#80 roller chain and hardened steel sprockets					
TOP DRIVE BEARINGS	1 ¼" (3.2 cm) pillow block					
WINCH	Reduction geared with automatic brake					
GEARBOX	Formed steel gears with tapered roller bearings					
CAPACITY - DRY WHEAT OR CORN, AUGER 1/2 RAISED	Up to 4,800 bph					


Disclaimer: The WRX series auger was proudly designed to handle dry, free-flowing grains up to a maximum density of 65 lb/bu (52 lb/cf). Any usage of this auger outside of this is not authorized.

HEIGHT | REACH | WHEEL

	A	B	C	D	E	F	G	H	I	
	HEIGHT LOWERED	HEIGHT HALFWAY	HEIGHT RAISED	REACH LOWERED	REACH HALFWAY	REACH RAISED	HEIGHT AT LIFTARMS	HEIGHT AT WHEELS	REACH TO LIFTARMS	WHEEL THREAD
31'	8' 1"	14' 9"	20' 9"	12' 7"	11' 4"	9' 4"	8' 9"	12' 5"	9' 7"	70"
31' MD	8' 1"	11' 10"	15' 6"	12' 7"	12' 0"	11' 5"	7' 8"	9' 3"	9' 3"	70"
36'	9' 8"	17' 9"	24' 7"	15' 9"	13' 2"	10' 1"	10' 8"	15' 6"	9' 7"	88"
36' MD	9' 8"	15' 1"	18' 2"	15' 9"	14' 2"	13' 0"	9' 9"	9' 9"	10' 8"	88"
36' BD	10' 11"	17' 8"	24' 6"	14' 8"	13' 1"	10' 9"	11' 1"	15' 3"	10' 5"	88"
41'	10' 4"	20' 3"	29' 1"	17' 9"	15' 11"	12' 9"	11' 6"	16' 4"	12' 9"	88"
41' MD	10' 4"	15' 0"	20' 3"	17' 9"	17' 2"	15' 11"	9' 9"	11' 9"	13' 1"	88"
41' BD	11' 7"	20' 6"	28' 5"	17' 0"	15' 5"	12' 7"	11' 9"	16' 5"	12' 7"	88"
46'	10' 5"	20' 10"	31' 3"	19' 5"	16' 0"	11' 1"	13' 9"	19' 0"	9' 3"	106"
46' BD	11' 5"	22' 6"	31' 5"	17' 9"	15' 10"	12' 8"	14' 5"	19' 9"	11' 8"	106"
51'	10' 5"	24' 8"	35' 0"	22' 1"	19' 7"	16' 5"	14' 3"	19' 0"	18' 0"	106"
51' BD	11' 11"	24' 8"	35' 6"	21' 7"	19' 7"	15' 10"	14' 6"	20' 4"	15' 0"	106"
56'	11' 5"	25' 1"	37' 5"	26' 5"	22' 7"	17' 2"	15' 6"	22' 2"	13' 8"	112"
61'	11' 0"	27' 9"	40' 1"	26' 6"	22' 6"	18' 7"	16' 7"	22' 8"	20' 10"	112"
71'	12' 4"	30' 10"	46' 5"	31' 3"	28' 2"	22' 9"	19' 1"	26' 10"	24' 6"	118"
76'	10' 10"	29' 1"	45' 5"	33' 9"	31' 7"	27' 10"	18' 3"	24' 9"	26' 2"	118"

HORSEPOWER REQUIREMENTS

	8"				10"			
	GAS HP	PTO HP	EMD HP	HYD	GAS HP	PTO HP	EMD HP	HYD
31'	16	15	5	22 GPM @ 2200 psi	18 - 20	30	7.5 - 10	22 GPM @ 2200 psi
36'	16 - 18	15	5 - 7.5	22 GPM @ 2200 psi	22 - 25	35	10 - 15	22 GPM @ 2200 psi
41'	18 - 20	20	5 - 7.5	22 GPM @ 2200 psi	22 - 25	40	10 - 15	22 GPM @ 2200 psi
46'	—	25	7.5	—	—	—	—	—
51'	—	25	10 - 15	—	—	45	15 - 20	—
56'	—	30	15	—	—	—	—	—
61'	—	35	15 - 20	—	—	55	20	—
71'	—	45	20	—	—	60	20 - 25	—
76'	—	50	20 - 25	—	—	—	—	—



Heights measured from bottom of auger spout to ground.

Part numbers are set up as Hutchinson part numbers. To order Mayrath, change the last "H" of the part number to an "M".

Part Number	Description	Weight (lbs)	Price
WR 6 x 26 AUGER			
01-0626SRMDH	WR60 - 26 Motor Drive	605	\$5,145.00
01-0626SREMDH	WR60 - 26 Electric Motor Drive	545	\$5,529.00

WR 6 x 31 AUGER

01-0631SRMDH	WR60 - 31 Motor Drive	660	\$5,680.00
01-0631SREMDH	WR60 - 31 Electric Motor Drive	660	\$6,068.00
01-0631SRSDH	WR60 - 31 Shaft Drive	660	\$7,016.00

WR 6 x 36 AUGER

01-0636SRMDH	WR60 - 36 Motor Drive	735	\$6,287.00
01-0636SREMDH	WR60 - 36 Electric Motor Drive	735	\$6,718.00
01-0636SRBDH	WR60 - 36 Belt Drive	825	\$7,838.00
01-0636SRSDH	WR60 - 36 Shaft Drive	735	\$7,423.00

WR 6 x 41 AUGER

01-0641SRMDH	WR60 - 41 Motor Drive	820	\$6,747.00
01-0641SREMDH	WR60 - 41 Electric Motor Drive	815	\$7,103.00
01-0641SRBDH	WR60 - 41 Belt Drive	905	\$8,299.00
01-0641SRSDH	WR60 - 41 Shaft Drive	765	\$7,921.00

WR 6 x 51 AUGER

01-0651SREMDH	WR60 - 51 Electric Motor Drive	1000	\$9,008.00
01-0651SRSDH	WR60 - 51 Shaft Drive	1015	\$9,897.00

WR 6 x 61 AUGER

01-0661SREMDH	WR60 - 61 Electric Motor Drive	1400	\$11,749.00
01-0661SRSDH	WR60 - 61 Shaft Drive	1410	\$12,221.00

OPTIONS

05-A103	Standard Hopper	17	\$228.00
05-A161	Shielded PTO Driveline, 48" Closed	28	\$719.00
05-A162	Shielded PTO Driveline, 60" Closed	32	\$764.00
05-A163	Poly Bucket Flex Spout, 36" - 5 section, Fits 6/7" Augers	10	\$228.00

W 13 x 31 AUGER

01-1331SREMDH	W130 - 31 Electric Motor Drive	1787	\$16,351.00
01-1331SRSDH	W130 - 31 PTO Shaft Drive	1796	\$16,748.00

W 13 x 36 AUGER

01-1336SREMDH	W130 - 36 Electric Motor Drive	1920	\$17,301.00
01-1336SRSDH	W130 - 36 PTO Shaft Drive	1951	\$17,697.00

W 13 x 41 AUGER

01-1341SREMDH	W130 - 41 Electric Motor Drive	2210	\$18,253.00
01-1341SRSDH	W130 - 41 PTO Shaft Drive	2160	\$18,652.00

W 13 x 51 AUGER

01-1351SRSDH	W130 - 51 PTO Shaft Drive	2975	\$30,135.00
--------------	---------------------------	------	-------------

W 13 x 61 AUGER

01-1361SRSDH	W130 - 61 PTO Shaft Drive	3440	\$33,542.00
--------------	---------------------------	------	-------------

Part numbers are set up as Hutchinson part numbers. To order Mayrath, change the last "H" of the part number to an "M".

Part Number	Description	Weight (lbs)	Price
W 13 x 71 AUGER			
01-1371SRSDH	W130 - 71 PTO Shaft Drive	3935	\$37,418.00

OPTIONS

05-A185	13" Corn Screen	33	\$1,038.00
05-A197	Hydraulic Winch (Up to 10" x 71')	60	\$2,364.00
05-A254	13" Bin Hopper	488	\$1,983.00
05-A255	13" Wheel Kit	78	\$949.00
05-A286	WRX13 Intake Hopper Tarp	7	\$339.00
05-A483	13" Enclosed Collapsible Hopper	293	\$1,921.00

Part numbers are set up as Hutchinson part numbers. To order Mayrath, change the last "H" of the part number to an "M".

Part Number	Description	Weight (lbs)	Price
-------------	-------------	--------------	-------

WRX BASIC AUGERS

Shipped complete with undercarriage, enclosed driveline, intake with safety shield, outlet spout, tow hitch, safety shields, winch, and tires with rims. NOTE: Must order a drive kit to complete auger.

01-WRX0831SRH	8" X 31' Basic Auger (Painted Silver)	873	\$5,649.00
01-WRX0836SRH	8" X 36' Basic Auger (Painted Silver)	948	\$6,259.00
01-WRX0841SRH	8" X 41' Basic Auger (Painted Silver)	1047	\$6,897.00
01-WRX0846SRH	8" X 46' Basic Auger (Painted Silver)	1312	\$7,705.00
01-WRX0851SRH	8" X 51' Basic Auger (Painted Silver)	1392	\$8,533.00
01-WRX0851SRHS	8" X 51' Basic Auger with Corn Screen (Painted Silver)	1392	\$9,174.00
01-WRX0856SRH	8" X 56' Basic Auger (Painted Silver)	1599	\$10,436.00
01-WRX0856SRHS	8" X 56' Basic Auger with Corn Screen (Painted Silver)	1599	\$11,077.00
01-WRX0861SRH	8" X 61' Basic Auger (Painted Silver)	1654	\$12,130.00
01-WRX0861SRHS	8" X 61' Basic Auger with Corn Screen (Painted Silver)	1654	\$12,771.00
01-WRX0871SRH	8" X 71' Basic Auger (Painted Silver)	1868	\$13,273.00
01-WRX0871SRHS	8" X 71' Basic Auger with Corn Screen (Painted Silver)	1868	\$13,914.00
01-WRX0876SRH	8" X 76' Basic Auger (Painted Silver)	1918	\$13,987.00
01-WRX0876SRHS	8" X 76' Basic Auger with Corn Screen (Painted Silver)	1918	\$14,628.00

01-WRX1031SRH	10" X 31' Basic Auger (Painted Silver)	1146	\$7,867.00
01-WRX1036SRH	10" X 36' Basic Auger (Painted Silver)	1270	\$9,059.00
01-WRX1041SRH	10" X 41' Basic Auger (Painted Silver)	1406	\$10,330.00
01-WRX1051SRH	10" X 51' Basic Auger (Painted Silver)	1805	\$12,893.00
01-WRX1051SRHS	10" X 51' Basic Auger with Corn Screen (Painted Silver)	1805	\$13,602.00
01-WRX1061SRH	10" X 61' Basic Auger (Painted Silver)	2130	\$15,180.00
01-WRX1061SRHS	10" X 61' Basic Auger with Corn Screen (Painted Silver)	2130	\$15,889.00
01-WRX1071SRH	10" X 71' Basic Auger (Painted Silver)	2425	\$17,163.00
01-WRX1071SRHS	10" X 71' Basic Auger with Corn Screen (Painted Silver)	2425	\$17,872.00

ELECTRIC MOTOR DRIVE KITS

Shipped complete with tube mounted motor mount, belts, and pulley. LESS electric motor, switches, and motor pulley. Recommended pulley size: 7.75" for 1750 RPM motors.

05-A418	WRX8/10-31/36/41 Electric Motor Drive Kit	100	\$1,722.00
05-A423	WRX8/10-46/51/56/61/71/76 Electric Motor Drive Kit	104	\$1,722.00

HYDRAULIC DRIVE KITS

Shipped complete with hydraulic motor mount and hydraulic hoses. Requires a minimum of 20 GPM at 2200 PSI.

05-A428	WRX80-31/36/41 Hydraulic Drive Kit	100	\$3,156.00
05-A422	WRX10-31/36/41 Hydraulic Drive Kit	100	\$3,156.00

PTO/SHAFT DRIVE KITS

Shipped complete with shielded non-separable 60" PTO driveline and transport saddle.

05-A429RD	WRX80-31 SD - PTO/Shaft Drive	151	\$2,114.00
05-A430RD	WRX80-36 SD - PTO/Shaft Drive	150	\$2,114.00
05-A431RD	WRX80-41 SD - PTO/Shaft Drive	151	\$2,114.00
05-A432RD	WRX80-46 SD - PTO/Shaft Drive	150	\$2,114.00
05-A433RD	WRX80-51 SD - PTO/Shaft Drive	152	\$2,114.00
05-A434RD	WRX80-56 SD - PTO/Shaft Drive	150	\$2,114.00
05-A435RD	WRX80-61 SD - PTO/Shaft Drive	172	\$2,114.00
05-A436RD	WRX80-71 SD - PTO/Shaft Drive	172	\$2,114.00
05-A444RD	WRX80-76 SD - PTO/Shaft Drive	189	\$2,114.00
05-A419RD	WRX10-31 SD - PTO/Shaft Drive	154	\$2,114.00
05-A420RD	WRX10-36 SD - PTO/Shaft Drive	152	\$2,114.00
05-A421RD	WRX10-41 SD - PTO/Shaft Drive	155	\$2,114.00
05-A424RD	WRX10-51 SD - PTO/Shaft Drive	155	\$2,114.00
05-A425RD	WRX10-61 SD - PTO/Shaft Drive	173	\$2,114.00
05-A426RD	WRX10-71 SD - PTO/Shaft Drive	176	\$2,114.00

Part numbers are set up as Hutchinson part numbers. To order Mayrath, change the last "H" of the part number to an "M".

Part Number	Description	Weight (lbs)	Price
PTO/BELT DRIVE KITS			
05-A472RD	WRX80-31 BD - PTO/Belt Drive	319	\$3,017.00
05-A460RD	WRX80-36 BD - PTO/Belt Drive	322	\$3,017.00
05-A461RD	WRX80-41 BD - PTO/Belt Drive	316	\$3,032.00
05-A462RD	WRX80-46 BD - PTO/Belt Drive	334	\$3,032.00
05-A463RD	WRX80/10-51 BD - PTO/Belt Drive	332	\$3,032.00
05-A473RD	WRX10-31 BD - PTO/Belt Drive	319	\$3,017.00
05-A464RD	WRX10-36 BD - PTO/Belt Drive	324	\$3,032.00
05-A465RD	WRX10-41 BD - PTO/Belt Drive	322	\$3,032.00
05-A463RD	WRX80/10-51 BD - PTO/Belt Drive	332	\$3,032.00

PLAIN MOTOR DRIVE KITS

Shipped complete with motor mount, gearbox, belts, and pulleys. Recommended pulley size: 4.2" for gas engines, 7.75" for 1750 RPM electric motors.

05-A466	WRX8/10-31/41 Plain Motor Drive Kit	320	\$2,583.00
05-A467	WRX8/10-36 Plain Motor Drive Kit	321	\$2,583.00

COMPLETE MOTOR DRIVE KITS

Shipped complete with motor mount, battery mount, gas tank mount, gas tank, gearbox, belts, and pulleys. Does not come with battery cables. Recommended pulley size: 4.2" for gas engines, 7.75" for 1750 RPM electric motors.

05-A470U	WRX8/10-31/41 Complete Motor Drive Kit	351	\$2,955.00
05-A471U	WRX8/10-36 Complete Motor Drive Kit	355	\$2,955.00

8" OPTIONS

05-A103	Standard Hopper	17	\$228.00
05-A114	WRX Swivel Arc Kit	72	\$648.00
05-A147	8" Corn Screen	20	\$641.00
05-A164	Poly Bucket Flex Spout, 36" - 5 Section, Fits 8/10" Augers	14	\$246.00
05-A250	8" Wheel Kit	69	\$881.00
05-A260	8" Bin Hopper	319	\$1,605.00
05-A285	WRX/STX ² 8/10 Intake Hopper Tarp	6	\$305.00
05-A443	Speed Reducer Kit	156	\$1,393.00
05-A456	WRX Steel Caster Wheel Kit	53	\$1,231.00
05-A468	WRX8/10 Motor Drive Battery Kit	13	\$79.00
05-A469	WRX8/10 Motor Drive Fuel Tank Kit	30	\$302.00
05-A481	8" Enclosed Collapsible Hopper	261	\$1,554.00
05-A488	8"/10" Reduction Gearbox (2:1)		\$827.00
05-A489	8"/10" Reduction Gearbox (3:1)		\$827.00

More WRX options under "Optional Equipment"

Part numbers are set up as Hutchinson part numbers. To order Mayrath, change the last "H" of the part number to an "M".

Part Number	Description	Weight (lbs)	Price
10" OPTIONS			
05-A104	Big Daddy Hopper	31	\$430.00
05-A114	WRX Swivel Arc Kit	72	\$648.00
05-A148	10" Corn Screen	27	\$709.00
05-A164	Poly Bucket Flex Spout, 36" - 5 Section, Fits 8/10" Augers	14	\$246.00
05-A197	Hydraulic Winch (Up to 10" x 71')	60	\$2,364.00
05-A249	10" Bin Hopper	334	\$1,705.00
05-A251	10" Wheel Kit	72	\$906.00
05-A282	No Snag Spout, 3 Section, Fits 10" Augers	8	\$320.00
05-A285	WRX/STX ² 8/10 Intake Hopper Tarp	6	\$305.00
05-A442SR	WRX 10" X 3' Extension, Square Shaft	83	\$470.00
05-A443	Speed Reducer Kit	156	\$1,393.00
05-A456	WRX Steel Caster Wheel Kit	53	\$1,231.00
05-A468	WRX8/10 Motor Drive Battery Kit	13	\$79.00
05-A469	WRX8/10 Motor Drive Fuel Tank Kit	30	\$302.00
05-A482	10" Enclosed Collapsible Hopper	274	\$1,651.00
05-A488	8"/10" Reduction Gearbox (2:1)		\$827.00
05-A489	8"/10" Reduction Gearbox (3:1)		\$827.00

More WRX options under "Optional Equipment"

STX³

13" DIAMETER
UP TO 10,000 BPH | 41' LENGTH

FEATURES

▪ Direct drive system

- First diesel-powered direct drive portable auger on the market. Delivers more power with no belts to slip—just reliable, mechanical PTO performance.

▪ 56 HP Kohler diesel engine

- Built with the power and fuel efficiency farmers prefer. Diesel means better torque, and longer engine life.

▪ Open discharge spout

- Designed for smoother grain flow. Reduces plugging and horsepower demand, keeping operations efficient and stress-free.

▪ Manual clutch engagement

- Lets you ease the flighting into gear. More control, less wear and a smoother start every time.

▪ Heavy-duty gearboxes

- Dual gearboxes connected by a solid shaft. Built for long-term durability under heavy loads.



▪ Solid drive shaft & telescopic drive shaft cover

- Transfers more power with less maintenance. A stronger, longer-lasting solution for demanding jobs.
- Easier for maintenance. Saves time and keeps everything running smoothly.

▪ Low-profile intake hopper

- Extra clearance under the bin and increased unloading capacity. Makes setup easier and speeds up the job.



Direct drive system



Heavy-duty gearboxes




56 HP Kohler diesel engine



Open discharge spout



Solid drive shaft & telescopic drive shaft cover



Manual clutch engagement



Low-profile intake hopper



STX³

13" DIAMETER
UP TO 10,000 BPH | 41' LENGTH

FEATURES (cont)

- **Triple lighting in hopper & upgraded hopper guard**
 - Adds a third flight for faster intake and higher throughput. More grain moved in less time.
 - Redesigned splash and flight guard boosts capacity while keeping things clean and contained.
- **All-wheel drive mover kit**
 - Heavy-duty hydraulic mover kit makes positioning the auger simple, even in tough terrain.
- **Additional features**
 - Wear Edge Technology™ on intake lighting, sealed and lubricated top end, and LED work lights.



Triple lighting in hopper & upgraded hopper guard



All-wheel drive mover kit

STX³ | Find the right auger

STX³

13-41

TUBE GAUGE	12 ga
TUBE CONNECTORS	Heavy-duty ¼" (0.6 cm) angle flange
MAIN FLIGHTING	11¾" (29.8 cm) OD x ¼" (0.6 cm) stretched and welded
INTAKE FLIGHTING	¼" (0.6 cm) welded with Wear Edge™ Technology
FLIGHTING SHAFT	High strength 3" (7.6 cm) OD x 11 ga tubing
DRIVESHAFT	1¼" (3.2 cm) OD solid round shaft
DRIVESHAFT BEARINGS	1¼" oil impregnated hardwood bearings
TRACK	High yield 11 ga roll formed
TRACKSHOE	Single 2⅝" (6 cm) steel roller
TRANSPORT/ UNDERCARRIAGE	3" (7.6 cm) square tubing
AXLE	3" (7.6 cm) square tubing
HUBS & WHEELS	6-bolt agricultural type hubs, 16" wheel
TIRES	16" agricultural tires
LIFT CABLE	¼" (0.6 cm) aircraft type galvanized steel cable
TOP DRIVE	#80 roller chain and hardened steel sprockets
TOP DRIVE BEARINGS	1¼" pillow block
WINCH	Reduction geared with automotive brake
GEARBOX	Formed steel gears with tapered roller bearings
DIESEL HORSEPOWER	56
CAPACITY	Up to 10,000 bph

WEIGHTS EST.

HITCH WEIGHT	TOTAL WEIGHT	HEIGHT
441 lbs	3957 lbs	13' 11"


TRANSPORT DIMENSIONS

LENGTH	WIDTH	HEIGHT 18" HITCH
44' 4"	8' 3"	13'


HEIGHT | REACH | WHEEL

	A	B	C	D	E	F	G
	HEIGHT LOWERED	HEIGHT HALFWAY	HEIGHT RAISED	REACH LOWERED	REACH HALFWAY	REACH RAISED	INTAKE REACH
13-41	10' 8"	16' 6"	20' 7"	15' 3"	14' 11"	14' 6"	14' 7"

Disclaimer: The STX³ series auger was proudly designed to handle dry, free-flowing grains up to a maximum density of 65 lb/bu (52 lb/cf). Any usage of this auger outside of this is not authorized.



Heights measured from bottom of auger spout to ground.



Part numbers are set up as Hutchinson part numbers. To order Mayrath, change the last "H" of the part number to an "M".

Part Number	Description	Weight (lbs)	Price
STX³ 13-41 AUGER			
01-STX31341SPHCBDH	Complete Bundle with Heavy Duty Self Propelled Kit and Diesel Motor	3957	\$66,500.00



STX²

8" DIAMETER
UP TO 3,500 BPH | 31' - 51' LENGTHS

10" DIAMETER
UP TO 5,500 BPH | 31' - 51' LENGTHS

FEATURES

- Wear Edge Technology on intake flighting
- Banded belts
- Self-leveling motor mount
- Easily accessible fuel tank location
- 45L (12Gal) fuel tank
- Sealed and lubricated top end
- Adjustable chain tensioner
- Mover kits
 - Self-propelled AWD mover kit with steel hydraulic lines
 - Self-propelled two wheel mover kit

OPTIONS

- Reversing gearbox
- Poly flex spout
- LED working lights
- Poly hopper
- Steel intake hopper
- Enclosed hopper
- Electric clutch
 - Double groove clutch up to 41'
 - Triple groove clutch 46' and 51'



STX² | Find the right auger

STX ²	8-31	8-36	8-41	8-46	8-51	10-31	10-36	10-41	10-46	10-51
TUBE GAUGE	14 ga					12 ga				
TUBE CONNECTORS	Heavy-duty ⅜" (0.5 cm) angle flange									
MAIN FLIGHTING	7" (17.8 cm) OD x 10 ga stretched and welded					9" (22.9 cm) OD x 7 ga stretched and welded				
INTAKE FLIGHTING	10 ga welded with Wear Edge Technology lower pitch for high capacity									
FLIGHTING SHAFT	High strength 1.66" (4.2 cm) OD x 11 ga tubing					High strength 2" (5.1 cm) OD x 11 ga tubing				
DRIVESHAFT	1 ¼" (3.2 cm) OD x 11 ga tubing									
DRIVESHAFT BEARINGS	1 ¼" (3.2 cm) oil impregnated hardwood bearings									
TUBE TRUSSING	N/A	N/A	N/A	N/A	⅝" (0.8 cm) aircraft galv. steel cable	N/A	N/A	N/A	N/A	⅝" (0.8 cm) aircraft cable
TRACK	High yield 11 ga roll formed									
TRACKSHOE	2 ¾" (7 cm) square tubing									
UNDERCARRIAGE	2 ½" (6.4 cm) square tubing (upper), 3" (7.6 cm) square tubing (lower)			3" (7.6 cm) square tubing		2 ½" (6.4 cm) square tubing (upper), 3" (7.6 cm) square tubing (lower)			3" (7.6 cm) square tubing	
AXLE	2 ½" (6.4 cm) square tubing									
HUBS & WHEELS	4-bolt agricultural type hubs, 15" (38.1 cm) wheels									
TIRES	15" (38.1 cm) agricultural tires									
LIFT CABLE	¼" (0.6 cm) aircraft type galvanized steel cable									
TOP DRIVE	#80 roller chain and hardened steel sprockets									
TOP DRIVE BEARINGS	1 ¼" (3.2 cm) cast flange									
WINCH	Reduction geared with automotive brake									
GEARBOX	Formed steel gears with tapered roller bearings									
WHEEL TREAD	96" (243.8 cm)									
GAS HORSEPOWER	16	16 - 18	18 - 20	22 - 25	25 - 30	25	25 - 30	30 - 35	35 - 38	35 - 36
ELECTRIC HORSEPOWER	5	5 - 7 ½	5 - 7 ½	7 ½	10 - 15	15	15	15	15	15


Disclaimer: The STX² series auger was proudly designed to handle dry, free-flowing grains up to a maximum density of 65 lb/bu (52 lb/cf). Any usage of this auger outside of this is not authorized.

Recommended pulley sizes:

- Gas motor drives: 4.2" • Electric motor drives: 7.5"
- 8-31 to 10-41 double groove pulley | 10-46 to 10-51 triple groove pulley

HEIGHT | REACH | WHEEL

	A	B	C	D	E	F	G
	HEIGHT LOWERED	HEIGHT HALFWAY	HEIGHT RAISED	REACH LOWERED	REACH HALFWAY	REACH RAISED	INTAKE REACH
8-31	8' 6"	13' 6"	18' 10"	12' 6"	12' 2"	11' 7"	8' 5"
8-36	9'	15' 8"	22' 1"	14' 6"	14' 1"	13' 2"	10'
8-41	8' 4"	16' 4"	24' 6"	16' 9"	16' 5"	15' 9"	12' 1"
8-46	10'	17'	26' 1"	18' 6"	18' 4"	17' 3"	14' 10"
8-51	10' 6"	19' 9"	29'	19' 3"	18' 7"	17' 7"	16' 1"
10-31	8' 6"	13' 6"	18' 10"	12' 6"	12' 2"	11' 7"	8' 7"
10-36	9'	15' 8"	22' 1"	14' 6"	14' 1"	13' 2"	10' 2"
10-41	8' 4"	16' 4"	24' 6"	16' 9"	16' 5"	15' 9"	12' 3"
10-46	10'	17'	26' 1"	18' 6"	18' 4"	17' 3"	14' 11"
10-51	10' 6"	19' 9"	29'	19' 3"	18' 7"	17' 7"	16' 3"



Part numbers are set up as Hutchinson part numbers. To order Mayrath, change the last "H" of the part number to an "M".

Part Number	Description	Weight (lbs)	Price
-------------	-------------	--------------	-------

STX² 8-31 AUGER

01-STX20831SRH	Basic Auger (Painted Silver)	1475	\$8,565.00
01-STX20831SRSPH	Auger with Self Propelled Kit Only (Painted Silver)	1878	\$14,881.00
01-STX20831SRSPCBH	Complete Bundle with Self Propelled Kit	2021	\$18,521.00

A complete bundle includes: 1-1/8" Clutch Kit, Battery Mount, Gas Tank, Reversing Gearbox, Light Kit and Battery Cables

STX² 8-36 AUGER

01-STX20836SRH	Basic Auger (Painted Silver)	1612	\$9,161.00
01-STX20836SRSPH	Auger with Self Propelled Kit Only (Painted Silver)	2030	\$15,630.00
01-STX20836SRSPHH	Auger with Heavy Duty Self Propelled Kit Only	2401	\$20,447.00
01-STX20836SRSPCBH	Complete Bundle with Self Propelled Kit	2158	\$19,268.00
01-STX20836SRSPHCBH	Complete Bundle with Heavy Duty Self Propelled Kit	2527	\$24,089.00

A complete bundle includes: 1-1/8" Clutch Kit, Battery Mount, Gas Tank, Reversing Gearbox, Light Kit and Battery Cables

STX² 8-41 AUGER

01-STX20841SRH	Basic Auger (Painted Silver)	1716	\$9,719.00
01-STX20841SRSPH	Auger with Self Propelled Kit Only (Painted Silver)	2148	\$16,617.00
01-STX20841SRSPHH	Auger with Heavy Duty Self Propelled Kit Only	2518	\$21,568.00
01-STX20841SRSPCBH	Complete Bundle with Self Propelled Kit	2276	\$20,259.00
01-STX20841SRSPHCBH	Complete Bundle with Heavy Duty Self Propelled Kit	2644	\$25,209.00

A complete bundle includes: 1-1/8" Clutch Kit, Battery Mount, Gas Tank, Reversing Gearbox, Light Kit and Battery Cables

STX² 8-46 AUGER

01-STX20846SRH	Basic Auger (Painted Silver)	1889	\$10,502.00
01-STX20846SRSPH	Auger with Self Propelled Kit Only (Painted Silver)	2272	\$17,547.00
01-STX20846SRSPHH	Auger with Heavy Duty Self Propelled Kit Only	2635	\$22,613.00
01-STX20846SRSPCBH	Complete Bundle with Self Propelled Kit	2489	\$21,181.00
01-STX20846SRSPHCBH	Complete Bundle with Heavy Duty Self Propelled Kit	2761	\$26,255.00

A complete bundle includes: 1-1/8" Clutch Kit, Battery Mount, Gas Tank, Reversing Gearbox, Light Kit and Battery Cables

STX² 8-51 AUGER

01-STX20851SRH	Basic Auger (Painted Silver)	2025	\$11,302.00
01-STX20851SRSPH	Auger with Self Propelled Kit Only (Painted Silver)	2486	\$17,794.00
01-STX20851SRSPHH	Auger with Heavy Duty Self Propelled Kit Only	2765	\$22,893.00
01-STX20851SRSPCBH	Complete Bundle with Self Propelled Kit	2633	\$21,432.00
01-STX20851SRSPHCBH	Complete Bundle with Heavy Duty Self Propelled Kit	2896	\$26,535.00

A complete bundle includes: 1-1/8" Clutch Kit, Battery Mount, Gas Tank, Reversing Gearbox, Light Kit and Battery Cables

OPTIONS

10-28109	Battery Cables (Set of Two)	2	\$108.00
05-A103	Standard Hopper	17	\$228.00
05-A147	8" Corn Screen	20	\$641.00
05-A164	Poly Bucket Flex Spout, 36" - 5 Section, Fits 8/10" Augers	14	\$246.00
05-A224	Electric Clutch Kit 1-1/8" Shaft Size	19	\$1,957.00
05-A225	Electric Clutch Kit 1" Shaft Size	19	\$1,957.00
05-A250	8" Wheel Kit	69	\$881.00
05-A260	8" Bin Hopper	319	\$1,605.00
05-A285	WRX/STX ² 8/10 Intake Hopper Tarp	6	\$305.00
05-A391	STX ² 36/41/46/51 Reversible Gearbox Kit	63	\$1,386.00
05-A414	Electric Clutch Kit 1-1/8" Triple Grove (2019)	35	\$4,012.00

Part numbers are set up as Hutchinson part numbers. To order Mayrath, change the last "H" of the part number to an "M".

Part Number	Description	Weight (lbs)	Price
05-A415	STX ² Gas Tank Package, 42L with Hose (2019)	42	\$295.00
05-A437	STX ² 8/1036 Enclosed Belt Guard Kit	19	\$155.00
05-A438	STX ² 8/1041 Enclosed Belt Guard Kit	23	\$170.00
05-A439	STX ² 8/1046 Enclosed Belt Guard Kit	26	\$194.00
05-A440	STX ² 8/1051 Enclosed Belt Guard Kit	27	\$230.00
05-A481	8" Enclosed Collapsible Hopper	261	\$1,554.00
05-A519	STX46/51 LED Light Kit	6	\$758.00
05-A521	STX36/41 LED Light Kit	6	\$758.00

STX² 10-31 AUGER

01-STX21031SRH	Basic Auger (Painted Silver)	1714	\$10,730.00
01-STX21031SRSPH	Auger with Self Propelled Kit Only (Painted Silver)	2126	\$16,861.00
01-STX21031SRSPCBH	Complete Bundle with Self Propelled Kit	2249	\$20,496.00
<i>A complete bundle includes: 1-1/8" Clutch Kit, Battery Mount, Gas Tank, Reversing Gearbox, Light Kit and Battery Cables</i>			

STX² 10-36 AUGER

01-STX21036SRH	Basic Auger (Painted Silver)	1867	\$11,894.00
01-STX21036SRSPH	Auger with Self Propelled Kit Only (Painted Silver)	2258	\$17,474.00
01-STX21036SRSPHH	Auger with Heavy Duty Self Propelled Kit Only	2650	\$22,541.00
01-STX21036SRSPCBH	Complete Bundle with Self Propelled Kit	2416	\$21,117.00
01-STX21036SRSPHCBH	Complete Bundle with Heavy Duty Self Propelled Kit	2780	\$26,179.00
<i>A complete bundle includes: 1-1/8" Clutch Kit, Battery Mount, Gas Tank, Reversing Gearbox, Light Kit and Battery Cables</i>			

STX² 10-41 AUGER

01-STX21041SRH	Basic Auger (Painted Silver)	2004	\$13,039.00
01-STX21041SRSPH	Auger with Self Propelled Kit Only (Painted Silver)	2440	\$18,033.00
01-STX21041SRSPHH	Auger with Heavy Duty Self Propelled Kit Only	2799	\$23,170.00
01-STX21041SRSPCBH	Complete Bundle with Self Propelled Kit	2568	\$21,671.00
01-STX21041SRSPHCBH	Complete Bundle with Heavy Duty Self Propelled Kit	2929	\$26,810.00
<i>A complete bundle includes: 1-1/8" Clutch Kit, Battery Mount, Gas Tank, Reversing Gearbox, Light Kit and Battery Cables</i>			

STX² 10-46 AUGER


01-STX21046SRH	Basic Auger (Painted Silver)	2195	\$14,832.00
01-STX21046SRSPH	Auger with Self Propelled Kit Only (Painted Silver)	2569	\$19,023.00
01-STX21046SRSPHH	Auger with Heavy Duty Self Propelled Kit Only	2926	\$24,379.00
01-STX21046SRSPCBH	Complete Bundle with Self Propelled Kit	2804	\$24,428.00
01-STX21046SRSPHCBH	Complete Bundle with Heavy Duty Self Propelled Kit	3055	\$29,783.00
<i>A complete bundle includes: 1-1/8" Clutch Kit, Battery Mount, Gas Tank, Reversing Gearbox, Light Kit and Battery Cables</i>			

STX² 10-51 AUGER

01-STX21051SRH	Basic Auger (Painted Silver)	2408	\$15,636.00
01-STX21051SRSPH	Auger with Self Propelled Kit Only (Painted Silver)	2779	\$20,141.00
01-STX21051SRSPHH	Auger with Heavy Duty Self Propelled Kit Only	3132	\$25,558.00
01-STX21051SRSPCBH	Complete Bundle with Self Propelled Kit	3028	\$25,546.00
01-STX21051SRSPHCBH	Complete Bundle with Heavy Duty Self Propelled Kit	3261	\$30,960.00
<i>A complete bundle includes: 1-1/8" Clutch Kit, Battery Mount, Gas Tank, Reversing Gearbox, Light Kit and Battery Cables</i>			

Part numbers are set up as Hutchinson part numbers. To order Mayrath, change the last "H" of the part number to an "M".

Part Number	Description	Weight (lbs)	Price
OPTIONS			
10-28109	Battery Cables (Set of Two)	2	\$108.00
05-A104	Big Daddy Hopper	31	\$430.00
05-A147	8" Corn Screen	20	\$641.00
05-A164	Poly Bucket Flex Spout, 36" - 5 Section, Fits 8/10" Augers	14	\$246.00
05-A224	Electric Clutch Kit 1-1/8" Shaft Size	19	\$1,957.00
05-A225	Electric Clutch Kit 1" Shaft Size	19	\$1,957.00
05-A249	10" Bin Hopper	334	\$1,705.00
05-A251	10" Wheel Kit	72	\$906.00
05-A282	No Snag Spout, 3 Section, Fits 10" Augers	8	\$320.00
05-A285	WRX/STX ² 8/10 Intake Hopper Tarp	6	\$305.00
05-A391	STX ² 36/41/46/51 Reversible Gearbox Kit	63	\$1,386.00
05-A414	Electric Clutch Kit 1-1/8" Triple Grove (2019)	35	\$4,012.00
05-A415	STX ² Gas Tank Package, 42L with Hose (2019)	42	\$295.00
05-A437	STX ² 8/1036 Enclosed Belt Guard Kit	19	\$155.00
05-A438	STX ² 8/1041 Enclosed Belt Guard Kit	23	\$170.00
05-A439	STX ² 8/1046 Enclosed Belt Guard Kit	26	\$194.00
05-A440	STX ² 8/1051 Enclosed Belt Guard Kit	27	\$230.00
05-A482	10" Enclosed Collapsible Hopper	274	\$1,651.00
05-A519	STX46/51 LED Light Kit	6	\$758.00
05-A520RD	Throttle Controls Kit	12	\$539.00
05-A521	STX36/41 LED Light Kit	6	\$758.00



FEATURES

- 40HP Vanguard EFI engine
- Triple-groove electric clutch
- Wear Edge Technology on intake flighting
- Solid driveline guard
- Triple banded belts
- Sealed and lubricated top end
- Adjustable chain tensioner
- Collapsing spring loaded hopper
- Reversing gearbox
- Self-propelled AWD mover with steel hydraulic lines
- LED work lights

UTX

11" U-TROUGH AUGER
UP TO 9,000 BPH | 44' LENGTH



UTX


UTX

TROUGH GAUGE	12 ga
TROUGH CONNECTORS	¼" (0.6 cm) flange
MAIN FLIGHTING	10" (25.4 cm) OD x 7 ga stretched and welded
INTAKE FLIGHTING	10" (25.4 cm) OD x 7 ga welded with Wear Edge Technology
FLIGHTING SHAFT	2" (5.1 cm) OD x 0.120" (0.3 cm) wall tubing
DRIVESHAFT	1 ½" (3.8 cm) OD x 10 ga tubing
DRIVESHAFT BEARINGS	1 ½" (3.8 cm) oil impregnated hardwood bearings
TRACK	High yield 11 ga roll formed
TRACK SHOE	2 ¾" (6 cm) steel roller
UNDERCARRIAGE	3" (7.6 cm) square tubing
AXLES	2 ½" (6.4 cm) square tubing
HUB & WHEELS	4-bolt agricultural type hubs, 15" (38.1 cm) wheels
LIFT CABLE	¼" (0.6 cm) aircraft type galvanized steel cable
TIRES	15" (38.1 cm) agricultural tires
BELT SIZE	3B270
TOP DRIVE	#80 roller chain and hardened steel sprockets
TOP DRIVE BEARINGS	1 ¼" (3.2 cm) pillow block
WINCH	Reduction gear with automatic brake
GEARBOX	Formed steel gears with tapered roller bearings
WHEEL TREAD	96" (243.8 cm)
GAS HORSEPOWER	40
CAPACITY	7,000 - 9,000 bph


Disclaimer: The UTX series auger was proudly designed to handle dry, free-flowing grains up to a maximum density of 65 lb/bu (52 lb/cf). Any usage of this auger outside of this is not authorized.

HOPPER

SPECIFICATIONS



Heights measured from bottom of auger spout to ground.



HOPPER DIMENSIONS	
A - HOPPER LENGTH	37 ½"
B - HOPPER WIDTH	29 ¾"
C - CANVAS OPENING LENGTH	34 ⅛"
D - CANVAS OPENING WIDTH	37 ¾"
E - COLLAPSED HEIGHT	15 ⅝"

A	9' 2"
B	13' 9"
C	18' 4"
D	14' 10"
E	15'
F	14' 7"
G	11'

DISCHARGE CLEARANCE DIMENSIONS		TRANSPORT DIMENSIONS	
MIN	9' 6"	LENGTH	45' 6"
MAX	18' 1"	WIDTH	8'
HEIGHT	10' 6"	HEIGHT	10' 8"

WEIGHT	
HITCH WEIGHT (W/ ENGINE)	472 lbs
TOTAL WEIGHT (W/ ENGINE)	3,058 lbs
HEIGHT	10' 6"

Part numbers are set up as Hutchinson part numbers. To order Mayrath, change the last "H" of the part number to an "M".

Part Number	Description	Weight (lbs)	Price
UTX 44 AUGER			
01-UTX44SPHCBHVHU	U-Trough Auger with Vanguard 40 HP EFI Motor	3572	\$46,387.00

UTILITY AUGERS

4", 6", 8", 10" AND 13" DIAMETERS IN VARIOUS LENGTHS

- For permanent or semi-permanent auger installations
- Can be used at grain bins or bulk tanks
- 4" - 11' basic auger, 5' or 10' extension
- 6" | 8" | 10" - 16' basic auger, 5', 10' or 15' extension
- 13" - 21' basic auger, 5' or 10' extension

Electric motor, pulley and switches not included

FEATURES

- **Upper drive adjustable motor mount**
 - 4" shielded single "A" belt and pulley with pre-lubricated top end bearing
 - 6" | 8" | 10" double "B" belts and pulley with heavy-duty flange ball bearing
 - 13" triple "B" belts and pulley with heavy-duty flange ball bearing
- **Shielded intake assembly bolts to basic drive section or extension**

OPTIONS

- **Truss kits to support longer auger installations (6", 8" and 10" models)**
- **Bolt-on tube clamps for attaching support bracing**
- **Bolt-on flight support bushing with grease fitting (standard on 13" models)**
- **Handy steel hopper with flight support bearing**
 - Available with hinged lid for 6" and 10" models
- **Flex spout**
- **Poly hopper**
- **Triple groove pulley (comes with 3-belts for long 10" augers)**
- **Adjustable feed control**
- **Handy swivel mount bracket for quick mounting to truck box, wagon or feed bin**

Utility Augers	4"	6"	8"	10"	13"
RECOMMENDED PULLEY SIZE FOR 1,750 RPM MOTORS	1A 2" - 2 ¼"	2B 3 ½" - 4"	2B 3 ¼" - 3 ½"	2B 3 ¼" - 3 ½"	3B 3 ¼" - 3 ½"
FLIGHT SPEED	440 - 490 RPM	480 - 550 RPM	445 - 480 RPM	380 - 410 RPM	355 - 380 RPM
AUGER PULLEY SUPPLIED	1A 8"	2B 12.7"	2B 12.7"	2B 15"	3B 16"
BELT(S) SUPPLIED	1 - A33	2 - B48	2 - B 51	2 - B 62	3 - B 67
EXTENSIONS AVAILABLE	5', 10'	5', 10', 15'	5', 10', 15'	5', 10', 15'	5', 10', 20'
TUBE GAUGE	16 ga	16 ga	14 ga	12 ga	12 ga
FLIGHT GAUGE	13 ga	12 ga	10 ga	7 ga	¼"

Note: For intermittent feed, a slightly smaller pulley will allow easier startup under load.

HORSEPOWER REQUIREMENTS

	4"	6"	8"	10"	13"
11"	¾	—	—	—	—
16' - 21'	¾ - 1	1½ - 2	3	3 - 5	10
26' - 31'	1 - 1½	3	5	5 - 7½	15
36' - 41'	1½ - 2	3 - 5	5 - 7½	7½ - 10	20
46' - 51'	2 - 3	5	7½ - 10	10 - 15	—
56' - 61'	—	7½	10	15 - 20	—

Part numbers are set up as Hutchinson part numbers. To order Mayrath, change the last "H" of the part number to an "M".

Part Number	Description	Weight (lbs)	Price
4" UTILITY AUGER			
02-UB0411H	4" X 11' Upper Basic Section	66	\$637.00
02-UX0405	4" X 5' Extension Tube and Flighting	24	\$259.00
02-UX0410	4" X 10' Extension Tube and Flighting	46	\$399.00
05-A145	Adjustable Feed Control	4	\$82.00
05-A146	Swivel Mount Bracket	2	\$78.00
05-A152	4" Metal Intake Hopper	10	\$182.00
05-A210	4" Poly Hopper	8	\$149.00

6" - 8" - 10" HEAVY-DUTY UTILITY AUGER

02-UB0616H	6" X 16' Upper Basic Section	164	\$1,300.00
02-UX0605	6" X 5' Extension Tube and Flighting	43	\$380.00
02-UX0610	6" X 10' Extension Tube and Flighting	74	\$593.00
02-UX0615	6" X 15' Extension Tube and Flighting	109	\$799.00
02-UB0816H	8" X 16' Upper Basic Section	228	\$1,607.00
02-UB0816TH	8" X 16' Upper Basic Section with Triple Grooved Pulley	228	\$1,707.00
02-UX0805	8" X 5' Extension Tube and Flighting	67	\$497.00
02-UX0810	8" X 10' Extension Tube and Flighting	116	\$791.00
02-UX0815	8" X 15' Extension Tube and Flighting	172	\$1,061.00
02-UB1016H	10" X 16' Upper Basic Section	304	\$2,282.00
02-UB1016TH	10" X 16' Upper Basic Section with Triple Grooved Pulley	304	\$2,374.00
02-UX1005	10" X 5' Extension Tube and Flighting	106	\$684.00
02-UX1010	10" X 10' Extension Tube and Flighting	194	\$1,103.00
02-UX1015	10" X 15' Extension Tube and Flighting	281	\$1,510.00

13" HEAVY-DUTY UTILITY AUGER

02-UB1321H	13" X 21' Upper Basic Section	649	\$5,102.00
02-UX1305	13" X 5' Extension Tube and Flighting	160	\$1,221.00
02-UX1310	13" X 10' Extension Tube and Flighting	285	\$2,022.00
02-UX1320	13" X 20' Extension Tube and Flighting	539	\$3,458.00
05-A188	13" Hopper Kit, Bolts to Shielded Intake	41	\$421.00
05-A198	13" Tube Clamp	17	\$229.00

UTILITY AUGER OPTIONS

05-A124	6" Intake Flight Support Kit	2	\$114.00
05-A126	8" Intake Flight Support Kit	4	\$132.00
05-A127	10" Intake Flight Support Kit	5	\$142.00
05-A128	6" Intake Hopper	17	\$219.00
05-A130	8" Intake Hopper	21	\$266.00
05-A131	10" Intake Hopper	33	\$304.00
05-A132	6" Truss Kit	49	\$371.00
05-A134	8" Truss Kit	56	\$394.00
05-A135	10" Truss Kit	66	\$451.00
05-A136	30' Cable Kit, 4 Lengths, 5/16" Diameter	20	\$294.00
05-A137	40' Cable Kit, 4 Lengths, 5/16" Diameter	27	\$383.00
05-A138	6" Tube Clamp	5	\$117.00
05-A140	8 " Tube Clamp	8	\$128.00
05-A141	10" Tube Clamp	10	\$135.00
05-A153	6" Feed Control Kit	10	\$114.00
05-A155	8" Feed Control Kit	11	\$132.00
05-A156	10" Feed Control Kit	15	\$144.00
05-A257	6" bolt on hopper Lid Kit	6	\$56.00
05-A258	8" bolt on hopper Lid Kit	8	\$64.00
05-A259	10" bolt on hopper Lid Kit	11	\$65.00

TRANSFER AUGERS


Transfer augers are available in 8" and 10" diameters with option of gas, electric or hydraulic drive. These low-profile transfers are just 10 ¾" high and are light and maneuverable. The transfer hopper fits nicely under a variety of grain storage options and trailers for fast and easy unloading.

DRIVE OPTIONS

- Electric drive available on 8" and 10"
- Hydraulic drive available on 8" as single drive and on 10" as double drive
- Gas drive available on 8" and 10"
- All transfer augers are shipped complete with undercarriage

Electric and gas motor and motor pulley not included

Hydraulic hoses to the tractor not included



Transfer Augers

	A	B	C	D	E	F	G	H			
	HOPPER HEIGHT	HOPPER LENGTH	TOTAL LENGTH	HOPPER WIDTH	TUBE LENGTH	SPOUT HEIGHT	HANDLE HEIGHT	TUBE DIAMETER	ELEC. HP REQ	GAS HP REQ	HYD REQ
8"	10 ¾"	48"	105"	35 ¾"	60"	25 ⅝"	36 ⅝"	8"	3 hp	5.5 hp	10 GPM, 650 psi
10"	10 ¾"	48"	105"	35 ¾"	60"	25"	37 ½"	10"	5 hp	7.5 hp	10 GPM, 1000 psi

	8" ELEC.	8" HYD.	8" GAS	10" ELEC.	10" HYD.	10" GAS
WEIGHT WITH DRIVE	365 lb	237 lb	335 lb	410 lb	285 lb	395 lb
WEIGHT NO DRIVE	275 lb	N/A	300 lb	310 lb	N/A	320 lb

	8" ELEC.	8" HYD.	8" GAS	10" ELEC.	10" HYD.	10" GAS
HANDLE FORCE BALANCE	40 lb	16 lb	26 lb	45 lb	32 lb	30 lb

Disclaimer: These augers were proudly designed to handle dry, free-flowing grains up to a maximum density of 65 lb/bu (52 lb/cf). Any usage of these augers outside of this is not authorized.

Recommended pulley sizes:

• Gas motor drives: 8": 3" - 4" | 10": 3" • Electric motor drives: 3" - 4"

Part Number	Description	Weight (lbs)	Price
HYDRAULIC TRANSFER AUGERS			
<i>Comes with variable speed control valve, 3' x 4' x 10-3/4" high hopper, wheel kit, and drive kit. 10" double drive transfer auger features 2 orbit hydraulic motors providing smoother, faster operation. Double drive eliminates the u-joint.</i>			
05-HTA08H	8" Hydraulic Single Drive Transfer Auger	237	\$4,355.00
05-HTA10H	10" Hydraulic Double Drive Transfer Auger	325	\$5,382.00

GAS/ELECTRIC TRANSFER AUGERS

Gas Drive - Gearbox (1.5:1 Reduction with 13" Gearbox Pulley). Motor and Motor Pulley NOT INCLUDED.

05-HTA08G	8" Gas Drive Transfer Auger	300	\$4,975.00
05-HTA10G	10" Gas Drive Transfer Auger	355	\$6,006.00
05-HTA08E	8" Electric Drive Transfer Auger	275	\$3,732.00
05-HTA10E	10" Electric Drive Transfer Auger	335	\$4,147.00

TRANSFER HOPPERS (DRIVES & OPTIONS)

INCLINED HOPPER (6 FOOT TUBE SECTION): Shipped with pivot wheels, rubber hopper extension, and safety shields. LESS drive, LESS wheel kit. Use with HYDRAULIC or ELECTRIC drive, with optional WHEEL KIT for use independent of auger.

05-S08-6	8" Inclined Hopper - 6 Foot Section	232	\$2,277.00
05-S10-6	10" Inclined Hopper - 6 Foot Section	279	\$2,611.00

INCLINED HOPPER (9 FOOT TUBE SECTION): Shipped with pivot wheels, rubber hopper extension, and safety shields. LESS drive, LESS wheel kit. Use with HYDRAULIC or ELECTRIC drive, with optional WHEEL KIT for use independent of auger.

05-S08-9	8" Inclined Hopper - 9 Foot Section	264	\$2,425.00
05-S10-9	10" Inclined Hopper - 9 Foot Section	333	\$2,869.00
05-S13-10	13" Inclined Hopper - 10 Foot Section	495	\$4,671.00

LOW-PROFILE TRANSFER HOPPER: Shipped with four wheels, rubber hopper extension, and safety shields. LESS drive, LESS wheel kit. Use with HYDRAULIC or ELECTRIC drive (10" only).

05-S10-6LP	10" Low-Profile Transfer Hopper - 6 Foot Section	475	\$4,122.00
05-S10-9LP	10" Low-Profile Transfer Hopper - 9 Foot Section	529	\$4,397.00
05-S13-10LP	13" Low-Profile Transfer Hopper - 10 Foot Section	639	\$5,883.00

HYDRAULIC DRIVE (FITS 8" AND 10" HOPPERS): Shipped with hydraulic motor, mounting bracket, and drive connector. LESS hose and hose connectors.

05-H08-2	8" Hydraulic Drive	42	\$2,498.00
05-H10-2	10" Hydraulic Drive	47	\$2,534.00

ELECTRIC DRIVE (FITS ALL STYLE HOPPERS): Shipped with adjustable motor mount, large double pulley (8" and 10") or triple pulley (13"), belts, and shields. LESS motor and motor pulley.

05-H08-3	8" Electric Drive	37	\$464.00
05-H10-3	10" Electric Drive	43	\$534.00
05-H13-3	13" Electric Drive	70	\$969.00

WHEEL KIT (FITS ALL STYLE HOPPERS): Shipped with 4.00 x 8 wheels/tires and adjustable carriage. Allows use of hoppers independent of auger when equipped with HYDRAULIC OR ELECTRIC drive.

05-H08-4	8" Wheel Kit	48	\$645.00
05-H10-4	10" Wheel Kit	50	\$651.00
05-H13-4	13" Wheel Kit	72	\$954.00

HOPPER TARPS (SHIPPED WITH HARDWARE INCLUDED)

05-A160	S08/S10 & MK80/100 Standard Hopper Tarp	6	\$349.00
05-A167	S13 & MK130 Standard Hopper Tarp	7	\$421.00
05-A184	MK100/MKX130 Low-Profile Hopper Tarp	9	\$436.00
05-A285	WRX/STX ² 8/10 Intake Hopper Tarp	6	\$305.00
05-A286	WRX13 Intake Hopper Tarp	7	\$339.00

DRILL FILL

03-DF614	6" x 15 1/2' Drill Fill	215	\$3,605.00
05-A142	2 Section Spout	14	\$394.00
05-A143	3 Section Spout	17	\$539.00

AGI
AUGER TOOLS



AGI offers a range of tools for your operation to assist with the maintenance of your auger. Contact us today to place an order!


Auger Tools

Reducer/Reverser Lifter Kits

(B001) 16"

(B002) 13"

This tool will help you quickly lift our 13" or 16" Reducer/Reverser gearboxes. Hooks onto the cooling fins on the gearbox and provides a simple loop at the top for hoisting. (1 pcs)



Gooseneck Hitch Kit (B003)

Make towing large augers easier. Simply replace the short tow bar on any 13" or 16" auger and you can tow the auger with better weight distribution on your truck. (1 pcs)



5th Wheel Hitch Kit (B004)

Tow your auger with your 5th wheel truck with ease. Simply replace the short tow bar on any 13" or 16" auger and you can tow the auger with your 5th wheel truck. Allows for better weight distribution on your truck. (1 pcs)



Thrust Adjust Wrench Kit (B009)

This wrench has been perfectly fitted to easily tighten your thrust adjuster. (1 pcs)



Tube Cradle Kit

(B008)

Available in all auger tube sizes, the tube cradle kit perfectly cradles your auger. Its rubber padded interior keeps your auger tube scratch free. Includes 4 of each 6", 8", 10", 13", and 16" size cradles.



Boot Lifter Kit

(B005)

This boot lifter works on your 13" or 16" boots. The adjustable winch bracket makes it easy to balance the boot for easy placement. (1 pcs)



Reducer/Reverser Puller Kit

(B006)

This puller fits perfectly over your 13" or 16" gearbox making it easy to remove from the auger. This kit comes with an extra puller rod.



Sawhorse Kit

(B007)

A trick to easy assembling. The sawhorse kit is a perfect combination with the tube cradle kits. The tube cradle kits sit nicely on these sawhorses providing a sturdy foundation. (1 pcs)



Truck Plug Extension Harness

(B010)

This tool adapts the agricultural 7-pin connector to your automotive 7-pin connector for your auger lights.



Flight Straightener Kit

(05-B017)

This straightener kit works with your 10", 13" and 16" flights. They spin easily onto the bearing supports, just mount the supports on two sawhorses. (2 kits 05-B007 recommended)



Part Number	Description	Weight (lbs)	Price
AUGER TOOLS			
05-B001	16" Reducer/Reverser Lifter Kit	20	\$102.00
05-B002	13" Reducer/Reverser Lifter Kit	15	\$81.00
05-B003	Gooseneck Hitch Kit	252	\$704.00
05-B004	5th Wheel Hitch Kit	317	\$771.00
05-B005	Boot Lifter Kit	40	\$267.00
05-B006	Reducer/Reverser Puller Kit	43	\$444.00
05-B007	Sawhorse Kit	75	\$299.00
05-B008	Tube Cradle Kit	70	\$702.00
05-B009	Thrust Adjust Wrench Kit	10	\$62.00
05-B010	Truck Plug Extension Harness	2	\$189.00
05-B012	Tube Repair Kit	171	\$1,043.00
05-B013	Hydraulic Pressure Gauge	3	\$301.00
05-B014	Dust Cap Driver Tool	6	\$90.00
05-B015	Thrust Adjust Socket	3	\$66.00
05-B016	HX2 13" Clevis	12	\$193.00

Part Number	Description	Weight (lbs)	Price
OPTIONAL EQUIPMENT			
05-A103	Standard Hopper	17	\$228.00
05-A104	Big Daddy Hopper	31	\$430.00
05-A114	WRX Swivel Arc Kit	72	\$648.00
05-A119	Replacement Straps for Standard Hopper	1	\$19.00
05-A120	Replacement Straps for Big Daddy Hopper	1	\$24.00
05-A147	8" Corn Screen	20	\$641.00
05-A148	10" Corn Screen	27	\$709.00
05-A164	Poly Bucket Flex Spout, 36" - 5 Section, Fits 8/10" Augers	14	\$246.00
05-A175	Poly Bucket Spout, 49" - 5 Section, Fits 13" Augers	21	\$439.00
05-A185	13" Corn Screen	33	\$1,038.00
05-A192	Reflector Kit , 26-51"		\$79.00
05-A193	Reflector Kit, 61-81"		\$79.00
05-A194	Reflector Kit, 91-114	1	\$79.00
05-A210	4" Poly Hopper	8	\$149.00
05-A223	10" Poly V-Hopper	31	\$418.00
05-A280	16" Poly Bucket Spout	34	\$630.00
05-A282	No Snag Spout, 3 Section, Fits 10" Augers	8	\$320.00
05-A283	No Snag Spout, 3 Section, Fits 13" Augers	19	\$513.00
05-A284	No Snag Spout, 3 Section, Fits 16" Augers	26	\$661.00
05-A497	SP Motor Bracket Replacement Kit	4	\$92.00