





USA

MACHINE PRICES AND SPECIFICATIONS

Effective June 1, 2024



RDX-117 SNOW BLOWER

RDX-117 Snow Blower Specs:

Cutting Width: 117" Tractor HP: 140 - 220 HP Cutting Height: 45.5" Lower Auger Diameter: 23"

Upper Auger Diameter: 14" Fan Diameter: 38" Fan Type: 5 Paddle

Drive: 1000 RPM

Adjustable, replaceable skid shoes Replaceable & reversible Cutting Blade

Gear Driven Rotator

High molecular plastic chute rotating surface

Double chute deflector on HD and Truck loading chutes

Capacity - Dry Snow / Wet Snow 762 tons per hr / 2394 per hr

~ ~ Soloction 1 ~ Chanse a Rasic Unit ~ ~

	Selection 1 Choose a Basic Unit				
B118-000	RDX-117 (117" Snow Blower)	Retail Price 28,252.00	Weight (lbs) 2129		
	~ ~ Selection 2 ~ Choose a Gear Box ~ ~				
330-655WG	Standard Gearbox (tractors with cw pto rotation)	5,356.00	175		
330-655R	Non-standard Gearbox (tractors with ccw pto rotation)	5,580.00	175		
~ ~ Selection 3 ~ Choose a Power Shaft ~ ~					
340-926WG	1-3/4 Z20 (size 9) for SDX-117 / RDX-117	1,235.00	52		
340-925WG	1-3/8 Z21 (size 9) for SDX-117 / RDX-117	1,235.00	52		
NOTE · Do not	order above shaft if going on a EM350				

<u>NOTE</u>: Do not order above shaft if going on a FM350

^{*} Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.

^{*} Prices subject to any applicable taxes.

^{*} Prices and surcharges are those in effect at time of shipment.





USA

MACHINE PRICES AND SPECIFICATIONS

Effective June 1, 2024



RDX-117 SNOW BLOWER

~ ~ Selection 4 ~ Choose a Chute kit ~ ~

			Retail Price	Weight (lbs)
B110-270	Heavy Duty Chute Kit with Dbl Chute Deflector		2,021.00	155
B840-250	Cylinder Kit for B110-270 (Required)		508.00	27
B110-280	Truck Loading Chute Kit with Dbl Chute Deflector		2,699.00	250
B110-260	Cylinder Kit for B110-280 (Required)		538.00	31
<u>NOT</u>	E: Cylinder kits are complete with 2" x 6" cylinder & he	oses		
B117-220	Folding Truck Loading Chute		4,713.00	
<u>NOTI</u>	E: Hoses & Two Cylinders Included in B117-220			
B890-300WG	Gauge Wheels with Tapered Roller Bearings		2,147.00	50
	Assembly	Net	225.00	

^{*} Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.

^{*} Prices subject to any applicable taxes.

^{*} Prices and surcharges are those in effect at time of shipment.





Effective June 1, 2024



SDX-117 SNOW BLOWER

MACHINE PRICES AND SPECIFICATIONS



SDX-117 Snow Blower Specs:

Cutting Width: 117"
Tractor HP: 140 - 220 HP
Cutting Height: 45.5"
Lower Auger Diameter: 23"
Upper Auger Diameter: 14"

Fan Diameter: 38"
Fan Type: 5 Paddle
Drive: 1000 RPM

Adjustable, replaceable skid shoes Replaceable & reversible Cutting Blade

Gear Driven Rotator

High molecular plastic chute rotating surface

Double chute deflector on HD and Truck loading chutes

Capacity - Dry Snow / Wet Snow 762 tons per hr / 2394 per hr

~ ~ Selection 1 ~ Choose a Basic Unit ~ ~

<u>J</u>	Selection 1 Choose a basic	Offic				
B117-000	SDX-117 (117" Snow Blower)	Retail Price 21,830.00	Weight (lbs) 2129			
	~ ~ Selection 2 ~ Choose a Gear Box ~ ~					
330-655WG	Standard Gearbox (tractors with cw pto rotation)	5,356.00	175			
330-655R	Non-standard Gearbox (tractors with ccw pto rotation)	5,580.00	175			
	~ ~ Selection 3 ~ Choose a Power	r Shaft ~ ~				
340-926WG	1-3/4 Z20 (size 9) for SDX-117 / RDX-117	1,235.00	52			
340-925WG	1-3/8 Z21 (size 9) for SDX-117 / RDX-117	1,235.00	52			
NOTE: Do not	order above shaft if going on a FM350					

^{*} Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.

^{*} Prices subject to any applicable taxes.

^{*} Prices and surcharges are those in effect at time of shipment.





USA

MACHINE PRICES AND SPECIFICATIONS

Effective June 1, 2024

SDX-117 SNOW BLOWER



~ ~ Selection 4 ~ Choose a Chute kit ~ ~

			Retail Price	Weight (lbs)
B110-270	Heavy Duty Chute Kit with Dbl Chute Deflector		2,021.00	155
B840-250	Cylinder Kit for B110-270 (Required)		508.00	27
B110-280	Truck Loading Chute Kit with Dbl Chute Deflector		2,699.00	250
B110-260	Cylinder Kit for B110-280 (Required)		538.00	31
<u>NOT</u>	E: Cylinder kits are complete with 2" x 6" cylinder & hos	ses		
B117-220	Folding Truck Loading Chute		4,713.00	
<u>NOTI</u>	E: Hoses & Two Cylinders Included in B117-220			
B890-300WG	Gauge Wheels with Tapered Roller Bearings		2,147.00	50
	Assembly	Net	225.00	

^{*} Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.

^{*} Prices subject to any applicable taxes.

^{*} Prices and surcharges are those in effect at time of shipment.



This list supersedes all previous lists.



USA

MACHINE PRICES AND SPECIFICATIONS

Effective June 1, 2024



SDX-102 SNOW BLOWER

Cutting Width: 102"
Cutting Height: 35"
Overall Height: 96"
Auger Diameter: 23"
Fan Diameter: 30"
Fan Type: 4 Paddle
Drive: 540 or 1000 RPM

Adjustable, replacable skid shoes Replaceable Cutting Blade Gear Driven Rotator Hydraulic Chute Rotation Capacity Dry Snow/Wet Snow 388 Tons per hr / 1222 tons per hr

Tractor HP: 85 - 140 HP (63 - 104 kw)

~ ~ Selection 1 ~ Choose a Basic Unit ~ ~

Retail Price Weight (lbs)

B102-000 SDX102 Standard Drum Snow Blower

15,426.00 1500

~ ~ Selection 2 ~ Choose a Power Shaft ~ ~

340-924WG 340-927WG	Size 9 Heavy Duty PTO Shaft 540 RPM Size 9 Heavy Duty PTO Shaft (for TV-145 Engine End) 540 RPM	1,235.00 1,109.00	44 44
	Optional Gear Gbox		
B102-175	1000 RPM Gear Box STANDARD	1,938.00	
B102-175R	1000 RPM Gear Box CCW	2,230.00	
	Power Shaft for 1000 RPM Gear Box		
340-928WG	1-3/8 21 Spline shaft 1000 RPM	1,340.00	
<u>NOTE</u> : Do no	t order above shaft if going on a FM350 or FM115		

^{*} Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.

^{*} Prices subject to any applicable taxes.

^{*} Prices and surcharges are those in effect at time of shipment.



This list supersedes all previous lists.





MACHINE PRICES AND SPECIFICATIONS

SDX-102 SNOW BLOWER

Effective June 1, 2024

~ ~ Selection 3 ~ Choose a Chute Kit ~ ~

B110-270	Heavy Duty Chute Kit with Dbl Chute Deflector	2,021.00	155
B840-250	Cylinder Kit for B110-270 (Required)	508.00	27
B110-280	Truck Loading Chute Kit with Dbl Chute Deflector	2,699.00	250
B110-260	Cylinder Kit for B110-280 (Required)	538.00	31
NOTE OF LIVE CONTRACT WE SHOULD BE A STATE OF THE STATE O			

NOTE: Cylinder kits are complete with 2" x 6" cylinder & hoses

B102-250 Folding Truck Loading Chute 4,744.00

NOTE: Hoses & Two Cylinders Included in B102-250

~ ~ Selection 4 ~ Choose a Extra Options ~ ~

		<u>Retail Price</u>	Weight (lbs)
B960-260	3pt Extension Kit - no shaft incl. (For SDX102 units built in 2014 or earlier)	943.00	60
B890-300WG	Gauge Wheels with Tapered Roller Bearings	2,147.00	50
	Assembly	150.00	

^{*} Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.

^{*} Prices subject to any applicable taxes.

^{*} Prices and surcharges are those in effect at time of shipment.





This list supersedes all previous lists.

USA

MACHINE PRICES AND SPECIFICATIONS

Effective June 1, 2024



SBX-87 Skid Steer SNOW BLOWERS



SBX Series Snow blower Specs:

Cutting Widths: SBX-87 87"(221cm) Replaceable Cutting Blade Adjustable, replacable skid shoes

Standard Skid Steer Mounting Plate and electrical harnesses available for various skid steer model

~ ~ Selection 1 ~ Choose a Basic Unit ~ ~

Retail Price

Wt(lbs)

B870-100 SBX-87 Base Unit *Includes Hydraulic Rotator and Deflection*

12,099.00

~ ~ Selection 2 ~ Choose Motor Mount Attachment Plate & Valve Block ~

B750-300	<u>Required</u> Motor Mount Kit	1,249.00
B750-600	<u>Required</u> Skid Steer Attachment plate	1,030.00
B750-400	<u>Required</u> Hydralic Valve Block	2,972.00

~ ~ Selection 3 ~ Choose Hydraulics and Harness Assembley ~ ~

R500-345	Control Box Interface (Choose if Brand isn't lited below)	758.00
R500-350	Bobcat Interface Harness	1,577.00
R500-330	CNH Harness Assembly	295.00
R500-335	Cat 14 Harness Assembly	295.00
R500-340	John Deere Harness Assembly	295.00
R500-325	Kubota Harness Assembly	295.00
R500-315	JCB, Tacheuchi, Volvo Harness Assembly	295.00
R500-355	CAT D-Series Adapter Harness	388.00

- * Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.
- * Prices subject to any applicable taxes.
- * Prices and surcharges are those in effect at time of shipment.





This list supersedes all previous lists.

USA

MACHINE PRICES AND SPECIFICATIONS

Effective June 1, 2024



SBX-87 Skid Steer SNOW BLOWERS



~ ~ Selection 4 ~ Choose Motor to Match Flow ~ ~

116-213WG	Hydraulic Motor, 4.9 cu. in. For 11-14 GPM Flow	1,159.00
116-214WG	Hydraulic Motor, 6.2 cu. in. For 15-19 GPM Flow	1,320.00
116-902WG	Hydraulic Motor,8.0 cu. in. For 20-24 GPM Flow	1,460.00
116-903WG	Hydraulic Motor, 9.6 cu. in. For 25-29 GPM Flow	1,514.00
116-904WG	Hydraulic Motor,11.9 cu. in. For 30-35 GPM Flow	1,617.00

Assembly

Net

350.00

^{*} Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.

^{*} Prices subject to any applicable taxes.

^{*} Prices and surcharges are those in effect at time of shipment.



This list supersedes all previous lists.

USA

MACHINE PRICES AND SPECIFICATIONS

Effective June 1, 2024



SBX-87 3 PT
SNOW BLOWERS



SBX 3 PT Snow Blower Specs:

Cutting Widths: SBX-87 87"(221cm) 540 RPM - cat 1 hitch Replaceable Cutting Blade Adjustable, replacable skid shoes Improved larger chute design

~ ~ Selection 1 ~ Choose a Basic Unit ~ ~

Retail Price

Wt(lbs)

B870-100

SBX-87 Base Unit Includes Hydraulic Rotator and Deflection

12,099.00

~ ~ Selection 2 ~ Choose 3PT HITCH (Important: not optional) ~ ~

B750-200 <u>Required</u> 3 PT Hitch Kit

2,031.00

Assembly

Net

100.00

^{*} Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.

^{*} Prices subject to any applicable taxes.

^{*} Prices and surcharges are those in effect at time of shipment.



This list supersedes all previous lists.



USA

MACHINE PRICES and SPECIFICATIONS

Effective June 1, 2024



FM-350 Front Mount 3pt Hitch Frame



FM-350 Specs:

Tractor HP: 85 HP-250 HP Tractor PTO - 1000 rpm for RDX / SDX-117 and RDX / SDX-102

Adjustment: Accommodates tractors between 151" and 540 rpm for RDX / SDX-102 only

211" measured from mount plate to drawbar pin Lift Capacity: 5000 lbs

Nominal Ground Clearance - 13" depending on tractor installation

Nominal Lift Range - 18"

Weight - 1650 lbs

~ ~ Selection 1 ~ Choose a Basic Unit ~ ~

J	Scientian 1 Chaose a Basic on		
F350-100	FM-350 Front Mount Frame (NO Driveline Package) Used for SV 3pt V-BLADE (must choose for all attactment Includes 2 hydraulic banks for operation	Retail Price 10,087.00	Weight (lbs) 750
F350-200	Driveline package (Used for Snow Blowers)	6,584.00	
	~ ~ Selection 2 ~ Choose Gear Box	~ ~	
F250-310	1:1 Rear Gear Box	3,345.00	100
	Select when connecting a 1000 RPM PTO tractor to a SDX-117 or R. or when connecting a 540 RPM PTO tractor to a SDX-102 or RDX-10		
F250-300	1000 to 540 RPM Rear Reduction Gearbox	3,345.00	100
	Select when connecting a 1000 RPM PTO tractor to a RDX-117 or R		
	~ ~ Selection 3 ~ Choose REAR TRACTOR S	SHAFT ~ ~	
NOTE: Power	delivered from a 1,000 RPM tractor only		
340-662WG	1-3/8 Z21 for SDX-102 / RDX-102	865.00	36
340-663WG	1-3/4 Z20 for SDX-102 / RDX-102	865.00	36
340-925WG	1-3/8 Z21 (size 9) for SDX-117 / RDX-117	1,235.00	52
340-926WG	1-3/4 Z20 (size 9) for SDX-117 / RDX-117	1,235.00	52
NOTE: Power	delivered from a 540 RPM tractor only		
340-924WG	1-3/8 Z6 (size 9) for RDX-102	1,235.00	50

^{*} Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.

^{*} Prices subject to any applicable taxes.

^{*} Prices and surcharges are those in effect at time of shipment.



This list supersedes all previous lists.



USA

MACHINE PRICES and SPECIFICATIONS

Effective June 1, 2024



FM-350 Front Mount 3pt Hitch Frame



~ ~ Selection 4 ~ Choose Hydraulic Bank~ ~

RETAIL PRICE

WEIGHT (LBS)

F300-410

Hydraulic Bank and Mount, Single

Required for drum rotation on RDX-102 / RDX-117

413.00

50

~ ~ Selection 5 ~ Choose Options ~ ~

Tractor Mount

*Please contact us for tractor mount options & availability

750.00

Assembly

Net

100.00

^{*} Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.

^{*} Prices subject to any applicable taxes.

^{*} Prices and surcharges are those in effect at time of shipment.



This list supersedes all previous lists.



USA

MACHINE PRICES and SPECIFICATIONS

Effective June 1, 2024



FM-115 Front Mount 3pt Hitch Frame



FM-115 Specs:

Tractor HP: Max. 115 hp (86kw)

Tractor HP: Min. 55hp(41kw) for SDX-840, 85hp (63kw)for SDX-102, RDX-102

Tractor Hydraulic Requirement - 3 remote circuits with a minimum total hydraulic output of 10 GPM at 1200 PSI.rotating drum. An additional circuit is required if the snow blower has a rotating drum (RDX-102).

Tractor PTO - 540 RPM

Lift Capacity: Maximum - 5000 lbs (1162 KG)

Adjustability - Fits tractors between 111-1/2" and 164-1/2" measured the front mount plate to the drawbar pin

Normal Lift Range - 18"

Nominal Ground Clearance - 10" depending on tractor installation

Approximate Weight - 1400 lbs (636 KG)

~ ~ Selection 1 ~ Choose a Basic Unit ~ ~

		Retail Price	Weight (lbs)
F115-100	FM-115 Front Mount Frame (NO Driveline Package)	8,329.00	750
F115-200	Driveline package (Used for Snow Blowers)	6,443.00	
340-924WG	1-3/8 Z6 (Size 9) for RDX-102	1,235.00	

Assembly Net 100.00

^{*} Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.

^{*} Prices subject to any applicable taxes.

^{*} Prices and surcharges are those in effect at time of shipment.