



# MASTER PRICE SHEETS

This list supersedes all previous lists.



**USA**

**MACHINE PRICES AND SPECIFICATIONS**

**Effective May 6, 2026**

## **5000 TITAN II ROCK PICKER**

### **PICKER FEATURES**

- Dumping height - 79" (2007 mm)
- Hopper capacity - 5 cu. yds. (3.82 m<sup>3</sup>)
- 450 BHN Steel teeth and T-iron tops for extra-long life
- Hydraulic Pivoting hitch
- Picks rocks - 2" - 27" (5cm - 69cm)
- Required horsepower -125 HP (93 kW)
- Required tractor hydraulic capacity at 4 remote outlets 12 GPM@2200PSI, 4 remote outlets
- Case Drain Required
- Recommended Reel Speed 36 rpm

### **~ ~ Selection 1 ~ Choose a Basic Unit ~ ~**

|          |                                                                                      | <b>Price USA</b> | <b>Wt/LBS</b> |
|----------|--------------------------------------------------------------------------------------|------------------|---------------|
| R801-100 | 5000 TITAN II Rock Picker 5 cu.yd. bucket, 6.5 ft Dump Height, Hydraulic Swing Hitch | <b>61,629.00</b> |               |
| R800-200 | Optional Rock Deflector                                                              | <b>505.00</b>    |               |

### **~ ~ Selection 2 ~ Reel and Grates ~ ~**

|          |                                                                          |                  |
|----------|--------------------------------------------------------------------------|------------------|
| R801-200 | Grate and Reel c/w Narrow 1 1/2" spacing, 450 BHN Steel Teeth and T-iron | <b>32,334.00</b> |
| R801-225 | Grate and Reel c/w Wide 3 9/32" spacing, 450 BHN Steel Teeth and T-iron  | <b>28,555.00</b> |

### **~ ~ Selection 3 ~ Reel and Grates ~ ~**

|          |                             |            |                 |
|----------|-----------------------------|------------|-----------------|
| R800-250 | Flow Control Kit            |            | <b>414.00</b>   |
| R800-800 | <b>Containerized/Racked</b> | <b>Net</b> | <b>3,200.00</b> |
| R800-810 | <b>Set up for loading</b>   | <b>Net</b> | <b>400.00</b>   |
|          | <b>Setup For Towing</b>     | <b>Net</b> | <b>600.00</b>   |

**PREDELIVERY SERVICE IS REQUIRED BY DEALER OR END USER**

- \* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.
- \* Prices subject to any applicable taxes.
- \* Prices and surcharges are those in effect at time of shipment.

This list supersedes all previous lists.



**USA**

**MACHINE PRICES AND SPECIFICATIONS**

**Effective May 6, 2026**

**RWP-1935**

**PICKER / WINDROWER COMBO**

## PICKER FEATURES

- Dumping height of over 8-1/2' (2.6m)
- Hopper capacity - 3.5 cu. yds. (2.68 m<sup>3</sup>)
- Hard surfaced teeth & batt reels for extra-long life
- Adjustable working widths of 16' - 19' (4.8m - 5.8m)
- Picks rocks - 2" - 27" (5cm - 69cm)
- Adjustable working depths down to 4.25" (11 cm)
- Separate hydraulic adjustment of windrower & reel speeds
- Minimum horsepower -125 HP (93 kW)
- Required tractor hydraulic capacity - 16 GPM with two remotes
- Recommended reel speed - 40 rpm
- Case drain required
- PTO required to run hydraulic pump that is available in 3 standard shaft sizes

### ~ ~ Selection 1 ~ Choose a Basic Unit ~ ~

|          |                                                       | Price USA  | Wt/LBS |
|----------|-------------------------------------------------------|------------|--------|
| R190-100 | RWP-1935 Rock Picker / Rock Windrower Combo Base Unit | 158,384.00 |        |

### ~ ~ Selection 2 ~ Hydraulic Pump Options ~ ~

|          |                                           |          |
|----------|-------------------------------------------|----------|
| R190-300 | 540 RPM Hydraulic Pump, 1-3/8" 6 Spline   | 5,241.00 |
| R190-310 | 1000 RPM Hydraulic Pump, 1-3/8" 21 Spline | 5,655.00 |
| R190-320 | 1000 RPM Hydraulic Pump, 1-3/4" 20 Spline | 6,914.00 |

### ~ ~ Selection 3 ~ Options ~ ~

|          |                                                       |        |
|----------|-------------------------------------------------------|--------|
| R190-400 | Reel Guard Option <i>(Adds 3" to the dump height)</i> | 581.00 |
|----------|-------------------------------------------------------|--------|

|                           |            |                 |
|---------------------------|------------|-----------------|
| <b>Setup For Shipping</b> | <b>Net</b> | <b>2,600.00</b> |
|---------------------------|------------|-----------------|

**PREDELIVERY SERVICE IS REQUIRED BY DEALER OR END USER**

- \* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.
- \* Prices subject to any applicable taxes.
- \* Prices and surcharges are those in effect at time of shipment.



**SCHULTE**<sup>®</sup>

Box 70 • Englefeld SK • Canada • S0K 1N0  
Phone: 306-287-3715 • Fax: 306-287-3355

# MASTER PRICE SHEETS



This list supersedes all previous lists.

**USA**

**MACHINE PRICES AND SPECIFICATIONS**

**Effective May 6, 2026**



## **RS 320 'JUMBO' ROCK PICKER**



### **PICKER FEATURES**

- Hydraulic cylinders & hoses
- Grated buckets
- Extended hitch poles
- Pivoting hitch
- Safety chain

### **TRACTOR HYDRAULIC REQUIREMENTS**

Rock pickers, hydraulically driven, **require closed center** dual remote outlets with a minimum of 12 gallons per minute flow at 1750 psi.

### **~ ~ Selection 1 ~ Choose a Basic Unit ~ ~**

|    |                                                                                                                                                                        | <b>Price USA</b> | <b>Wt/lbs</b> |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------|
| 1) | <b>90-100</b> RS320 'Jumbo' Rock Picker, conveyer type, hydraulic drive, semi hi-lift, 4 batt, 3.2 cubic yard grated bucket c/w pivoting hitch, 16.5x16.1x10 Ply Tires | <b>53,347.00</b> | 5086          |

### **~ ~ Selection 2 ~ Extra Options ~ ~**

|    |                                                               |                 |    |
|----|---------------------------------------------------------------|-----------------|----|
| 1) | <b>431-00</b> Hydraulic Motor Valve Kit for RS320 Rock Picker | <b>4,602.00</b> | 40 |
| 2) | <b>S000-075</b> Safety Light Kit                              | <b>879.00</b>   | 31 |
| 3) | <b>90-250</b> Hydraulic Swing Hitch (For RS320 Only)          | <b>672.00</b>   | 70 |

|                          |            |               |
|--------------------------|------------|---------------|
| <b>Setup For Loading</b> | <b>Net</b> | <b>250.00</b> |
| <b>Setup For Towing</b>  | <b>Net</b> | <b>300.00</b> |

**IMPORTANT:** Safety Chain Kit & Safety Light Kit must be used at all time when moving equipment on any type of road.

- \* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.
- \* Prices subject to any applicable taxes.
- \* Prices and surcharges are those in effect at time of shipment.

This list supersedes all previous lists.



**USA**

**MACHINE PRICES AND SPECIFICATIONS**

**Effective May 6, 2026**

## 2500 GIANT PICKER

### PICKER FEATURES

- Hydraulic cylinders & hoses
- Grated buckets
- Extended hitch poles
- Pivoting hitch
- Safety chain

### TRACTOR HYDRAULIC REQUIREMENTS

Rock pickers, hydraulically driven, **require closed center** dual remote outlets with a minimum of 12 gallons per minute flow at 1750 psi.

#### ~ ~ Selection 1 ~ Choose a Basic Unit ~ ~

|    |                                                                                                                                              | Price USA | Wt/lbs |
|----|----------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------|
| 1) | R100-001 2500 Giant Big Bucket Rock Picker, reel type, pivoting hitch, rock deflector, hydraulic drive, semi hi-lift, 16.5x16.1x10 Ply Tires | 30,695.00 | 4626   |
|    | <i>Choose one:</i> (2500 only)                                                                                                               |           |        |
| a) | R100-190 Contractor Heavy Duty Grate and Reel Assembly,<br><i>Narrow Space c/w Replaceable Teeth, 1-1/2" Spacing</i>                         | 18,149.00 |        |
| b) | R100-215 Contractor Heavy Duty Grate & Reel Assembly,<br><i>Wide Space c/w Replaceable Teeth, 3-9/32" Spacing</i>                            | 15,561.00 |        |

#### ~ ~ Selection 2 ~ Choose a Hitch Pole ~ ~

|    |                                                                    |          |  |
|----|--------------------------------------------------------------------|----------|--|
| 2) | R400-140 Longer Bent Hitch Pole                                    | 2,535.00 |  |
|    | <i>Pick one of the Following:</i>                                  |          |  |
| a) | R100-265 Standard Hydraulics <b>(Longer Hitch Only)</b>            | 324.00   |  |
| b) | R100-270 Hydraulics w/ Flow Control Kit <b>(Longer Hitch Only)</b> | 753.00   |  |
| c) | R100-275 Hydraulics w/ Motor Valve Kit <b>(Longer Hitch Only)</b>  | 4,410.00 |  |
|    | <i>(For tractors with open center hydraulics)</i>                  |          |  |

\* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.  
 \* Prices subject to any applicable taxes.  
 \* Prices and surcharges are those in effect at time of shipment.



# MASTER PRICE SHEETS

This list supersedes all previous lists.



**USA**

**MACHINE PRICES AND SPECIFICATIONS**

**Effective May 6, 2026**

## 2500 GIANT PICKER

~ ~ **Selection 3** ~ **Extra Options** ~ ~

|                   |          |                                                  |                 |               |
|-------------------|----------|--------------------------------------------------|-----------------|---------------|
| 1)                | R100-300 | CE Shield Kit for 2500 Rock Picker               | <b>6,527.00</b> | 783           |
| 2)                | S000-039 | Safety Light Kit                                 | <b>962.00</b>   | 31            |
| 3)                | R400-255 | Hydraulic Swing Hitch <i>(Longer Hitch Only)</i> | <b>550.00</b>   |               |
| Setup For Loading |          |                                                  | <b>Net</b>      | <b>250.00</b> |
| Setup For Towing  |          |                                                  | <b>Net</b>      | <b>300.00</b> |

**IMPORTANT:** Safety Chain Kit & Safety Light Kit must be used at all time when moving equipment on any type of road.

- \* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.
- \* Prices subject to any applicable taxes.
- \* Prices and surcharges are those in effect at time of shipment.

This list supersedes all previous lists.



**USA**

**MACHINE PRICES AND SPECIFICATIONS**

**Effective May 6, 2026**

## 3500 GIANT PICKER

### PICKER FEATURES

- Hydraulic cylinders & hoses
- Grated buckets
- Extended hitch poles
- Pivoting hitch
- Safety chain

### TRACTOR HYDRAULIC REQUIREMENTS

Rock pickers, hydraulically driven, **require closed center** dual remote outlets with a minimum of 12 gallons per minute flow at 1750 psi.

#### ~ ~ Selection 1 ~ Choose a Basic Unit ~ ~

|    |                                                                                                                  | Price USA | Wt/lbs |
|----|------------------------------------------------------------------------------------------------------------------|-----------|--------|
| 1) | R350-100    3500 Giant Base Unit                                                                                 | 27,939.00 |        |
|    | <i>Choose one:</i>                                                                                               |           |        |
| a) | R350-235    Contractor Heavy Duty Grate and Reel Assembly,<br>Narrow Space c/w Replaceable Teeth, 1-1/2" Spacing | 23,894.00 |        |
| b) | R350-225    Contractor Heavy Duty Grate and Reel Assembly,<br>Wide Space c/w Replaceable Teeth, 3-9/32" Spacing  | 19,921.00 |        |

#### ~ ~ Selection 2 ~ Choose a Hitch Pole ~ ~

|    |                                            |          |  |
|----|--------------------------------------------|----------|--|
| 2) | R400-140    Bent Hitch Pole                | 2,535.00 |  |
|    | <i>Pick one of the Following:</i>          |          |  |
| a) | R100-265    Standard Hydraulics            | 324.00   |  |
| b) | R100-270    Hydraulics w/ Flow Control Kit | 753.00   |  |

\* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.  
 \* Prices subject to any applicable taxes.  
 \* Prices and surcharges are those in effect at time of shipment.

This list supersedes all previous lists.



**USA**

**MACHINE PRICES AND SPECIFICATIONS**

**Effective May 6, 2026**

## 3500 GIANT PICKER

### ~ ~ Selection 3 ~ Wheel Options ~ ~

- |    |          |                                                              |          |
|----|----------|--------------------------------------------------------------|----------|
| 1) | R350-300 | Standard Wheel Option <i>(16.5 x 16.1 x 10 Ply)</i>          | 4,475.00 |
| 2) | R350-350 | Larger Wheel Option <i>(560/45 x 22.5, 152 D Load Index)</i> | 8,281.00 |

### ~ ~ Selection 4 ~ Rock Deflector Options ~ ~

- |    |          |                                                    |        |
|----|----------|----------------------------------------------------|--------|
| 1) | R350-400 | Standard Side Rock Deflector                       | 413.00 |
|    |          | <i>Order with R350-300 (Standard Wheel Option)</i> |        |
| 2) | R350-450 | Large Side Rock Deflector                          | 458.00 |
|    |          | <i>Order with R350-350 (Larger Wheel Option)</i>   |        |

### ~ ~ Selection 5 ~ Extra Options ~ ~

- |    |          |                       |        |
|----|----------|-----------------------|--------|
| 1) | S000-175 | Safety Light Kit      | 889.00 |
| 2) | R400-255 | Hydraulic Swing Hitch | 550.00 |

|          |                   |     |        |
|----------|-------------------|-----|--------|
| R350-755 | Setup For Loading | Net | 250.00 |
|          | Setup For Towing  | Net | 300.00 |

**IMPORTANT:** Safety Chain Kit & Safety Light Kit must be used at all time when moving equipment on any type of road.

\* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.  
 \* Prices subject to any applicable taxes.  
 \* Prices and surcharges are those in effect at time of shipment.

This list supersedes all previous lists.



## USA

### MACHINE PRICES AND SPECIFICATIONS

Effective May 6, 2026

*SRW-1400 - Mechanical Rock Windrower*

*SRW-1400H - Hydraulic Drive Rock Windrower*

### SPECIFICATIONS

- |                                                  |                                                          |
|--------------------------------------------------|----------------------------------------------------------|
| - Horsepower Required --- 40hp to 150hp, 540 rpm | - Tires - ST205 90-15, D Load Range                      |
| - Maximum Ground Speed -- 5mph                   | - Transport Width -- 7.75'                               |
| - Recommended Ground Speed -- 2mph               | - Transport Length -- 235"                               |
| - Drum Speed -- 117 rpm @ 540 input (Mechanical) | - Hydraulic Drive Requires 15 GPM/ 57 LPM Hydraulic Flow |

**HOW TO ORDER:** You must select from 1, 2 and 3 to receive a complete rock windrower.  
 To receive additional options, choose from selection 4.

#### ~ ~ Selection 1 ~ Choose a Basic Unit ~ ~

- |    |          |                              |                  |
|----|----------|------------------------------|------------------|
| 1) | R210-100 | SRW1400 Base Unit (Required) | <b>Price USA</b> |
|    |          |                              | <b>26,693.00</b> |

#### ~ ~ Selection 2 ~ Choose Drive System ~ ~

- |    |          |                                                       |                 |
|----|----------|-------------------------------------------------------|-----------------|
| 1) | R210-750 | Mechanical Drive System (540 RPM 40-150 HP) <b>OR</b> | <b>5,234.00</b> |
| 1) | R210-700 | Hydraulic Drive System (15 GPM Flow Minimum Needed)   | <b>3,317.00</b> |

#### ~ ~ Selection 3 ~ Choose Drum Type ~ ~

- |    |          |                                            |                  |
|----|----------|--------------------------------------------|------------------|
| 1) | R210-180 | SRW1400 Drum With Bolt On Teeth (Required) | <b>12,098.00</b> |
|----|----------|--------------------------------------------|------------------|

#### ~ ~ Selection 4 ~ Choose Hydraulic Kit ~ ~

- |    |          |                                                                                                                                                              |                 |
|----|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| 1) | R210-270 | Complete Hydraulic Cylinder Kit consisting of (2) 3 x 8 hydraulic cylinders c/w depth stops, steel lines, hoses and fittings (required to operate windrower) | <b>1,220.00</b> |
|----|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|

**PREDELIVERY SERVICE IS REQUIRED BY DEALER OR END USER**

\* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.  
 \* Prices subject to any applicable taxes.  
 \* Prices and surcharges are those in effect at time of shipment.



This list supersedes all previous lists.

## USA

### MACHINE PRICES AND SPECIFICATIONS


Effective May 6, 2026

*SRW-1400 - Mechanical Rock Windrower*

*SRW-1400H - Hydraulic Drive Rock Windrower*

~ ~ **Selection 5 ~ Extra Options** ~ ~

|    |                                                       | Price USA  |
|----|-------------------------------------------------------|------------|
| 1) | R210-200 High Speed Sprocket (for gravel reclamation) | 573.00     |
| 2) | R200-220 CE Shield Kit for SRW1400                    | 3,810.00   |
| 3) | S000-065 Safety Light Kit for SRW1400                 | 841.00     |
|    | Assembly Charge                                       | Net 500.00 |



**PREDELIVERY SERVICE IS REQUIRED BY DEALER OR END USER**

- \* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.
- \* Prices subject to any applicable taxes.
- \* Prices and surcharges are those in effect at time of shipment.

This list supersedes all previous lists.



## USA

### MACHINE PRICES AND SPECIFICATIONS

Effective May 6, 2026

**SRW-1000 - Mechanical Rock Windrower**  
**SRW-1000H - Hydraulic Drive Rock Windrower**

### SPECIFICATIONS

- Horsepower Required --- 40hp to 150hp 30-112KW), 540rpm
- Maximum Ground Speed -- 5mph (8kph)
- Recommended Ground Speed -- 2mph (3kph)
- Drum Speed -- 117 rpm @ 540 input
- Drum Width -- 10 ft (3.05 m)
- Tires - Forklift Tire 6.5 x 10, 10 ply
- Transport Width -- 7.75'
- Transport Length -- 235"
- Weight -- 2660 lbs (1206 kg)

#### ~ ~ Selection 1 ~ Choose a Basic Unit ~ ~

|          |                                                     | Price USA        | Wt/lbs |
|----------|-----------------------------------------------------|------------------|--------|
| R900-100 | SWR1000 Standard 10 ft unit                         | <b>21,291.00</b> |        |
| R900-200 | Safety Light Kit <i>(Required in North America)</i> | <b>902.00</b>    |        |

#### ~ ~ Selection 2 ~ Choose Drive System ~ ~


|          |                                   |                 |
|----------|-----------------------------------|-----------------|
| R900-650 | Mechanical Drive System <i>OR</i> | <b>4,931.00</b> |
| R900-600 | Hydraulic Drive System            | <b>2,733.00</b> |

#### ~ ~ Selection 3 ~ Choose Tires ~ ~


|           |                                                    |               |
|-----------|----------------------------------------------------|---------------|
| 210-175WG | Forklift Tire 6.5 x 10, 12 ply on 2 pce 5 bolt rim | <b>445.00</b> |
|           | <i>Must choose 2 per unit</i>                      |               |

#### ~ ~ Selection 4 ~ Extra Options ~ ~

|          |                     |     |               |
|----------|---------------------|-----|---------------|
| R000-200 | High Speed Sprocket |     | <b>198.00</b> |
| R900-800 | Shipping Kit        | Net | <b>281.00</b> |
|          | Assembly            | Net | <b>400.00</b> |



Assembled unit



Shipping kit installed ready for truck

- \* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.
- \* Prices subject to any applicable taxes.
- \* Prices and surcharges are those in effect at time of shipment.



# MASTER PRICE SHEET

This list supersedes all previous lists.



**USA**

**MACHINE PRICES AND SPECIFICATIONS**

**Effective May 6, 2026**

## ***SRW800 Rock Windrower***

### **SPECIFICATIONS**

- |                                                         |                                     |
|---------------------------------------------------------|-------------------------------------|
| - Variable Hydraulic Drum Angle 0 degrees to 18 degrees | - Drum Speed -- 102 rpm @ 540 input |
| - Horsepower Required --- 35hp to 100hp                 | - Tires -- 16.5 x 6.5 x 8 ply       |
| - Maximum Ground Speed -- 5mph                          | - Transport Width -- 8.5'           |
| - Recommended Ground Speed -- 2mph                      | - Transport Length -- 67"           |

**HOW TO ORDER:** You must select from 1 and 2 to receive a complete rock windrower.

To receive additional options, choose from selection 3.

**~ ~ Selection 1 ~ Choose a Basic Unit ~ ~**

|    |                                  | Price USA | Wt/lbs |
|----|----------------------------------|-----------|--------|
| 1) | R300-000 SRW800 Standard 8' Unit | 17,740.00 | 1350   |

**~ ~ Selection 2 ~ Choose a Destination Code ~ ~**

Please select the destination of the windrower for proper Decals and Manuals.

|    |         |                             |        |
|----|---------|-----------------------------|--------|
| 1) | R300-NA | North America and Australia | 46.00  |
| 2) | R300-FR | France                      | 148.00 |
| 3) | R300-SE | Sweden                      | 107.00 |
| 4) | R300-RU | Russian                     | 107.00 |

**~ ~ Selection 3 ~ Extra Options ~ ~**

|    |          |                                              |            |     |
|----|----------|----------------------------------------------|------------|-----|
| 1) | R300-130 | CE Shield Kit for SRW800                     | 1,562.00   | 167 |
| 2) | R000-200 | High Speed Sprocket (for gravel reclamation) | 198.00     | 9   |
|    |          | Assembly Charge                              | Net 200.00 |     |

**PREDELIVERY SERVICE IS REQUIRED BY DEALER OR END USER**

\* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.

\* Prices subject to any applicable taxes.

\* Prices and surcharges are those in effect at time of shipment.



This list supersedes all previous lists.

Effective May 6, 2026

**USA**
**MACHINE PRICES AND SPECIFICATIONS**
**SMR-800 Multi Skid-steer Windrower/Landscape Rake**
**SPECIFICATIONS**

|                      |                   |            |                      |
|----------------------|-------------------|------------|----------------------|
| Weight (approximate) | 1900 lbs (862 kg) | Drum width | 89" (2.26 m)         |
| Transport width      | 102" ( 2.59 m)    | Tires      | 23" forklift (58 cm) |

**~ ~ Selection 1 ~ Choose a Basic Unit ~ ~**
**USA LIST**

|          |                                |          |
|----------|--------------------------------|----------|
| R500-100 | Skid-steer Windrower Base Unit | 9,331.00 |
|----------|--------------------------------|----------|

**~ ~ Selection 2 ~ Choose One Correct Harness (With Hydraulic Rotating Opt only) ~ ~**

|          |                                     |          |
|----------|-------------------------------------|----------|
| R500-315 | Interface Harness,ICB/Takeuchi      | 299.00   |
| R500-320 | Interface Harness,Volvo             | 295.00   |
| R500-325 | Interface Harness,Kubota/ASV 14 Pin | 295.00   |
| R500-330 | Interface Harness for CNH           | 295.00   |
| R500-335 | Interface Harness for Cat (14 pin)  | 295.00   |
| R500-340 | Interface Harness for JohnDeere     | 295.00   |
| R500-345 | Electric Harness With Switch Box    | 802.00   |
| R500-350 | Interface Harness for Bobcat        | 2,307.00 |
| R500-355 | CAT D-Series Adapter Harness        | 388.00   |

**~ ~ Selection 3 ~ Choose Drum Configuration ~ ~**

|                    |                                             |          |
|--------------------|---------------------------------------------|----------|
| R500-115           | Standard Drum                               | 3,749.00 |
| <b>Choose One:</b> |                                             |          |
| R500-185           | 2.5 Inch 450 BHN Steel Replaceable Teeth or | 1,389.00 |
| R500-180           | 4 Inch 450 BHN Steel Replaceable Teeth      | 1,624.00 |

**~ ~ Selection 4 ~ Choose Mount ~ ~**

|          |                      |          |
|----------|----------------------|----------|
| R500-130 | Standard Rigid Mount | 1,934.00 |
| R500-135 | Floating Mount       | 3,552.00 |

**~ ~ Selection 5 ~ Choose Wheel Option (must pick) ~ ~**

|          |                 |          |
|----------|-----------------|----------|
| R500-610 | Standard Wheels | 3,272.00 |
|----------|-----------------|----------|

**~ ~ Selection 6 ~ Choose Rotation ~ ~**

|          |                           |          |
|----------|---------------------------|----------|
| R500-205 | Hydraulic Rotating option | 3,628.00 |
| R500-210 | Manual Pivot Option       | 624.00   |

**~ ~ Selection 7 ~ Choose Flow Option ~ ~**

|          |                                |          |
|----------|--------------------------------|----------|
| R500-215 | Drive Option 8.0 CU.IN. Motor  | 1,517.00 |
| R500-220 | Drive Option 15.0 CU.IN. Motor | 2,521.00 |
| R500-225 | Drive Option 9.9 CU.IN. Motor  | 2,934.00 |
| R500-240 | Drive Option 12.5 CU.IN. Motor | 2,558.00 |
| R500-230 | Drive Option 19.0 CU.IN. Motor | 3,047.00 |
| R500-235 | Drive Option 24.0 CU.IN. Motor | 2,510.00 |

Assembly

Net

200.00

**Use this flow chart to determine the proper Drive option**

| GPM @2500PSI | MOTOR SIZE (CU.IN.) |     |      |     |     |     |
|--------------|---------------------|-----|------|-----|-----|-----|
|              | 8                   | 9.9 | 12.5 | 15  | 19  | 24  |
| 18           | 240                 | 183 | 147  | 122 | 97  | 73  |
| 20           | 264                 | 206 | 167  | 136 | 109 | 82  |
| 22           | 290                 | 227 | 182  | 150 | 120 | 90  |
| 25           | 332                 | 259 | 208  | 171 | 137 | 103 |
| 27           |                     | 280 | 224  | 184 | 148 | 112 |
| 30           |                     | 310 | 250  | 205 | 164 | 125 |
| 35           |                     |     |      | 239 | 205 | 145 |

Landscaping, Levelling, Seedbed Prep - Target RPM from 175-260

Large debris removal, Rock windrowing - Target RPM from 110-140

Sweeping – Target RPM 210

\* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.

\* Prices subject to any applicable taxes.

\* Prices and surcharges are those in effect at time of shipment.



This list supersedes all previous lists.

Effective May 6, 2026

**USA**
**MACHINE PRICES AND SPECIFICATIONS**
**SMR-600 Multi Skid-steer Windrower/Landscape  
Rake**
**SPECIFICATIONS**

|                      |                   |            |                      |
|----------------------|-------------------|------------|----------------------|
| Weight (approximate) | 1600 lbs (725 kg) | Drum width | 73" (1.85m)          |
| Transport width      | 88" (2.23m)       | Tires      | 23" forklift (58 cm) |

**~ ~ Selection 1 ~ Choose a Basic Unit ~ ~**
**USA LIST**

|          |                                |          |
|----------|--------------------------------|----------|
| R700-100 | Skid-steer Windrower Base Unit | 9,102.00 |
|----------|--------------------------------|----------|

**~ ~ Selection 2 ~ Choose One Correct Harness (With Hydraulic Rotating Opt only) ~ ~**

|          |                                     |          |
|----------|-------------------------------------|----------|
| R500-315 | Interface Harness,JCB/Takeuchi      | 299.00   |
| R500-320 | Interface Harness,Volvo             | 295.00   |
| R500-325 | Interface Harness,Kubota/ASV 14 Pin | 295.00   |
| R500-330 | Interface Harness for CNH           | 295.00   |
| R500-335 | Interface Harness for Cat (14 pin)  | 295.00   |
| R500-340 | Interface Harness for JohnDeere     | 295.00   |
| R500-345 | Electric Harness With Switch Box    | 802.00   |
| R500-350 | Interface Harness for Bobcat        | 2,307.00 |
| R500-355 | CAT D-Series Adapter Harness        | 388.00   |

**~ ~ Selection 3 ~ Choose Drum Configuration ~ ~**

|          |                                                    |          |
|----------|----------------------------------------------------|----------|
| R700-115 | Standard Drum with Replaceable Teeth               | 3,234.00 |
|          | <b>Add Replacement Teeth</b>                       |          |
| R700-120 | 2.5 Inch 450 BHN Steel Replaceable Teeth <b>or</b> | 1,241.00 |
| R700-125 | 4 Inch 450 BHN Steel Replaceable Teeth             | 1,346.00 |

**~ ~ Selection 4 ~ Choose Mount ~ ~**

|          |                      |          |
|----------|----------------------|----------|
| R500-130 | Standard Rigid Mount | 1,934.00 |
| R500-135 | Floating Mount       | 3,552.00 |

**~ ~ Selection 5 ~ Choose Wheel Option (must pick) ~ ~**

|          |                 |          |
|----------|-----------------|----------|
| R500-610 | Standard Wheels | 3,272.00 |
|----------|-----------------|----------|

**~ ~ Selection 6 ~ Choose Rotation ~ ~**

|          |                           |          |
|----------|---------------------------|----------|
| R700-215 | Hydraulic Rotating option | 3,363.00 |
| R500-210 | Manual Pivot Option       | 624.00   |

**~ ~ Selection 7 ~ Choose Flow Option ~ ~**

|          |                                |          |
|----------|--------------------------------|----------|
| R500-215 | Drive Option 8.0 CU.IN. Motor  | 1,517.00 |
| R500-220 | Drive Option 15.0 CU.IN. Motor | 2,521.00 |
| R500-225 | Drive Option 9.9 CU.IN. Motor  | 2,934.00 |
| R500-240 | Drive Option 12.5 CU.IN. Motor | 2,558.00 |
| R500-230 | Drive Option 19.0 CU.IN. Motor | 3,047.00 |
| R500-235 | Drive Option 24.0 CU.IN. Motor | 2,510.00 |

Assembly

Net

200.00

**Use this flow chart to determine the proper Drive option**

| GPM @2500PSI | MOTOR SIZE (CU.IN.) |     |      |     |     |     |
|--------------|---------------------|-----|------|-----|-----|-----|
|              | 8                   | 9.9 | 12.5 | 15  | 19  | 24  |
| 18           | 240                 | 183 | 147  | 122 | 97  | 73  |
| 20           | 264                 | 206 | 167  | 136 | 109 | 82  |
| 22           | 290                 | 227 | 182  | 150 | 120 | 90  |
| 25           | 332                 | 259 | 208  | 171 | 137 | 103 |
| 27           |                     | 280 | 224  | 184 | 148 | 112 |
| 30           |                     | 310 | 250  | 205 | 164 | 125 |
| 35           |                     |     |      | 239 | 205 | 145 |

Landscaping, Levelling, Seedbed Prep - Target RPM from 175-260

Large debris removal, Rock windrowing - Target RPM from 110-140

\* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.

\* Prices subject to any applicable taxes.

\* Prices and surcharges are those in effect at time of shipment.