

**SCHULTE**Box 70 • Englefeld SK • Canada • S0K 1N0
Phone: 306-287-3715 • Fax: 306-287-3355

MASTER PRICE SHEET



This list supersedes all previous lists.

USA**MACHINE PRICES AND SPECIFICATIONS**

Effective May 6, 2026

SDX-144 SNOW BLOWER**SDX-144 Snow Blower Specs:**

Cutting Width: 144"

Tractor HP: 180 - 350 HP

Cutting Height: 45.5"

Lower Auger Diameter: 23"

Upper Auger Diameter: 14"

Fan Diameter: 38"

Fan Type: 5 Paddle

Drive: 1000 RPM

Adjustable, replaceable skid shoes

Replaceable & reversible Cutting Blade

Gear Driven Rotator

High molecular plastic chute rotating surface

Double chute deflector on HD and Truck loading chutes

Serrated Tooth Top & Bottom Augers

Capacity - Dry Snow / Wet Snow

762 tons per hr / 2394 per hr

~ ~ Selection 1 ~ Choose a Basic Unit ~ ~

		Retail Price	Weight (lbs)
B144-100	SDX-144 (144" Snow Blower)	26,130.00	2129

~ ~ Selection 2 ~ Choose a Gear Box ~ ~

330-655WG	Standard Gearbox (<i>tractors with cw pto rotation</i>)	5,524.00	175
330-655R	Non-standard Gearbox (<i>tractors with ccw pto rotation</i>)	5,740.00	175

~ ~ Selection 3 ~ Choose a Power Shaft ~ ~

340-946WG	1-3/8 Z21 (size 9) for SDX-144	1,445.00	52
340-947WG	1-3/4 Z20 (size 9) for SDX-144	1,445.00	52

~ ~ Selection 4 ~ Category 4 Hitch ~ ~

B144-440	Category 4 Hitch (Optional)	295.00	
----------	--------------------------------------	--------	--

* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.

* Prices subject to any applicable taxes.

* Prices and surcharges are those in effect at time of shipment.

**SCHULTE**Box 70 • Englefeld SK • Canada • S0K 1N0
Phone: 306-287-3715 • Fax: 306-287-3355

MASTER PRICE SHEET



This list supersedes all previous lists.

USA**MACHINE PRICES AND SPECIFICATIONS****Effective May 6, 2026****SDX-144 SNOW BLOWER****~ ~ Selection 5 ~ Choose a Chute kit ~ ~**

		Retail Price	Weight (lbs)
B110-270	Heavy Duty Chute Kit with Dbl Chute Deflector	2,130.00	155
B840-250	Cylinder Kit for B110-270 (Required)	626.00	27
B110-280	Truck Loading Chute Kit with Dbl Chute Deflector	2,844.00	250
B110-260	Cylinder Kit for B110-280 (Required)	558.00	31

NOTE: Cylinder kits are complete with 2" x 6" cylinder & hoses

B117-220	Folding Truck Loading Chute	4,803.00	
----------	-----------------------------	----------	--

NOTE: Hoses & Two Cylinders Included in B117-220

Assembly	Net	275.00	
----------	-----	--------	--

* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.

* Prices subject to any applicable taxes.

* Prices and surcharges are those in effect at time of shipment.

**SCHULTE**Box 70 • Englefeld SK • Canada • S0K 1N0
Phone: 306-287-3715 • Fax: 306-287-3355

MASTER PRICE SHEET



This list supersedes all previous lists.

USA**MACHINE PRICES AND SPECIFICATIONS**

Effective May 6, 2026

RDX-117 SNOW BLOWER**RDX-117 Snow Blower Specs:**

Cutting Width: 117"

Tractor HP: 140 - 220 HP

Cutting Height: 45.5"

Lower Auger Diameter: 23"

Upper Auger Diameter: 14"

Fan Diameter: 38"

Fan Type: 5 Paddle

Drive: 1000 RPM

Adjustable, replaceable skid shoes

Replaceable & reversible Cutting Blade

Gear Driven Rotator

High molecular plastic chute rotating surface

Double chute deflector on HD and Truck loading chutes

Capacity - Dry Snow / Wet Snow

762 tons per hr / 2394 per hr

~ ~ Selection 1 ~ Choose a Basic Unit ~ ~

		<i>Retail Price</i>	<i>Weight (lbs)</i>
B118-000	RDX-117 (117" Snow Blower)	28,252.00	2129

~ ~ Selection 2 ~ Choose a Gear Box ~ ~

330-655WG	Standard Gearbox (<i>tractors with cw pto rotation</i>)	5,524.00	175
330-655R	Non-standard Gearbox (<i>tractors with ccw pto rotation</i>)	5,740.00	175

~ ~ Selection 3 ~ Choose a Power Shaft ~ ~

340-926WG	1-3/4 Z20 (size 9) for SDX-117 / RDX-117	1,348.00	52
340-925WG	1-3/8 Z21 (size 9) for SDX-117 / RDX-117	1,323.00	52

NOTE: Do not order above shaft if going on a FM350

* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.

* Prices subject to any applicable taxes.

* Prices and surcharges are those in effect at time of shipment.

**SCHULTE**Box 70 • Englefeld SK • Canada • S0K 1N0
Phone: 306-287-3715 • Fax: 306-287-3355

MASTER PRICE SHEET



This list supersedes all previous lists.

USA**MACHINE PRICES AND SPECIFICATIONS****Effective May 6, 2026****RDX-117 SNOW BLOWER****~ ~ Selection 4 ~ Choose a Chute kit ~ ~**

		Retail Price	Weight (lbs)
B110-270	Heavy Duty Chute Kit with Dbl Chute Deflector	2,130.00	155
B840-250	Cylinder Kit for B110-270 (Required)	626.00	27
B110-280	Truck Loading Chute Kit with Dbl Chute Deflector	2,844.00	250
B110-260	Cylinder Kit for B110-280 (Required)	558.00	31
<u>NOTE:</u> Cylinder kits are complete with 2" x 6" cylinder & hoses			
B117-220	Folding Truck Loading Chute	4,803.00	
<u>NOTE:</u> Hoses & Two Cylinders Included in B117-220			
B890-300WG	Gauge Wheels with Tapered Roller Bearings	2,184.00	50
	Assembly	Net	225.00

* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.

* Prices subject to any applicable taxes.

* Prices and surcharges are those in effect at time of shipment.

**SCHULTE**Box 70 • Englefeld SK • Canada • S0K 1N0
Phone: 306-287-3715 • Fax: 306-287-3355

MASTER PRICE SHEET



This list supersedes all previous lists.

USA**MACHINE PRICES AND SPECIFICATIONS**

Effective May 6, 2026

SDX-117 SNOW BLOWER**SDX-117 Snow Blower Specs:**

Cutting Width: 117"

Tractor HP: 140 - 220 HP

Cutting Height: 45.5"

Lower Auger Diameter: 23"

Upper Auger Diameter: 14"

Fan Diameter: 38"

Fan Type: 5 Paddle

Drive: 1000 RPM

Adjustable, replaceable skid shoes

Replaceable & reversible Cutting Blade

Gear Driven Rotator

High molecular plastic chute rotating surface

Double chute deflector on HD and Truck loading chutes

Capacity - Dry Snow / Wet Snow

762 tons per hr / 2394 per hr

~ ~ Selection 1 ~ Choose a Basic Unit ~ ~

		<i>Retail Price</i>	<i>Weight (lbs)</i>
B117-000	SDX-117 (117" Snow Blower)	21,830.00	2129

~ ~ Selection 2 ~ Choose a Gear Box ~ ~

330-655WG	Standard Gearbox (<i>tractors with cw pto rotation</i>)	5,524.00	175
330-655R	Non-standard Gearbox (<i>tractors with ccw pto rotation</i>)	5,740.00	175

~ ~ Selection 3 ~ Choose a Power Shaft ~ ~

340-926WG	1-3/4 Z20 (size 9) for SDX-117 / RDX-117	1,348.00	52
340-925WG	1-3/8 Z21 (size 9) for SDX-117 / RDX-117	1,323.00	52

NOTE: Do not order above shaft if going on a FM350

* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.

* Prices subject to any applicable taxes.

* Prices and surcharges are those in effect at time of shipment.

**SCHULTE**Box 70 • Englefeld SK • Canada • S0K 1N0
Phone: 306-287-3715 • Fax: 306-287-3355

MASTER PRICE SHEET



This list supersedes all previous lists.

USA**MACHINE PRICES AND SPECIFICATIONS****Effective May 6, 2026*****SDX-117 SNOW BLOWER*****~ ~ Selection 4 ~ Choose a Chute kit ~ ~**

		Retail Price	Weight (lbs)
B110-270	Heavy Duty Chute Kit with Dbl Chute Deflector	2,130.00	155
B840-250	Cylinder Kit for B110-270 (Required)	626.00	27
B110-280	Truck Loading Chute Kit with Dbl Chute Deflector	2,844.00	250
B110-260	Cylinder Kit for B110-280 (Required)	558.00	31
<u>NOTE:</u> Cylinder kits are complete with 2" x 6" cylinder & hoses			
B117-220	Folding Truck Loading Chute	4,803.00	
<u>NOTE:</u> Hoses & Two Cylinders Included in B117-220			
B890-300WG	Gauge Wheels with Tapered Roller Bearings	2,184.00	50
	Assembly	Net	225.00

* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.

* Prices subject to any applicable taxes.

* Prices and surcharges are those in effect at time of shipment.



This list supersedes all previous lists.

USA

MACHINE PRICES AND SPECIFICATIONS

Effective May 6, 2026



SDX-102 SNOW BLOWER



Cutting Width: 102"
Cutting Height: 35"
Overall Height: 96"
Auger Diameter: 23"
Fan Diameter: 30"
Fan Type: 4 Paddle
Drive: 540 or 1000 RPM

Adjustable, replaceable skid shoes
Replaceable Cutting Blade
Gear Driven Rotator
Hydraulic Chute Rotation
Capacity Dry Snow/Wet Snow
388 Tons per hr / 1222 tons per hr
Tractor HP: 85 - 140 HP (63 - 104 kw)

~ ~ Selection 1 ~ Choose a Basic Unit ~ ~

		<u>Retail Price</u>	<u>Weight (lbs)</u>
B102-000	SDX102 Standard Drum Snow Blower	15,583.00	1500

~ ~ Selection 2 ~ Choose a Power Shaft ~ ~

340-924WG	Size 9 Heavy Duty PTO Shaft 540 RPM	1,343.00	44
340-927WG	Size 9 Heavy Duty PTO Shaft (for TV-145 Engine End) 540 RPM	1,109.00	44
<i>Optional Gear Gbox</i>			
B102-175	1000 RPM Gear Box STANDARD	1,938.00	
B102-175R	1000 RPM Gear Box CCW	2,230.00	
<i>Power Shaft for 1000 RPM Gear Box</i>			
340-928WG	1-3/8 21 Spline shaft 1000 RPM	1,387.00	

NOTE: Do not order above shaft if going on a FM350 or FM115

* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.
* Prices subject to any applicable taxes.
* Prices and surcharges are those in effect at time of shipment.



This list supersedes all previous lists.

USA

MACHINE PRICES AND SPECIFICATIONS

Effective May 6, 2026

SDX-102 SNOW BLOWER

~ ~ Selection 3 ~ Choose a Chute Kit ~ ~

B110-270	Heavy Duty Chute Kit with Dbl Chute Deflector	2,130.00	155
B840-250	Cylinder Kit for B110-270 (Required)	626.00	27
B110-280	Truck Loading Chute Kit with Dbl Chute Deflector	2,844.00	250
B110-260	Cylinder Kit for B110-280 (Required)	558.00	31

NOTE: Cylinder kits are complete with 2" x 6" cylinder & hoses

B102-250	Folding Truck Loading Chute	4,836.00	
----------	-----------------------------	----------	--

NOTE: Hoses & Two Cylinders Included in B102-250

~ ~ Selection 4 ~ Choose a Extra Options ~ ~

		<u>Retail Price</u>	<u>Weight (lbs)</u>
B960-260	3pt Extension Kit - no shaft incl. (For SDX102 units built in 2014 or earlier)	943.00	60
B890-300WG	Gauge Wheels with Tapered Roller Bearings	2,184.00	50
	Assembly	Net 150.00	

* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.

* Prices subject to any applicable taxes.

* Prices and surcharges are those in effect at time of shipment.



This list supersedes all previous lists.

USA

MACHINE PRICES AND SPECIFICATIONS

Effective May 6, 2026



SBX-87 Skid Steer SNOW BLOWERS



SBX Series Snow blower Specs:

Cutting Widths:

SBX-87 87"(221cm)

Replaceable Cutting Blade

Adjustable, replaceable skid shoes

Standard Skid Steer Mounting Plate and electrical harnesses available for various skid steer model

~ ~ Selection 1 ~ Choose a Basic Unit ~ ~

		<u>Retail Price</u>	<u>Wt(lbs)</u>
B870-100	SBX-87 Base Unit <i>Includes Hydraulic Rotator and Deflection</i>	12,429.00	

~ ~ Selection 2 ~ Choose Motor Mount Attachment Plate & Valve Block ~ ~

B750-300	<u>Required</u> Motor Mount Kit	1,267.00
B750-600	<u>Required</u> Skid Steer Attachment plate	1,030.00
B750-400	<u>Required</u> Hydraulic Valve Block	4,012.00

~ ~ Selection 3 ~ Choose Hydraulics and Harness Assembly ~ ~

R500-345	Control Box Interface <i>(Choose if Brand isn't listed below)</i>	802.00
R500-350	Bobcat Interface Harness	2,307.00
R500-330	CNH Harness Assembly	295.00
R500-335	Cat 14 Harness Assembly	295.00
R500-340	John Deere Harness Assembly	295.00
R500-325	Kubota/ASV 14 Pin Harness Assembly	295.00
R500-315	JCB, Tacheuchi, Volvo Harness Assembly	299.00
R500-355	CAT D-Series Adapter Harness	388.00

* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.

* Prices subject to any applicable taxes.

* Prices and surcharges are those in effect at time of shipment.



This list supersedes all previous lists.

USA

MACHINE PRICES AND SPECIFICATIONS

Effective May 6, 2026



SBX-87 Skid Steer SNOW BLOWERS



~ ~ Selection 4 ~ Choose Motor to Match Flow ~ ~

116-213WG	Hydraulic Motor, 4.9 cu. in. For 11-14 GPM Flow	1,159.00
116-214WG	Hydraulic Motor, 6.2 cu. in. For 15-19 GPM Flow	1,567.00
116-902WG	Hydraulic Motor, 8.0 cu. in. For 20-24 GPM Flow	1,547.00
116-903WG	Hydraulic Motor, 9.6 cu. in. For 25-29 GPM Flow	1,514.00
116-904WG	Hydraulic Motor, 11.9 cu. in. For 30-35 GPM Flow	1,647.00

Assembly

Net

350.00

* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.
 * Prices subject to any applicable taxes.
 * Prices and surcharges are those in effect at time of shipment.



This list supersedes all previous lists.

USA

MACHINE PRICES AND SPECIFICATIONS

Effective May 6, 2026



SBX-87 3 PT SNOW BLOWERS



SBX 3 PT Snow Blower Specs:

Cutting Widths:

SBX-87 87"(221cm)

540 RPM - cat 1 hitch

Replaceable Cutting Blade

Adjustable, replacable skid shoes

Improved larger chute design

~ ~ Selection 1 ~ Choose a Basic Unit ~ ~

		<u>Retail Price</u>	<u>Wt(lbs)</u>
B870-100	SBX-87 Base Unit <i>Includes Hydraulic Rotator and Deflection</i>	12,429.00	

~ ~ Selection 2 ~ Choose 3PT HITCH (Important: not optional) ~ ~

B750-200	<u>Required</u> 3 PT Hitch Kit	2,106.00	
----------	--------------------------------	----------	--

Assembly	Net	100.00	
-----------------	------------	--------	--

* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.
 * Prices subject to any applicable taxes.
 * Prices and surcharges are those in effect at time of shipment.



This list supersedes all previous lists.

USA

MACHINE PRICES and SPECIFICATIONS

Effective May 6, 2026

FM-350 Front Mount 3pt Hitch Frame

FM-350 Specs:

Tractor HP: 85 HP-250 HP

Tractor PTO - 1000 rpm for RDX / SDX-117 and RDX / SDX-102

Adjustment: Accommodates tractors between 151" and
211" measured from mount plate to drawbar pin

540 rpm for RDX / SDX-102 only

Lift Capacity : 5000 lbs

Nominal Ground Clearance - 13" depending on tractor installation

Nominal Lift Range - 18"

Weight - 1650 lbs

~ ~ Selection 1 ~ Choose a Basic Unit ~ ~

		<i>Retail Price</i>	<i>Weight (lbs)</i>
F350-100	FM-350 Front Mount Frame (NO Driveline Package) Used for SV 3pt V-BLADE (must choose for all attachments) <i>Includes 2 hydraulic banks for operation</i>	10,087.00	750
F350-200	<i>Driveline package (Used for Snow Blowers)</i>	6,874.00	

~ ~ Selection 2 ~ Choose Gear Box ~ ~

F250-310	1:1 Rear Gear Box <i>Select when connecting a 1000 RPM PTO tractor to a SDX-117 or RDX-117 or when connecting a 540 RPM PTO tractor to a SDX-102 or RDX-102 snow blower</i>	3,526.00	100
F250-300	1000 to 540 RPM Rear Reduction Gearbox <i>Select when connecting a 1000 RPM PTO tractor to a RDX-117 or RDX-102</i>	3,345.00	100

~ ~ Selection 3 ~ Choose REAR TRACTOR SHAFT ~ ~

NOTE: Power delivered from a 1,000 RPM tractor only

340-662WG	1-3/8 Z21 for SDX-102 / RDX-102	865.00	36
340-663WG	1-3/4 Z20 for SDX-102 / RDX-102	865.00	36
340-925WG	1-3/8 Z21 (size 9) for SDX-117 / RDX-117	1,323.00	52
340-926WG	1-3/4 Z20 (size 9) for SDX-117 / RDX-117	1,348.00	52

NOTE: Power delivered from a 540 RPM tractor only

340-924WG	1-3/8 Z6 (size 9) for RDX-102	1,343.00	50
------------------	-------------------------------	----------	----

* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.

* Prices subject to any applicable taxes.

* Prices and surcharges are those in effect at time of shipment.

This list supersedes all previous lists.



USA

MACHINE PRICES and SPECIFICATIONS

Effective May 6, 2026

***FM-350 Front Mount 3pt
Hitch Frame***

~ ~ Selection 4 ~ Choose Hydraulic Bank ~ ~

		RETAIL PRICE	WEIGHT (LBS)
F300-410	Hydraulic Bank and Mount, Single <i>Required for drum rotation on RDX-102 / RDX-117</i>	470.00	50

~ ~ Selection 5 ~ Choose Options ~ ~

Tractor Mount

**Please contact us for tractor mount options & availability* 750.00

<i>Assembly</i>	<i>Net</i>	100.00
-----------------	------------	--------

* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.
 * Prices subject to any applicable taxes.
 * Prices and surcharges are those in effect at time of shipment.



This list supersedes all previous lists.

USA

MACHINE PRICES and SPECIFICATIONS

Effective May 6, 2026

***FM-115 Front Mount 3pt
Hitch Frame***

FM-115 Specs:

Tractor HP: Max. 115 hp (86kw)

Tractor HP: Min. 55hp(41kw) for SDX-840, 85hp (63kw)for SDX-102, RDX-102

Tractor Hydraulic Requirement - 3 remote circuits with a minimum total hydraulic output of 10 GPM at 1200 PSI.rotating drum.

An additional circuit is required if the snow blower has a rotating drum (RDX-102).

Tractor PTO - 540 RPM

Lift Capacity: Maximum - 5000 lbs (1162 KG)

Adjustability - Fits tractors between 111-1/2" and 164-1/2" measured the front mount plate to the drawbar pin

Normal Lift Range - 18"

Nominal Ground Clearance - 10" depending on tractor installation

Approximate Weight - 1400 lbs (636 KG)

~ ~ Selection 1 ~ Choose a Basic Unit ~ ~

		<i>Retail Price</i>	<i>Weight (lbs)</i>
F115-100	FM-115 Front Mount Frame <i>(NO Driveline Package)</i>	8,329.00	750
F115-200	<i>Driveline package (Used for Snow Blowers)</i>	6,543.00	
340-924WG	1-3/8 Z6 (Size 9) for RDX-102	1,343.00	
	<i>Assembly</i>	<i>Net</i>	100.00

* Schulte Industries Ltd. reserves the right to adjust prices and/or surcharges at any time.

* Prices subject to any applicable taxes.

* Prices and surcharges are those in effect at time of shipment.